

# SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1905, by Munn & Co.]

Vol. XCIII.—No. 22.  
ESTABLISHED 1845.

NEW YORK, NOVEMBER 25, 1905.

[10 CENTS A COPY.  
\$3.00 A YEAR.]



AN ORINOCO "LANCHA."—[See page 420.]

## SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN &amp; CO., - - Editors and Proprietors

Published Weekly at  
No. 361 Broadway, New York

## TERMS TO SUBSCRIBERS

One copy, one year for the United States, Canada, or Mexico ..... \$3.00  
 One copy, one year, to any foreign country, postage prepaid. 20 lbs. 5d. 4.00

## THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845) ..... \$3.00 a year  
 Scientific American Supplement (Established 1876) ..... 5.00  
 American Homes and Gardens ..... 3.00  
 Scientific American Export Edition (Established 1878) ..... 3.00  
 The combined subscription rates and rates to foreign countries will be furnished upon application.  
 Remit by postal or express money order, or by bank draft or check.  
 MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, NOVEMBER 25, 1905.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

## TURBINE TROUBLES.

It is a matter of common remark that the comparative absence of any serious check to the steady development of the steam turbine is one of the most surprising facts in connection with the new prime mover. And yet, we doubt not that if Mr. Parsons shall ever give to the world a detailed history of the years of experimental work which preceded the production of his first successful turbine, it will be found that success was achieved, only after the inventor had trod the usual weary way of repeated experiment, frequent disappointment, and occasional success. It is a mistake to speak of the steam turbine as a perfected invention; for it will be many years before it will be developed to its ultimate limit of efficiency—a point which has undoubtedly been reached already by the reciprocating engine. In some respects the steam turbine is still in the experimental stage; and the wonder of it all is that an engine of an entirely new type should have shown such high efficiency so early in the history of its development.

Not much has been made known as to the difficulties and disappointments that have been encountered in working the crude idea into the practical machine; yet they have been many, and in some cases serious and discouraging. Thus, in the case of a large ocean steamship recently equipped with steam turbines, and placed in the Atlantic service, there has been continuous trouble caused by heavy priming. The water came over in large volume from the boilers, and on its entering the turbine its inertia proved too much for the rapidly revolving blades, and many of them were stripped entirely from the shaft. This trouble occurred to the high-pressure turbines and was so serious as to necessitate the presence of a man continually at the main throttle. Another serious difficulty, which has developed in the larger turbines, is the fracture of the blades due to their outer ends coming in contact with the cylindrical casing. Of course, the instant that they touch they are snapped from the shaft, with the result that things are pretty badly torn up in the turbine. For some time it was impossible to discover the cause of this contact, for the blades are always adjusted with sufficient clearance to avoid any contact. Ultimately, it was found on making micrometer measurements, that the blades had appreciably increased in length. After long and costly experiments the discovery was made that under certain conditions of speed, length of blade and steam pressure, an intense vibration may be developed in the blades which may become so violent as ultimately to stretch the fiber and give it a permanent set. Eventually a means was found of checking this vibration, or at least of reducing it to a point at which there was no overstraining of the metal. We understand that one of the two firms which are building the 75,000-horse-power turbines for the Cunard liners has set apart a special shop for experimental turbine work, and that already over one hundred thousand dollars has been expended in this way.

The next important event in the development of the marine turbine will be the maiden trip of the new Cunard liner "Carmania," which will sail for this port on December 2. This great ship will have turbines of over 21,000 horse-power; they will, therefore, be approximately twice as powerful as any that have been previously built. The experience gained on the "Carmania" will be of great value in the final designs, at least as to details of steam piping, condensers, etc., in the larger ships of 25 knots speed.

## EYESIGHT TEST FOR RAILROAD MEN.

We are in receipt of a communication from a locomotive engineer in far-away Australia, asking us to describe the standard tests for eyesight that are now in operation on the principal railroads of the United States. It seems that on the State railroads of New South Wales the standard eyesight test for employees

whose occupation renders it necessary for them to give or receive signals, consisted for many years of color tests made under practical working conditions. The tests were made with colored lights at night and colored flags by day, at an approximate distance of 1,000 yards. Our correspondent informs us, however, that during the present year the following method of testing has been adopted: Vision by Snellen's test type, at a distance of 20 feet; Color Sense by Prof. Holmgren's assorted wools and Dr. Williams' testing lantern; and Hearing, by counting the ticking of a ratchet acoumeter at a distance of 20 feet. It seems that a number of the locomotive men who were unable to pass, and were removed from their engines, failed because they were unable to read accurately the smallest type in the Vision test, namely, "type approximately three-eighths of an inch at a distance of twenty feet." Our correspondent claims that as the eye has been trained to sight signals at a distance both by day and night, it is impractical to expect that eyesight so developed could sight small objects accurately at a short distance.

Railroad men in this country will at once recognize in the description given of the New South Wales new system of tests, the very methods which have become standard on the leading roads of the United States; and it is evident that the management of these roads are dissatisfied with the present system of long-distance tests, and have decided to adopt the more scientific and carefully-thought-out system which we have found to work so well in this country. While we have every sympathy with the locomotive men who have lost their positions as the result of the change, we think it is probable that the government railroads in New South Wales will be materially benefited by the new rule. That their new system is similar to our own is shown by comparison with that used, for instance, on the New York Central Railroad, which includes first a reading test—three-eighths inch type at a distance of twenty feet; secondly, tests for position or form, consisting of models of semaphores placed in various positions at a distance of twenty feet; third, reading test for ordinary text, such as train orders, at an ordinary reading distance; fourth, color sense, which is tested, first in daylight by displaying strands of worsted of over a hundred varieties of color, and having the men name the colors displayed, and second in a darkened room by displaying glasses of different colors in front of a lantern. Finally, the hearing is tested at a distance of twenty feet by having the men note the strokes of an acoumeter, and repeat (conversation test) words given by the examiner. The men are re-examined at the end of three years from the last examination, and also after any accident in which they may have been present, after illness, and before promotion. The system outlined above, with occasional modifications, has been in force for ten or twelve years on most of our leading roads in this country and on some for a longer period than that. Although it has been the subject of some criticism by practical men who, like our Australian correspondent, would prefer a system of tests under working conditions, the American method has given satisfaction to the railroads, and is believed to provide a surer test for the more subtle defects of eyesight.

## ROBERT WHITEHEAD AND THE TORPEDO.

It is not often that the name of a single individual becomes so exclusively identified with a great invention as the name of Whitehead has with the submarine torpedo. A parallel case is that of Bessemer and his process of steel manufacture, which for so many decades remained in almost exclusive use in the steel mills of the world. The recent death of Robert Whitehead affords an opportunity to answer the frequently-asked question as to who he was, and how he invented a device which, it is safe to say, has had a greater influence upon the design of modern warships than any single invention of the past century. Robert Whitehead was an English engineer, who, while he was acting as superintendent at the Austrian government works at Fiume, became interested in the attempts of a certain Austrian officer, Capt. Lupius, to design a self-propelled torpedo. The credit for the root idea is due to the Austrian, but until he became associated with Whitehead he was unable to put it into practical shape. Naturally, Whitehead's first operative torpedo was a very crude affair, the speed being something less than 10 knots an hour and the range very limited. The Austrian navy, however, perceived the great potentialities of the device, and adopted the torpedo in 1868. Whitehead devoted himself energetically to its development, and one by one the defects of this wonderful little vessel were remedied, until it was brought up to its present high state of efficiency by the introduction of the Obry steering gear. The latest type of Whitehead torpedo can travel at a speed of 35 knots an hour; it can automatically regulate its own depth and correct its own course; and, under favorable conditions, it will make accurate attack at a range of several thousand yards.

The Whitehead torpedo, we have said, has exercised

a greater controlling influence upon naval construction and tactics than perhaps any other single weapon of naval warfare. At certain periods it seems to have almost absolutely dominated naval design, and there has never been a time when its modifying influence has not been strongly felt. It cannot be denied that the torpedo has, at times, been greatly overrated. Indeed, we believe it is being greatly overrated to-day. The experience of the recent war seems to prove that only under exceptional and very favorable conditions can the torpedo get in its blow. In the fleet engagements on the high seas it seems to have been a negligible quantity, and to have exercised very little, if any, influence upon battle formations. Consequently, we think it is unlikely that torpedo tubes will be fitted into future warships. Moreover, torpedo warfare will more and more be confined to work in sheltered seas and within easy reach of a naval base. Strictly speaking, the work done by the torpedo in the battle of the Sea of Japan was of this last-named character, for, on account of the rough sea that was running, the torpedo boats and destroyers were not used in the early stages of the fight, and were not sent out until after the sea had gone down. In the defense of harbors, straits, and inland seas, however, the torpedo will ever remain an invaluable factor, and particularly so if its range and accuracy in disturbed water and against swiftly-moving ships can be brought up to the proper standard.

## MODERN PRESERVATION OF RAILROAD TIES.

Within the past twenty-five years the price of all kinds of timber for architectural and structural purposes has advanced nearly 100 per cent, and the burden on the railway, electric lighting, and telephone companies has increased in proportionate ratio. Apparently no satisfactory substitute for wooden ties or poles has been found, and the dependence upon the forests for supplying mature trees is imperative. The planting of large acreages of private forests with quick-growing varieties of trees has been undertaken by a number of the large western railroads, but the experiments are still too young to demonstrate anything of general practical value. Until such systematic reforestation of our lands can be made, the leading railroads and telephone companies must resort to artificial means of prolonging the life of their ties and poles.

The preservative treatment of ties both for the steam and electric roads has been carried on now long enough to indicate the relative value of the different oils and chemicals employed. The experiences of the steam roads have been that treatment of ties is both economical and desirable, and the results secured far more than offset the initial expense. Nearly all of the railroad ties treated are by the zinc-cresote and zinc-chloride processes. Owing to the comparatively low cost of treatment with these materials, the ties can be economically increased in durability from five to ten years. More expensive chemicals, such as sulphate of ammonia and sulphate of aluminium, prolong the life of wood much greater than treatment with zinc chloride, but their higher cost makes the question of profit doubtful.

Few accurate records of the relative value of treated and untreated poles and ties date back prior to 1897. To-day, however, the foremost steam and electric railroads mark their treated and untreated ties and poles to ascertain their relative age of usefulness. On most of the western roads the life of the tie that has been treated is ten years, but a few ties put down in 1885 and treated by the zinc-cresote system, have lasted upward of fifteen years.

The railroads interested in the subject now employ dating nails which are driven in the upper side of every tie treated. These dating nails enable the track foreman to keep an accurate record of the age of every tie taken up. Copper nails are sometimes used for this purpose. The early galvanized and steel dating nails rusted so badly that at the end of two or three years the date was destroyed. However, several roads use steel dating nails galvanized with a coating of zinc. Samples of the nails are first immersed in a standard solution of copper sulphate for one minute, and then removed and washed and wiped dry. This is repeated four or five times at intervals, and if the zinc has been removed or a copper-colored deposit is found on the surface the nails are rejected. In this way dating nails are obtained which will last as long as the ties without having the date rusted away.

Ties used on railroads are subjected to much greater wear and tear than those employed for interurban electric railways, for the traffic is much heavier and more destructive to the wood. But few ties are worn out. Decay ends their years of usefulness first, and if decay could be arrested entirely ordinary ties that last ten years now could be made serviceable for twenty and thirty years on electric lines.

The source of decay or decomposition is in the air and water rather than in the wood itself. Minute animal or vegetable organisms floating in the air or water come in contact with the albuminous substances in the wood. Under favorable conditions of heat and moisture they multiply rapidly and destroy the timber. To prevent this it is necessary that an antiseptic with



germ-killing properties be applied to the surface of the ties. Moreover, the organic matter composing the cellular tissue of the wood must be sterilized and rendered inert so that the germs can find no nutrition in them. Theoretically, this can be obtained in a number of ways, but owing to the expense of the different processes it is not always profitable to treat poles and ties.

Most of the ties used by the railroads of the country are treated by the zinc-chloride process, but a few have tried the zinc-creosote and the zinc-tannin processes. On the Chicago & Eastern Illinois Railroad about 64 per cent of the red oak ties, numbering 860,000, that were put down in 1899 have been taken out to date. These ties were treated by the zinc-tannin process. It is estimated by the engineers of the railroad, however, that all of the ties of red oak would have been out before this had they not been so treated. The railroad owned its own plant for treating the ties, and the cost of the work for each tie can alone determine whether the experiment was profitable. The fact that all subsequent ties are thus treated before laying indicates that the railroad engineers consider treated ties more economical than untreated.

The Pittsburg, Fort Wayne & Chicago Railway experimented with ties put down in 1892. A number of white oak ties were used without any treatment, and a similar number of tamaracks and hemlocks treated by the zinc-tannin process. All of these ties have been removed except a few of the hemlocks, and they are to be removed this year. But the fact that the tamaracks and hemlocks lasted as long as the white oak ties is a sufficient proof of the value of the treatment. The ordinary life of the hemlock is much shorter than that of white oak, and its cost in New England is much lower also.

The Atchison, Topeka & Santa Fe Railway treats its ties with the zinc-tannin process, and the records show that treated hemlock had an average life of 10.71 years, untreated white oak 10.17 years, and treated tamarack 8.84 years. Improvements in the processes of treating ties have been steadily made since these experiments were begun, and the life of the treated ties is thus considered much longer to-day than formerly; but as it takes from ten to fifteen years to secure reliable data it is impossible to give figures that will show the difference between the old and new methods.

The question of using higher-priced chemicals for treating ties and poles has been repeatedly brought forward, and a number of the roads are carrying on experiments on a small scale to ascertain the economy of the different processes. Unless the life of the ties can be increased considerably the extra cost of the chemicals will render the work unprofitable. Each year gained on every tie, however, represents an enormous economy on the large lines. By bringing the average life of the abundant soft woods up to that of the hard woods by using preservatives of a cheap nature, millions of dollars can annually be saved to the railroads of the country. The question of cost of ties for the different systems is largely a matter of location. In the Southern States, where the long-leaf pine and cypress trees are plentiful, they are used in preference to all other woods for ties, and the important question at issue is to find the most satisfactory and economical method of preserving such soft woods so they will last from ten to fifteen years.

In New England, spruce, hemlock, tamarack, pine, and chestnut trees are most abundantly used, and their relative age of durability is almost in exact proportion to their cost. On the California coast the redwoods are most commonly used, and in the central and prairie States white and red oak, catalpa, tamarack, and hemlock. By treating the softer woods with preservatives most of the roads have succeeded in lengthening their lives so that they can be used almost as satisfactorily as the hard woods. The cultivation of forests of soft woods for railroad ties is an important branch of railroading for the future, for their growth is much more rapid than the hard woods, and if by being treated with chemicals they perform equally good work, the tie problem will be partly solved. Meanwhile, engineers and chemists are busy testing new processes of treatment, and the difficulties now presented in securing ties that will do service for ten to fifteen years are gradually being eliminated.

## FUN WITH THE PHONOGRAPH.

BY DEXTER W. ALLIS.

Few owners of the phonograph realize the great versatility of this machine as a source of amusement. By its use the following experiments may be carried out. In addition to the machine itself, a recorder and a few blank records will be needed.

"Speech by Tom Thumb." The machine must be speeded up as high as possible, and the above announcement recorded on a blank in a deep, loud voice. The machine should be quickly slowed down to about eighty revolutions per minute, and the speech or monologue recorded at that speed, care being taken to articulate distinctly. When the blank is full, the reproducer may be substituted for the recorder, and the machine be brought up again to high speed at which

the announcement was made. When the record is reproduced at this speed, the result will be the loud voice of the announcement followed by a rapid, pinched-up little voice making the speech.

"A Whistling Duet by John Smith." This startling announcement through the horn would create much surprise.

Put on a blank; and, after the speed is at about 160 revolutions, whistle some popular piece of which you know the second part. When the record is full, set the recorder back to the beginning again without stopping the machine. When the recording point gets to the commencement of the piece, the first part will sound faintly in the recorder, thus giving the cue and the pitch for the second, which should be recorded not quite so loudly as the first.

Several modifications of this experiment will suggest themselves. The first attempt may not be perfectly successful, but that need not be considered a drawback, as a spoiled record can be easily cleaned with a rag and a little kerosene. The rubbing should be lengthwise of the cylinder till the lines are all removed, after which a soft cloth is rubbed around the record to give a polish. Hard or gold molded records may also be cleaned in this way, which fact suggests another amusing trick.

This will call for two records, preferably talking selections, which are exact duplicates. One of these is "doctored" by cleaning off the latter half, the rest being protected by a piece of writing paper wrapped around and secured by an elastic band. On this blank space various remarks should be recorded, which should be very different from those originally there. The good record is to be played through first. While saying that you will repeat it, the second one is quickly substituted in the machine, and of course starts off exactly like the first one. When the "doctored" portion is reached, however, a change will be noticed, but cannot be accounted for by the hearers.

By taking two records of entirely different character, cutting each in two, and putting on a half of one and a half of the other, we can often jump from the sublime to the ridiculous by quickly flipping the reproducer across the gap, from one to the other. With care the thinner half of one of these records may be slipped halfway on, in a reversed position, and when made to run true, will produce everything backward. A curious thing about such records is that the voice one heard in the proper direction is instantly recognized when reversed, but is, of course, unintelligible.

## FREDERIC H. BETTS.

In the death of Mr. Betts, which occurred on the 11th instant in this city, a lawyer of unusual capacity and brilliancy, especially versed in patent law, was removed from the ranks of those prominent in its practice.

Mr. Betts was born in Newburg, N. Y., in 1843, was graduated from Yale University in 1864, and was admitted to the Bar from Columbia College in 1866. It was shortly after this that he became acquainted with Mr. Alfred E. Beach, then one of the proprietors of the SCIENTIFIC AMERICAN, who suggested to Mr. Betts the advisability of taking up the study and practice of the patent law, particularly in its higher aspects before the courts. He followed the suggestion, and soon became prominent and successful in being able clearly to present the salient points of cases committed to his care. During recent years he acted for the American Bell Telephone Company, the Western Union Telegraph Company, the Edison Electric Light Company, and several other prominent corporations.

Mr. Betts was always deeply interested in Yale University. He founded the Betts prize in the Yale Law School, and was for a long period lecturer on patent law in the law department of the university. He was also vice-president of the Yale Alumni Association, and in the eighties was connected with several New York citizens' committees and reform organizations.

In 1869 he married Miss Louise Holbrook, a daughter of John F. Holbrook, of New York. The widow and three children—two sons and a daughter—survive him.

For the last few years Mr. Betts was connected in a legal capacity with the firm of bankers of J. P. Morgan & Co., and was regarded as one of the most prominent lawyers in New York. The funeral services were held on the 14th instant in St. George's Church of this city, of which Mr. Betts was a vestryman. Many prominent persons were in attendance.

Mr. Betts will be remembered for his sterling ability as an expounder of the principles of patent law, and their application in the adjudication of difficult and uncertain cases.

In a contribution to the St. Louis Medical Review, of October 21, Dr. John Zahorsky protests against the fashion of using no cradle, urges the return of the cradle to the nursery and predicts that this useful article of furniture will be in style again before long. He cites a number of authorities to prove that "the soothing, rocking movements of the cradle are posi-

tively beneficial," particularly when infants are peevish. "The cradle is one of the best therapeutic agents for a nervous baby or a sick one," says he. "It is easier on the mother and preferable to the modern succedanea, pacifier, or paregoric."

## SCIENCE NOTES.

M. Camille Flammarion has been making some experiments at the station for climatologic agriculture of Juvisy, in the suburbs of Paris, to see whether the moon exerts any influence upon the growth of plants, according to the popular opinion. He made different sets of plantings at dates which corresponded to the different phases of the moon, using peas, beets, carrots, potatoes, beans, and many other vegetables of the ordinary kinds. After some experimenting he found that the results which were observed on the growth of the plants were extremely variable, and no fixed rule seemed to govern them. The plants appeared at periods which had no connection with the moon's phases, so that it was impossible to draw any definite conclusions from the first series of experiments. M. Flammarion is to continue his observations on this subject and sooner or later will no doubt have results which will decide this much-disputed point.

Electric traction on the Teltow canal, which is one of the principal canals in Germany, is shortly to be applied on a large scale, in accordance with a programme formerly decided upon. It will be remembered that a number of experiments with different forms of tractors were made along the canal, and these showed that the electric system offered many practical advantages. A large central station for supplying the current has already been erected, and is about completed at present. It already contains a 400-horse-power dynamo and engine group and two large steam turbine and dynamo sets of 700 horse-power each. The station will be prepared to furnish current very shortly. The extensive system of locks will first have an electric system for operating it. The rails for the electric locomotives have been laid along the canal in the eastern section between Grünau and Britz, on both banks. The overhead wires and the poles are being put in place, so that it will not be long before the locomotives will be ready to haul the canal boats.

Some rather remarkable results which have been obtained in a series of researches upon the radiation given off from polonium are mentioned by B. Walter, a German physicist. According to him, the  $\alpha$  rays of polonium under certain conditions give rise to a luminescence of the air when passing through it. In this case there seems to be an emission of a certain kind of radiation which has a very pronounced photochemical effect, one whose properties are to be compared with those of the spectrum which is included between the rays  $\lambda = 350$  and  $\lambda = 290$ . This radiation is absorbed by a sheet of aluminium 0.0004 inch thick, but it will pass through a plate of glass 0.006 inch thick. This emission seems to be produced especially in the presence of nitrogen. With hydrogen and oxygen the effect is fifty times less intense. Other researches in the same field bring out some of the oxidizing effects caused by bromide of radium. This action is shown when a tube containing bromide of radium is brought near a solution of iodoform in chloroform. A purple color of the solution is observed in the solution even when it is separated from the radium salt by screens of glass, mica, or cardboard. This chemical action does not result from luminous rays but from the special radiations which can pass through the screens. It seems that the  $\beta$  and the  $\gamma$  rays are the only ones which cause the oxidizing phenomena.

Delegates from all parts of the world attended the recent Congress of World's Economic Expansion which was held at Mons under the patronage of King Leopold II. International expeditions to the North and the South poles were discussed and these projects were adhered to by many of the most eminent explorers such as Arktowski, Nordenskjöld, Brune, Nansen, Von Drygalski, Racovitza, Charcot, Cook, Peary, and the Duke of Abruzzi. The congress will thus be called upon to lay the foundation for an international association for the study of the polar regions. Besides this important work, the congress made the projects for two international institutions which will be of great value. The first of these is an international Bureau of Ethnography which will collect the documents and specimens furnished by explorers of all countries and will publish the needed information at intervals. The second project is for an international Bureau of Statistics which will centralize all the documents concerning this field and will thus be able to give very important information. Different conferences are no doubt to be held in the future in order to decide certain questions such as an international definition of tonnage of vessels, which is now measured by different methods, also to regulate the speed of ships during fogs and to decide other questions relating to the marine. The statistical section wishes to hold a conference in order to fix the principles of general statistics and to decide other questions of this nature.

### AN AUTOMATIC CARTRIDGE-COUNTER FOR MAGAZINE RIFLES.

BY DR. ALFRED GRADENWITZ.

Ever since magazine rifles were introduced into current practice there has been a need for a device enabling the number of cartridges left in the magazine to be ascertained readily without opening any part of the rifle. In fact, numerous instructions issued for infantry troops oblige both the riflemen and commanders to bear in mind at any moment the amount of ammunition remaining in the rifles. Now, if the magazine has to be emptied in order to ascertain the accurate number of cartridges left, there will be a loss of time and, under certain conditions, some danger, quite apart from the risk of losing some ammunition dropping out of the magazine. Moreover, the attention of the men will be diverted completely from the enemy, or from the commander.

An apparatus invented by Dr. Gottardi, of Innsbruck, will doubtless be welcomed in military circles. This cartridge-counter is an extremely simple device, causing a number of checking buttons corresponding to the number of cartridges left in the magazine to project in a readily visible and touchable manner from the right-hand wall of the magazine. This device is readily adapted to any kind of magazine rifles, as also to pistols.

Our illustrations show the cartridge-counter as adapted to type 95 of the Austrian rifles. The supporting spring of the magazine is somewhat modified, and is narrowed toward its end, while its cross-section is increased, so that the power of the spring is augmented. The counter is situated at that point on the rifle where the rifleman, in the "clear" position and in pointing, keeps his left hand, so as to enable him readily to ascertain the condition of the magazine without inspecting or touching the apparatus.

Special advantages will be derived from this device, not only by the men, but also by commanders, who will be able to watch either with the naked eye or with a field-glass the condition of the magazines of their men.


### A NEW TYPE OF ORE-UNLOADING\_BUCKET.

BY W. FRANK M'CLURE.


The ore-unloading machines most recently installed at the world-famous port of Conneaut, and known as "fast plants," are playing a most important part in the making of the marvelous unloading records which are being chronicled this season at that harbor. There are four of these machines, and in the making of the recent unloading records they have been used simultaneously with the giant Hulett clamshell machines, which were fully described some time ago in the SCIENTIFIC AMERICAN.

The Brown fast plant is an abbreviated Brown hoist, spanning two or more railroad tracks, with arms or cantilever extending beyond. The storage feature is limited or else eliminated entirely. As will be noted in the accompanying photograph, the machine is very compact in form. Loading, as it does, directly into

cars, the movements of the bucket are short and fast. While Brown fast plants have been installed at West Albany, N. Y., Jersey City, Port Richmond, Cleveland, and elsewhere, they are all of different styles and dimensions. None of them are duplicates of the ones at Conneaut, and none of as great capacity. Those at Conneaut and at Port Richmond are operated by electricity, and all others yet built by steam. The contract for the building of the four fast plants at Conneaut stipulate that each one shall be capable of unloading seventy-five per cent of the cargo of any modern steamer with hatches twenty-four feet center to center, without the aid of hand labor in the hold of the vessel, and at the continuous average rate of 150 tons per hour. The bucket in use on these machines is a patent two-



One Cartridge in the Magazine and One in the Barrel.



Four Cartridges in the Magazine and One in the Barrel.

### AN AUTOMATIC CARTRIDGE-COUNTER FOR MAGAZINE RIFLES.

rope grab bucket. It is operated by two ropes, which work around sheaves in the top of the bucket, one operating the shell and the other the spades at the will of the operator. The bucket can thus be lifted and the spades remain open. The bucket can likewise be engaged in digging without being lifted. This style of bucket can be used in coal, limestone, and other materials as well as iron ore. The ones in use at Conneaut, and which are shown in the photographs, each have a capacity of five tons. The weight of each bucket is about 11,000 pounds. The total weight of the trolley and bucket is 59,400 pounds, and the weight of the crane 337,000 pounds.

During one of the tests of this machine, between the 19th of one month and the 27th of the month following, four machines handled 164,326 tons in 978 hours and 35 minutes, the average number of tons per hour being 167.92, and the per cent of the cargoes handled exceeding 75 per cent. The hoist on the machines at Conneaut is operated by two 150-horse-power motors and has a speed of 300 feet per minute, the trolley


travel 100-horse-power motor and a speed of 1,000 feet, the bridge travel one 75-horse-power motor and a speed of 75 feet.

As heretofore stated, a favorite way at Conneaut docks, in unloading the largest ore carriers, on which the world's records have been made, is to operate these machines in the vessel simultaneously with the big clamshell or Hulett automatic unloaders. It will be recalled that the Hulett machines are operated by hydraulic power, that the buckets have a capacity of 10 tons, and that the entire weight of each of these machines is 400 tons. The fast plant and the Hulett machines stand side by side on the docks of the Pittsburgh and Conneaut Dock Company, and the large dimensions and number of hatches in the modern lake freighter admit of both styles of machines being in use at once. The first of the recent great records for unloading one of these monsters was made soon after the installing of the fast plant at Conneaut, which made it possible for this dock to operate the two kinds of machines in one boat. This record was the unloading of 9,945 tons of ore from the steamer "Wolvin" in four hours and thirty minutes, which cut the former record at South Chicago square in two. Not long ago this latter record was broken, when the Hulett automatic unloaders and the fast plant unloaded the steamer "George W. Perkins" of 10,514 tons in four hours and fourteen minutes.


While some other ports are handling a larger volume of traffic this year than Conneaut, that harbor still holds all records for fast unloading, and most of the largest steamers still go there to be unloaded.

A fair estimate of the damage done annually by weevils to chestnuts grown in the United States would probably fall little short of 25 per cent, while in some years the percentage exceeds that figure, running as high as 40 or 50 per cent. Growers in some localities report no damage, others place losses as low as 5 or 10 per cent, while instances are cited of whole crops being destroyed. The amount of loss is dependent on locality, season, and to a more limited extent on the variety of nuts grown. The greatest damage is usually incurred in regions where chestnuts have grown wild for many years, and the least where there are no wild chestnuts or chinquapins and the nuts are grown only for market and are carefully gathered. The most extensive losses, judging from available sources of information, appear to be in Massachusetts, Pennsylvania, New Jersey, New York (in the vicinity of New York city), Delaware, Maryland, Virginia, Tennessee, and North Carolina.

In view of the many applications of timber and its growing scarcity, matches are now being made of paper, rolled spirally and dipped in wax or stearine, which prevents unrolling and gives rigidity. The roll is cut into lengths, which are then dipped in the phosphorus composition, and the matches are said to burn remarkably well.



The Fast Plant Unloading Ore at Conneaut, Ohio.



The Electrically-Operated Two-Rope Grab-Bucket of the Fast Plant at Conneaut, Ohio.

### A NEW TYPE OF ORE-UNLOADING\_BUCKET.



**A STORAGE-BATTERY LOCOMOTIVE.**

BY THE ENGLISH CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

A novel type of electric locomotive has been designed for service upon the Great Northern, Piccadilly & Brompton Railroad, the new deep-level tube for London, that is in course of construction. In this locomotive the motive power is derived from storage batteries.

This engine has been especially constructed for the transport of the excavated ballast from the railroad head, and the carriage of the constructional materials such as the iron segments for lining the tube, rails, ties, etc., to the point of erection. The general practice of carrying out this work with animal traction proved too slow and laborious. With the aid of this battery locomotive a train of several cars can be hauled simultaneously, thereby considerably facilitating and expediting the work. When the railroad is completed and opened for traffic the storage battery locomotives, of which two have been built, will be requisitioned for breakdown work, such as hauling trains out of the tunnels when the current fails, shunting, and other side-track work.

The general appearance of the locomotive may be comprehensively gathered from the accompanying illustrations. The total length of the engine is 51 feet 3 inches over buffers and 49 feet 3 inches over the body. The total width is 8 feet and the height from the rail level to the top of the driving cabs 9 feet 6 inches and to the top of the battery tank 6 feet 8 inches. There are two driving cabs, one at either end. Each cab is fitted with a British Thomson-Houston master controller, so that the locomotive may be driven from either end. The two driving cabs, however, are not of the same dimensions, one occupying only 3 feet 6 inches of the total length of the locomotive, while the cab at the opposite end takes up 10 feet 10 inches. The larger dimensions of the latter cab are necessary for the accommodation of the controlling apparatus and braking equipment, comprising a air compressor and receiver. Between the two driving cabs is placed the tank for carrying the storage battery cells, the length of the tank being 34 feet 11 inches.


The locomotive comprises a main floor or platform built of channel steel  $9 \times 3\frac{1}{2} \times \frac{1}{2}$  inches, the side sills being  $8 \times 2 \times \frac{1}{2}$ -inch steel girders, and provided with a flooring of jarrah wood.

The frame is carried upon two four-wheeled bogie trucks, to each of which is fitted a British Thomson-Houston electric motor wound to 160 volts. The driver's cabs and battery tank are constructed entirely of steel, and the cabs are so arranged that they join the portion carrying the battery.

The battery equipment is carried on the jarrah wood floor. The accommodation for the cells is divided into two sections by a lattice girder frame extending longitudinally through the tank and so arranged as to provide a sloping top from the center to either side of the tank. The roof comprises throughout a series of doors placed on either side of the central girder to which they are hinged, so that access may be easily and quickly gained to any separate cell, or the roof may be entirely opened. The battery comprises eighty cells of the C. W. type, each cell containing twenty-one

plates, supplied by the Chloride Electrical Storage Company, Ltd., of Manchester. The plates are contained in lead-lined wood boxes, fitted with lids. The capacity of the equipment is a normal discharge of 179 amperes, and a maximum emergency rate of 800 amperes, the total available energy being 230,400 watt-hours.


The total weight of the locomotive is approximately 65 tons, of which 31 tons represents the weight of the batteries. The free running speed on the level when hauling a load of 60 tons ranges from 7 to 9 miles per hour. The batteries are of sufficient capacity to operate the locomotive for a whole working day upon one charge, the re-charging being carried out during the cessation of work at night. The locomotive is fitted with automatic center coupler buffers, and the Westinghouse air brake. A special type of flat car



Electric Storage Battery Locomotive for Construction and Emergency Use in One of the New Deep-Level Subways of London.

has been designed for operation with this locomotive. These cars are constructed simply of steel girders and plate floors mounted on wheels, and are fitted with air brakes.

The working of these engines is being closely followed by engineers interested in electric railroad traction, since they should prove of great value for emergency purposes. As their motive power is self-contained they are useful for the haulage of trains that have been brought to a sudden standstill upon an electric system owing to failure from any cause of the current supply.



Battery Compartment Containing 80 Cells of 230,400 Watt-Hours, or 308 Horse-Power-Hours, Capacity.

This battery supplies 40 horse-power normally and as high as 160 horse-power in emergencies.

**Korn's System of Electrical Telephotography.**

The problem of transmitting pictures, drawings, signatures, and the like over considerable distances is old; in fact, it dates back to the fifties of the nineteenth century. Many attempts have been made to solve it, but with scant meed of success. Now, however, the difficulty seems overcome, judging from a lecture given on October 28, 1905, by Prof. Korn, of Munich, before the Elektrotechnischen Verein (Electrotechnical Union) of Berlin, accompanied by demonstrations with the apparatus itself. Prof. Korn's apparatus is able to transmit a perfect copy of a *carte de visite* within the brief space of ten minutes, and, should it be found practicable, by the German postal authorities, who are now testing it, it will inaugurate a new era in connection with press work, criminal investigation, transmission of photographs of fugitives from justice, etc. We

will now describe the apparatus itself. Both the transmitting and receiving station are provided with two perfectly synchronous cylinders (i.e., two cylinders running with perfect uniformity of speed and motion, although hundreds of miles may intervene between the two stations), similar to the mechanism already known in connection with the Hughes printing telegraph, and the Siemens telegraphic apparatus. With Korn's apparatus the cylinders at both stations are actuated by shunt-wound electromotors, and an automatic regulating device is employed to prevent any lack of uniformity in their running. The cylinder at the transmitting station is of transparent glass, and the photograph (which has been copied upon a translucent film) is wound around it. A casing at the side of this cylinder carries a Nernst lamp, the light from which is, by means of a lens, concentrated upon a small spot on

the surface of the cylinder. Now, according to whether more or less transparent parts of the photograph wound upon the cylinder pass the spot of light, can more or fewer rays of light penetrate the interior of the cylinder. As the cylinder not only rotates but also slowly moves lengthwise, each point of the photograph is compelled to pass under the spot of light. Inside the cylinder there is also a selenium cell, composed of a coil of selenic wire, upon which the light penetrating the cylinder impinges. Selenium is a non-conductor when in the dark, but the more it is illuminated the greater does its conductive power become. This cell is in connection with a battery, and a wire which leads to the other station. Now, when a dark portion of the photo to be transmitted passes the spot of light, no light will be able to penetrate the interior of the glass cylinder at the transmitting station; the selenium cell inside this cylinder becomes non-conductive and no current will be able to

leave the battery through the said cell and find its way to the receiving station. The brighter the parts, however, which pass the light spot, the stronger will be the currents passing to the receiving station, where they (being in themselves too weak to be used for reproducing the photograph) are employed to release other currents of greater power.

At the receiving station there is another synchronous glass cylinder, perfectly similar to that at the transmitting station. It is covered with sensitized paper, and facing it there is a small Tesla tube which is made

luminous by subjecting it to Tesla currents. The whole of this tube is covered with indurated rubber in such wise that light can only escape at one point, whence it falls upon the surface of the sensitized paper in the form of a spot of light. The Tesla tube is fed by the already known Tesla inductor, one of which is provided at the transmitting station. If left to itself it would, of course, give a uniform light and merely blacken the sensitized paper all over; to prevent this, use is made of the photographic currents coming from the transmitting station, and to this end they are made to operate a sensitive galvanometer. Under the influence of these photographic currents the fine needle of the galvanometer executes a greater or less movement, and acts upon the Tesla apparatus in the same ratio. According to its position it switches more or less resistance into the Tesla circuit, thus causing the Tesla tube

to become more or less luminous. In this manner an exact copy of the photograph at the transmitting station is reproduced upon the printing-off paper.

This process can also be used for the transmission of handwriting. In this case the matter is written with non-conductive ink upon tin-foil, which is then drawn through a contact device. Closing of the current then takes place upon the surface of the metal, whereas, owing to the nature of the ink, the current is broken at the written characters; in this way the above described photographic currents are produced, which are then used at the receiving station as stated above. At present from 500 to 600 words can be transmitted per hour, giving an exact replica of the original; or a stenographed message of 3,000 words can also be telegraphed in the same time.

#### Terms Employed by Foresters and Loggers.

"Terms Used in Forestry and Logging," just published as Bulletin No. 61 of the Bureau of Forestry, affords the lay reader an insight into a strange vernacular.

The first half of the pamphlet is devoted to forestry. There we may read all the technical terms in good use, from "absolute forest land" to "yield table." Many terms explain themselves, but where they are not so readily understood the short definition makes plain at once the idea conveyed and the need of a special word or phrase to convey it. Perspicuity, precision, and common sense seem to have been the objects sought by the compilers.

On turning to the logging terms, which are listed in the last half of the bulletin, we come across some truly remarkable expressions—terms which, though evidently derived from slang, are now in good use among woodsmen either throughout the country or in the region denoted in each case. There the uninitiated may learn the distinction between a "ball-hooter" and a "boom rat," between a "bull cook" and a "cattyman," and find that none of them refers to any lesser animal than the logger himself. Among other creatures of the logging camp may be numbered also the "alligator," the "dolphin," the "dog," the "pig," and the "road donkey," all names of objects endowed with life by the vernacular of the logger. The "alligator" proves to be "a boat used in handling logs;" the "dog" a "short, heavy piece of steel;" the "pig" a "rigging sled;" and the "road donkey" a donkey engine mounted on a heavy sled, etc. Birds are represented by the "blue jay" and the "rooster" (also called "goose-neck"), reptiles by the "snake," and insects by the "katydid." A tenderfoot intending a visit among the brawny loggers in the North Woods, the Appalachian Forest, or elsewhere, should find it decidedly in order to take along this bulletin.

As the only reliable handbook of the kind in the language, Bulletin No. 61 will be in wide request among those interested in forestry and lumbering. It may be secured by application to the Forester, Department of Agriculture, Washington, D. C.

#### The Gases Given Off by Actinium.

Solutions of radium salts are known to give off continually an explosive mixture,  $H_2 + O$ , resulting from the decomposition of the water under the influence of radium. Ramsay and Soddy have shown this mixture to contain also small amounts of helium, which, as is generally presumed, is due to the disaggregation of the radium atom.

Mr. A. Debierne, as pointed out in a recent memoir to the French Academy of Sciences, has performed a large number of experiments on a solution of radium bromide and on actinium salts both in solution and in the solid state, when a formation of helium was stated with both kinds of salts. The experimental outfit used was similar to the one employed by Ramsay and Soddy, the gaseous mixture being introduced into a glass tube containing different substances to absorb any gases susceptible of chemical reactions. Such gases as were not absorbed in one of these tubes, viz., those of the argon group, were compressed by means of mercury in a small capillary tube, about 2 cubic millimeters in capacity, and carrying two platinum electrodes. The spectrum of the gas was observed in a direct vision spectroscopic of fairly great dispersive power, giving the wave length with an error of 1 or 2 units in the fourth figure. Photographs of the same spectrum were obtained by means of a quartz spectrograph, allowing the wave length to be measured with an error of one unit in the fifth figure.

The helium gas obtained in the author's experiments was found to be due to the presence of radio-active bodies as borne out by numerous checking experiments made under similar conditions.

In a previous paper, the author has shown that outside of the large amount of rapidly evolved emanation from actinium, there is a rather small amount of emanation which is evolved much more slowly. This latter emanation is found to be identical with the one given off by radium, though the amount evolved be extremely small.

It may be mentioned that Prof. Debierne has found in the spectra of the gases given off by actinium a number of lines which he has not been able as yet to ascribe to any one of the known gases.


#### A NEW MEGAPHONE.

BY DR. ALFRED GRADENWITZ.

A novel apparatus for increasing the intensity of sounds has been invented by Messrs. G. Laudet and L. Gaumont. The principle underlying the construction of this apparatus, which was recently presented to the French Academy of Sciences, consists in transmitting the sound vibrations concerned to and from a convenient flame. After the first experiments made in this connection, utilizing the human voice, had given satisfactory results, the voice assuming a remarkable intensity, the experimenters continued their investigations, employing sources of sounds of mechanically determined intensity, with continued success.

The megaphone (shown in the accompanying engraving) consists of an equilibrated distributor to regulate the amount of the burning gas mixture, and a burner wherewith the gases are consumed in an ignition chamber. The apparatus submitted to the Academy was arranged for registering the reinforcement of sounds of any kind on ordinary phonograms. Air and acetylene were employed as burning gases.

The distributing mechanism consists of a chamber, A, into which the combustible mixture is introduced under pressure through a conduit, B. A vane, C, supported on knife edges at O, is mounted at the bottom of the chamber, A, an elastic ring being provided to insure airtightness in O. Any motion given to the pencil is transmitted to the vane, C, inside of the distributor. On either side of C openings, D and D', are provided through which the gaseous mixtures are allowed to issue in respectively equal amounts as long as the vane is immovable. Any displacement of C will, however, result in an increase of the amount of gas issuing on one side, while the amount issuing on the other side is reduced. The total amount of utilized mixture remains constant, and the pressure in the interior of the chamber is also unaltered.



A NEW MEGAPHONE.

The gases are collected and conveyed to the burners through a series of conduits, E, E', E''. The burners consist of a series of disks cooled by an air current, H, H', the gases being expanded and reduced to a temperature such that combustion always occurs in the chamber, F, F', just at the point where the gases escape from the openings of the burner. The apparatus further comprises two funnels, G, G'. The power of the sounds obtained, which is truly remarkable, depends on the amount of gas mixture used and on the energy expended during its combustion.

#### The Current Supplement.

The current SUPPLEMENT, No. 1560, opens with a description of a 50-ton electric crane having a radius of eighty-seven feet. In a number of papers recently contributed to various scientific publications, Prof. Rutherford and others have made valuable contributions to our knowledge of the properties and life history of radium. These are reviewed in an excellent article bearing the title "Recent Study of Radium." Platinum and its alloys are briefly discussed. Prof. John J. Montgomery writes authoritatively on new principles of aerial flight. Walter J. May contributes an account of metal foundry patterns. Curious optical illusions are described by Arthur K. Bartlett, the chief being the halo of the moon. Mr. J. H. Morrison's excellent series of papers on the iron and steel hull steam vessels of the United States is brought to a conclusion. The last installment of A. Dastre's article on the stature of man at various epochs is presented. R. Kissling contributes the result of his recent investigations in the chemistry of tobacco. There are few more familiar sights than rain, and yet the method of its formation is but little understood by the ordinary reader. For his benefit the current SUPPLEMENT contains a most instructive article, in which the phenomena of rainfall are simply discussed. Prof. Dr. Hans Molisch, whose investigations on the phosphorescent light of plants have made him a leading authority on the subject, read a paper on "The Radiation of Light by Plants" before the Congress of German Naturalists and Physicians. This paper is published in full.

#### Engineering Notes.

In considering the proper material for a lagging, the principal elements are nonconductivity, noninflammability, efficiency, economy, ease of application, structural strength to withstand frequent removals and re-application, freedom from corrosive agents, ability to withstand indefinitely the disintegrating effect of the action of heat, and the vibrations and concussions incident to locomotive action. In addition, the covering should be only of material which is of a porous or spongy nature, with numerous cells or spaces, which will retain air between the particles of the substance.

As an instance of the rapidly-increasing use of steam turbines in Europe, we may mention the following electric plants, which are either in construction or already running. The plants in question are all under the control of a Franco-Belgian syndicate. The first of these, and the largest, is the new electric station which is to supply an extensive section of Paris with current for lighting and motors. It is now in construction at St. Denis. The power of this station will reach nearly 30,000 horse-power, and an overload of 20 per cent can be kept on for two hours. Next comes the large electric plant of Sclessin, near Liège, which has steam turbines to the amount of 15,000 horse-power. The new electric plant of Charleroi, also in Belgium, can furnish 3,500 horse-power, while the new plants which are erecting at Brussels, Ostend, Maubeuge, and at Cairo represent in all about 15,000 horse-power. Thus we find that steam turbines to the extent of 65,000 horse-power have been installed within three years by the same company.

The question is sometimes asked whether it pays to reduce the pressure when the load is light. It hardly pays to reduce the pressure on the boiler, except in very extreme cases, but if it can be done by throttling before the steam reaches the cylinder of the engine, it would be an advantage, because this retains the heat units due to the higher pressure in the steam and the throttling has a slight superheating effect. As a matter of fact, tests made by Willans & Robinson, of England, go to show that for light loads and high pressure, a throttling engine may do even better than automatic cut-off. The ideal arrangement is to throttle the steam for light loads up to say near quarter cut-off, and after that, for heavier loads, allow the variable cut-off to come into play. This practice has been carried into effect by the design of Mr. E. J. Armstrong, in which he arranges the shaft governor so that there is negative lead up to nearly one-quarter cut-off, after which the lead becomes positive, and this has the effect of throttling the steam for the earlier loads and undoubtedly gives better economy, in addition to making the engine run more quietly.

The first tunnel which is to pass underneath the Seine near Notre Dame for one of the new sections of the Paris subway has now been commenced. The Metropolitan had been taken across hitherto upon two bridges. These latter sections have not as yet been completed, however. As to the tunnel under the Seine, the first of the caissons was sunk not long ago. It has the peculiarity that it not only serves in carrying out the work, like an ordinary caisson, but the superstructure forms the walls and vault of the tunnel itself, having straight sides and an elliptical arched top. So that it will be sunk on the spot where it is to remain and then will be covered on the inside by an envelope of cast iron and masonry. Each of the caissons thus forming a section of the tunnel is 130 feet long by 33 wide and 29 high. At this point the Seine has 16 feet depth. The lower side of the caisson will be sunk to a depth of 33 feet below the river bed and the upper part will thus lie about four feet below the ground. There will be three of these sections to form the tunnel which passes obliquely across the Seine.

In Switzerland, the number of electric and cable inclined railways for ascending the mountain slopes has greatly increased within the last few years, and when working in connection with the railroads, the system has proved very useful both for tourists and also for the inhabitants of the health-resorts which are placed at elevated points. Among the new inclines which are now in construction we may mention the one which is to be used for mounting the Wetterhorn. It is designed upon the Feldmann system, by the constructor of the well-known Barmen-Elberfeld-Vohwinkel suspended road. The peculiar feature of the new Wetterhorn incline is that the cars are suspended above the tracks upon cables. The overhead cable is made double and there are two cables, one above the other, so as to provide for breakage. The two tracks lie 25 feet apart and the cars are drawn as usual by cable. The descending car helps to draw up the ascending one. The sustaining cables are anchored separately at the upper part and at the lower are stretched by a counterweight. This makes the tension of the cables independent of the value and the position of the traveling weight due to the cars. Steel cables of about 2-inch diameter are used. The cars are very light, and the system takes less power than usual.



## Correspondence.

### Medical Students in Germany.

To the Editor of the SCIENTIFIC AMERICAN:

In the last number of the SCIENTIFIC AMERICAN you make the statement that "the overcrowding of the medical profession in Germany is a matter of grave concern." Allow us to correct this statement through the following statistics. The medical students in Germany reached the numbers stated below in the respective years:

1884-1885 .....	7,844
1887-1888 .....	8,513
1890-1891 .....	8,163
1893-1894 .....	7,740
1896-1897 .....	7,785
1899-1900 .....	7,022
1902-1903 .....	6,232

—from which figures you will see that rather than increasing, the number is decreasing.

C. BISCHOFF & Co.

New York, November 10, 1905.

### Soft-Ground Horseshoe.

To the Editor of the SCIENTIFIC AMERICAN:

I notice in your issue of the 28th instant a sketch of what you call a "soft-ground horseshoe," recently invented. This reminds me of an appliance used by my father during the 50's, on mules that were used for plowing and harrowing lowland rice fields on Clarendon Plantation, Brunswick County, N. C., on west side of the Cape Fear River, five miles below the city of Wilmington, N. C.

These lands are so soft in many places that horses or mules cannot walk across them without sinking. The boots, as we called them, were first made of heavy sole leather with wide, round bottoms, and extended up around the animals' fetlocks, where they were made fast with straps and buckles. These were a failure. When the leather became saturated with the water it would double up and not support the weight of the animal. My father then made them of wood—black gum—at much smaller cost, and used them for years with perfect satisfaction. He was the first planter to use them in this State, and I think in the South. There was no patent on them; all who wanted to made and used them. It was the only way that mules could be worked in many of the rice fields.

It was very amusing to watch the antics of a mule with his first "set of boots" on. The modern clog dancer ain't in it a little bit.

The mules intended for this work were fitted with the boots and allowed to loaf on the high ground until they became accustomed to their boots before they were put in the soft land. JOHN S. WATTERS.

Charlotte, N. C., October 29, 1905.

### The Curious Behavior of an Incandescent Lamp.

To the Editor of the SCIENTIFIC AMERICAN:

While experimenting with a disconnected incandescent lamp bulb last week, I knocked off the tip to note the retarding effect of air on the vibration of its carbon filament, which thus remains active only 1-200 part as long as when in a vacuum. At the moment of the inrush of air, which in this case, due to the size of the puncture, was about a half second in time, I was startled by a shock like a current which passed through the hand grasping the brass terminals, which also continued for one-half second. The lamp was an old one, with a break in the filament, and I subsequently tried a dozen others—all old—to repeat the effect, but only once could another but slight current be perceived. The first lamp had for about fifteen minutes before been charged by an electrified belt, but of course again discharged, certainly absolutely, as must result by handling for some minutes, and therefore this was repeated in some of the tests made afterward. In both successful incidents it happened, therefore, that the lamps were subjected to the influence of static electricity. I had formed the theory that the electricity set free was due to friction of the air current on the filament and that whenever results were obtained it was due to the former striking the latter squarely and when this was nearly complete. The lamps used were of the double-loop kind and of 16 candle-power. The current was of an irregular, vibratory nature, which appears to presuppose that the trembling of the filament loop was concerned in the effect. In exact language, what was the cause of this electricity?

Brooklyn, N. Y.

ALBERT F. SHORE.

### Mosquitoes and Yellow Fever.

To the Editor of the SCIENTIFIC AMERICAN:

Does the *Stegomyia fasciata* die or lose its power on the fall of frost?

Does the *Stegomyia fasciata* lose its prepotency in intervals of years or months (*vide* the outbreak of fever at the towns in Nicaragua and Honduras)?

Is it not a fact that the mosquito is worse in cool or cold weather than in hot?

Where is the inceptive in yellow fever—in the man or the insect? Is there not a commencement?

Is it not possible for two or more gases, each innocuous, combined to form a third or fourth gas toxic?

If filth is no factor, why the preliminary cleaning up, at such a loss of time or money?

Does the difference in atmosphere between closed rooms and open beds play no part in the transmission?

Does receptivity of patient count for nothing?

Does the difference in the virulence of the attack under similar conditions amount to nothing?

Finally, is the *Stegomyia fasciata* more delicate than other species of mosquitoes? If so, what of the ovum—or the original fasci in the commencement?

Suppose an unimpregnated *Stegomyia fasciata* lives through the winter—is he capable of conveyance? His life is at furthest 120 days. In the cold, or semi-cold months, is he incapable of transmission? Does heat, moisture, or other unknown cause play no part? In other words, is the *Stegomyia fasciata* the sole cause?

I make no comment. I have lived in New Orleans and other Southern cities through fever epidemics; have noticed the bites in epidemics, and when there were none. Know, but will say nothing of the continuous activity of the mosquitoes. Make no postulate, but ask for information. WILLIAM F. WILSON, M.D.

Port Lanaca, Tex., September 24, 1905.

### Automobile Notes.

To prevent the freezing of the cooling water for gasoline motors in temperatures down to 0 deg. F., it is advisable to mix with the water about one-quarter its volume of wood alcohol.

By his arrival in San Francisco at 9 A. M. on October 30, W. C. Chadeayne broke the transcontinental motor bicycle record of 48½ days, originally made by George A. Wyman. Chadeayne left New York September 13, at 9.25 A. M., and taking into consideration the difference in time, he was just 47 days, 11 hours, and 35 minutes making the trip. The machine he rode was a Thomas "Auto-bi" with a belt drive. On account of snow and sandy roads, he was obliged to ride over the railroad ties a good part of the way during the last two weeks of his trip. He also rode several nights by moonlight in order to gain time. His experience at this time of the year was a particularly trying one, and both he and his machine deserve great credit.

The postal service is using a form of electric automobile mail wagon in Milan, and it appears to be quite an improvement. The new postal car, following the lines of the Paris system, which we illustrated not long since, runs between the central post office and the branch offices and boxes in the different districts of the city. The car is built by an Italian firm, but it differs considerably in construction from the Paris car, in the fact that the main part of the automobile is of large size, on the style of an omnibus, and is fitted out so that the mail can be sorted by the employe while the car is running. The car stops at each letter box to collect the mail, and between the boxes the employe sorts and stamps the letters and passes them in packages to a second man who puts them in a series of compartments corresponding to each postman's route. All the boxes are collected within an hour and a half, with a total run of 14 miles. It is proposed to extend the use of these cars all over Milan.

A new electro-chronograph for timing races has been devised by Mr. D. Owen, lecturer in physics at the Birmingham Technical school. The apparatus comprises a revolving drum which rotates at a uniform speed. The surface of the drum is smoked, and on it presses a style in connection with an electro-magnet which travels parallel to the axis of the drum as the latter revolves, thereby supplying a spiral trace on the drum. The electric circuit includes a target switch and a tape switch, which are united by a metallic lead and return wire. The starting pistol is fired at the target on the target switch, thereby opening the circuit and lifting the style momentarily from the drum. When the tape is reached and broken the same action takes place, and the number of revolutions of the drum between the two breaks is then read off. The timing of the speed of the drum is made electrically under the actual conditions of the race by placing the electro-magnet of the chronograph in connection with a pendulum or clock, which is made to give a mark on the revolving drum at intervals of one second. A ten-second race can thus be timed with certainty to one-fiftieth of a second.

The Bishop of Salisbury has lately adopted the automobile, and not long ago he was seen on his way to the assembly at Weymouth in his new car. Following his example, no doubt many other members of the clergy will take up the modern method of locomotion. One case we may mention at least. It seems that at Liverpool the members of the congregation have raised the sum of \$6,000 by subscription, for the purpose of allowing their pastor, Mr. Chavasse, to purchase an automobile. This will enable him to visit the outlying parts of his district very easily. Among the sovereigns who have taken up the automobile late-

ly is the King of Siam, who after taking his ministers around in a car over the rather rough roads of the country, has now made the purchase of a De Dietrich 16-horse-power chassis at Paris. Upon the chassis he will have mounted a special carriage-body according to his ideas. The Prince of Bulgaria, who does not hesitate to go in for all kinds of sports, even riding on the locomotives, is a fervent admirer of the automobile, and when last at Paris was often seen driving about the boulevards and parks.

The automobile appears to be making considerable progress in India and Indo-China. This was brought out in a striking manner by the great touring race from Delhi to Bombay over an 850-mile course. In Indo-China the cars are coming into use in many places, especially in the large cities. The wealthy residents of Kuala-Lumpur, one of the principal cities of the region, lying toward the south in the state of Selangor, now own a number of cars and they are very popular here. But the greatest future lies in the direction of industrial cars. The region possesses large gold mines, also an abundant supply of iron and tin. The principal exportation products are spices and gum. But owing to the lack of railroads, which are difficult to construct, little has been done toward utilizing the riches of the country. Industrial cars are now being introduced in the region and they will no doubt be of great value. The De Dion-Bouton hauling car which takes a 1½-ton load has already proved a favorite and before long we may see many of them in use. Should a public service of automobiles be organized, this would bring about a considerable importation of rice, cotton goods, coal and oil, etc., into the region.

At a recent meeting of the Académie des Sciences M. D'Arsonval gave a description of a new device for observing the speed of a motor. This apparatus, which is simple and practical in its character, has been brought out at Paris by the Richard firm, the well-known instrument constructors. Unlike most speed-indicating devices, it is intended to show the variable change of speed which a motor may have from the normal at any instant, comparing it with the speed of a standard motor which has a uniform movement. The standard of comparison in this case is a clockwork device which is provided with a speed regulator, so that its movement is practically constant. A uniform rotation is thus communicated to a pair of friction plates mounted on a shaft and acting on a roller whose distance from the axis of the plates is regulated by a milled screw. The friction roller gives a greater or less speed to one of the wheels of a differential mechanism. The other wheel of the differential is operated by the motor which is under trial. By regulating the position of the friction roller by the hand screw we can bring the first wheel of the differential to the mean speed at which the second is running, and for the standard speed of the trial motor the two wheels of the differential will run at the same speed and the apparatus itself will then remain at rest. Variations of the trial motor from the standard speed are seen by an indicating needle which is placed on the movable part of the differential. The Richard apparatus in its present form is so designed that an angular displacement between the motor shaft and the clockwork shaft represented by 1-250 of the circle is shown by a movement of 0.12 inch of the needle upon the dial, but the scale can be read down as close as 0.02 inch. Such an instrument will no doubt be valuable in different kinds of testing work, especially as it is of simple construction and easy to operate.

### Temperature and Weight.

L'Illustration (Paris) propounds and solves the following little problem in physics: Does any body whatever, warm, weigh as much as, more, or less than the same body cold? Note that this may have importance in the physics of the globe. The attraction between bodies which is shown in gravitation might change and vary. The ideal would be to be able to measure this attraction between identical bodies at very different temperatures; but the experiment can hardly be made, so an English physicist, Mr. Poynting, proceeded otherwise. He sought to see if a body whose weight we have taken in the scales at a given temperature preserves the same weight at another temperature, much lower or higher. The experiment is delicate and demands great care. It showed that the solid body heated to more than 100 deg. C. is a little lighter than the same body at 15 deg. The difference is very slight—0.003 milligramme in a solid of 208 grammes weight. In a general way, the difference in weight is not even as 1 to the tenth power of 10 for a difference of one degree in temperature. The difference exists, but it is infinitesimal. During the heating or the cooling of the body experimented on, there occur pretty considerable (apparent) variations in weight; but this is ephemeral. The heated body, which at first seems to lose a pretty important proportion of its weight, recovers the greatest part of it and shows itself, once heated, to have a weight only very slightly inferior to that which it had at low temperature.

**THE ORINOCO—A WASTED WATERWAY.**

BY G. L. M. BROWN.

Of all the great rivers of the world, with the exception, perhaps, of the Zambesi and, of course, those emptying into the Arctic Ocean, the Orinoco is the least known to commerce. Less remarkable for its length than its volume, in which it is exceeded by only eight other rivers, it has half a dozen tributaries compared with which the Susquehanna or the Potomac are mere pigmies, and drains a territory of 360,000 square miles, more than half the surface of Venezuela, or equal to the combined area of Italy, Spain, and Portugal.

Its actual length is estimated at 1,450 miles to its source in the sierras of the mysterious Guiana region; but to the head waters of the Guaviare, one of its upper branches, the distance is perhaps 1,600 miles or more. This tributary is about the size of the River Loire in France, but the Meta, the Arauca, and the Apure—the latter of which is regarded by some authorities as the true upper course of the Orinoco—all exceed the far-famed Rhine both in length and in volume, and in the rainy season roll down a vast flood such as few rivers of their size have ever been known to discharge. The Orinoco itself averages more than twice the volume of the Danube, and could gain or lose a dozen Hudsons without appreciably affecting its regular rise and fall. On the other hand, it must be remembered that two rivers on the same continent greatly surpass it both in length and volume—the La Plata and the Amazon, the volume of the latter being estimated at six times that of the Orinoco.

Apart from its size, the Orinoco is remarkable for several peculiarities, notably for its communication with the Amazon system through the Cassiquiare, which, it may be noted here, is not the sluggish canal at one time described, but a swiftly flowing river which divides its waters in the ratio of two to one, the Orinoco receiving the lesser current. The famous delta with its thirty-six channels is also an interesting feature, though less unique than the inland delta formed by the Arauca and the Apure where they join the main stream. This has been caused by the enormous force of the "winter" floods, which break through the soft mud banks, forming a confused network of "caños," or channels, which relieve first one and then the other of the streams they so intimately connect.

Like most rivers that flow through vast alluvial plains, the Orinoco is wide and shallow, and contains many shifting sand-bars which hinder the summer navigation; but this is not true of all of its course, for hills of blackened granite are seen at places with here and there a huge boulder projecting above its muddy surface. At the port of Ciudad Bolivar (formerly Angostura) the river is so constricted that it attains great depth, and in the wet season sweeps through its narrowed channel with such force that "lanchas," or sailing barges, have sometimes been known to take a week in passing this point. Its average rise at the narrows is between 40 and 50 feet, but in 1892 it attained the incredible height of 75 feet above low-water mark, and actually flooded the city, which in the dry season is perched high on the hillside, making a prominent landmark for approaching vessels.

The Orinoco is navigable at all seasons from the Atlantic (including seven of its mouths) to the Atures rapids, a short distance above the mouth of the Meta. A special class of steamer has to be used, of course, for this up-river navigation, and the vessel in the accompanying illustration will serve as a type of all the steamers plying west of Ciudad Bolivar, except one recently added to the fleet, which is an exact copy of the boats of the upper Nile, and draws just twelve inches. This latter is designed for the river Meta, the navigation of which has heretofore prov-

en difficult for boats drawing three feet or more, except in "midwinter" (i.e., July and August), when it is easily navigable to the edge of the Colombian highlands. The Arauca presents conditions similar to the Meta, and receives one steamer during the rainy season, which ascends to the village of Arauca, situated

far-distant Andes gave the necessary increase, and the town, one morning, was awakened to activity by the whistle of a small stern-wheeler which carefully felt its way over the bars, and crept in to the bank. Six months later, I reflected, as I watched this diminutive craft, the greatest vessel afloat could be made fast at the selfsame spot, and the ground on which I stood and, indeed, perhaps the whole town, besides countless leagues of savannah, would lie several feet below the onrushing flood.

A short distance above the Atures is another rapids, the Maypures, these two forming the only obstruction to the navigation of the Upper Orinoco, the Cassiquiare, and thence through the Rio Negro to the Amazon, as well as of the Guaviare, already mentioned, which drains the vast and otherwise inaccessible region southeast of Bogotá, and is said to be navigable for 500 miles.

The navigation of these waters was attempted about fifteen years ago by a French company which had acquired valuable rubber concessions in the region of the Cassiquiare and the Rio Negro (known as the Rio Negro district), where extensive forests of the very finest Pará rubber exist. The company, at great cost, transported a small steamer in sections to the foot of the rapids, and thence overland to the Upper Orinoco (their intention, I believe, was

ultimately to build a connecting railroad here), launched the vessel, and began to exploit these priceless forests. Unfortunately, however, as has been the case with so many French companies on this continent, the project failed through gross extravagance and mismanagement, and the little steamer was soon abandoned to the mercy of the floods. The present "Orinoco Line of Steamers," who own or control all vessels on the entire Orinoco system, informed the writer that they intend repairing this boat and encouraging trade with the upper river; but until this is done, we have the astounding spectacle of more than a thousand miles of navigable inland waterways undisturbed except by an occasional canoe or lancha.

The lancha is simply a light scow, or flat-bottomed boat, fitted with a single mast, from which, however, an enormous sail can be spread. With the summer trade-winds blowing from the Atlantic, good progress up-stream is often made, but for the return trip the mast and sails are stowed away, and the force of the current is depended upon, aided in the dry season by the use of poles or oars. If the westerly winds have set in, of course, it can sail back as well, and at times a little craft may be seen with sail set, tacking down stream in the teeth of an easterly wind; but this is sorry work. On my trip from San Fernando de Apure, indeed, we picked up a passenger from a lancha hailing from the town of Arauca, who informed me, with no little disgust, that


the voyage had already lasted two months, and Ciudad Bolivar was still far distant. The lancha, if I remember correctly, reached port just two weeks after we did, and, of course, by no possible good fortune could the owner sell his little cargo of hides so as to make the trip profitable.

Speedier and more picturesque than the lanchas are the "bongos," or large dugouts, one half of which is sheltered by a wicker or palm-thatched canopy; and a sight never to be forgotten is the passing of a bishop or faithful "padre" with his Indian boatmen, making a round of parochial calls requiring, perhaps, several months' almost constant travel. The instant this craft is recognized, the steamer or lancha slackens speed, and when the padre glides alongside he solemnly blesses the voyagers, then thankfully accepting such contributions as are offered him, and exchanging a courteous farewell, resumes his solitary way. His garb, his half-naked boatman, and the primitive bongo make the traveler wonder for a moment if he has not beheld a vision of



A Scene in San Fernando During the Rainy Season.

on the boundary between the two republics. The Apure, however, has a more uniform course, and is said to be navigable for more than 600 miles; but regular steamers certainly do not ascend that distance, the traveler being fortunate if he can get comfortable passage above San Fernando. Even this important town is frequently isolated during February, March, and April, as the writer learned to his dismay on his arrival from the Llanos. The stranger, to be sure, will



Live Stock Ready to be Shipped to Trinidad.

suffer no great hardship by the delay, since the town contains many well-appointed stores and can boast of an ice factory, a Chinese laundry, a small daily bulletin containing foreign cablegrams, and for his entertainment a primitive bull-ring! But even these attractions and the charming hospitality of the people pall upon him, and he constantly watches the sluggish current, hoping against hope that a rise may occur. Fate was kind in the writer's case; a tropical storm in the



The Narrows at Ciudad Bolivar.



early colonial days when the hardy fathers fearlessly set out to plant the cross in the remotest regions of the interior, and a glance at the shore line of tangled primeval forest and the still, lifeless track of waters in his wake, almost confirm him in the strange fancy.


The history of the navigation of the Orinoco is a sad recital of government monopoly and official corruption. The only port open to foreign vessels is the city of Ciudad Bolivar,\* a restriction that has wrought untold hardship to mining and trading companies, who often lose on the extra transportation to and from this

service exists between Trinidad and Ciudad Bolivar, and that at least something is being done to better the communication with up-river points.


The outlook, however, is not very promising, and it is doubtful if the Orinoco country will be properly opened up during the present generation unless a radical change of administration takes place. Its population to-day is believed to be actually less than it was nearly four centuries ago, when the Spanish explorer Ordaz ascended to the mouth of the Meta; and the Indian stands in such fear of the Venezuelan and his

which are about the same distance apart as are Minneapolis and St. Louis, it is estimated that there are less than 2,000 permanent settlers, apart from the inhabitants of Caicara and one or two other small villages. Most of these settlers, moreover, live among such wretched surroundings that one wonders that they find life endurable. The only evidence of modern progress that I witnessed during the entire trip was a windmill, and of the various craft we sighted not one was propelled by steam.

Yet the natural wealth and fertility of this region



Among the Hills on the Banks of the Orinoco.



The Ancient Fortress of San Feliz.

city the small profit necessary for the working of their concessions, and innumerable enterprises have failed owing solely to this short-sighted policy. The exclusion of all vessels but those of the river fleet from the Macareo channel of the delta, the shortest and safest route to Trinidad, is equally absurd; but these abuses are insignificant compared with the absolute monopoly of the up-river steam navigation, which is in the hands of the company already referred to, the "Orinoco Line of Steamers," who are the successors of the famous Orinoco Steamship Company, an American firm which was accused of aiding Gen. Matos in his ill-fated revo-


lution. The government that he frequently prefers to follow the smaller waterways of the Guiana region, or take overland trips through the virgin forest rather than use the broad highway that is his rightful heritage from countless ancestors.

This disappearance of the Indian has greatly impeded the gathering of rubber, tonca beans, and other natural products, and since immigration is not encouraged and continuous revolutions have scattered or killed the settlers of European and mixed descent, it would seem that the country is steadily retrograding. There is a project on foot at present to establish a col-

ony is boundless. The cattle of the llanos, as is well known, yield the finest hides that the shoe manufacturer can procure, and with cheap river freights, the traffic in hides from San Fernando alone should employ a fleet of steamers. During my visit to that town, however, the cattle industry was so depressed that animals on the hoof brought only \$5. The rubber forests of the upper Orinoco are as yet almost untouched except on the margins of the streams, and the valuable balatá rubber, which is comparatively new to commerce, is found at various points from the delta to the Rio Negro. Hardwoods of an infinite variety, dye-



Carib Indians of the Lower Orinoco.



A Typical Upriver Steamer.

#### THE ORINOCO--A WASTED WATERWAY.

lution, and was promptly snuffed out by President Castro. The nominal owners of the present line, indeed, are likewise an American banking and trading house at Ciudad Bolivar, but the president is a silent but very aggressive partner, and dictates the policy of the company, which, it is needless to add, is extortionate in the extreme, as are all other enterprises, controlled by him. To the credit of the American management, however, it must be admitted that an excellent

\* A small town near the Delta has recently been declared a port, but its position favors only the shipment of cattle.

ony of Boers upon the "llanos," and Gen. Castro is said greatly to favor it,\* but the Venezuelans assert that this is because he sees a chance to augment his army with tried fighters, not because he favors foreign colonization.

The writer sailed 200 leagues down this giant waterway, and was amazed at the primeval condition of the country. Between San Fernando and Ciudad Bolivar,

\* Gen. Pierson, the Boer representative, who recently returned to South Africa, states definitely that plans are completed to bring 8,000 Boers to Venezuela not later than 1906.

woods, medicinal plants, vanilla, tonca beans, turtle oil, and alligator and crocodile skins, will all in time become important exports, as will rice, sugar, tobacco, cacao, and many other agricultural products when the land is taken up and cultivated.

To-day, however, the Orinoco country remains a veritable wilderness, and the Orinoco can best be described as a wasted waterway. Were it not for the attractive little city of Ciudad Bolivar and the enterprising town of San Fernando de Apure, one would not hesitate to call it one of the most backward territories of its size

in the world. Yet the climate is healthful; the forest, mineral, and agricultural resources are limitless; and the whole region, with the exception of the highlands and sierras of Guiana, is rendered easily accessible by a magnificent river system. The only drawback to its development is the corrupt and inefficient government of Caracas—a drawback, judging by the past decades, that seems destined to outlive the century.


#### EXTRAORDINARY EFFECT OF WATER EROSION CAUSED BY THE ASSOUAN DAM.

BY THE ENGLISH CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

One of the most perplexing problems to the engineer, when dealing with the control of large masses of water, is the liability of erosion arising from the discharge of the water through a limited space. Occasionally the nature of the surface upon which the released water pours under great pressure and velocity is rugged and broken. Should a crevice exist the checking of the released water thereby is accompanied by a violence almost explosive in character, and the effects of this erosion are often of a remarkable nature.

One of the most extraordinary examples of this action is that shown in the accompanying photograph, kindly loaned to us by Sir Benjamin Baker. In this instance the rush of the water through the sluices of the Assouan dam has dislodged a huge boulder from the rocky bed of the river. As is well known, this barrage extends right across the Nile just above the first cataract, and the flow of the river below Assouan is completely controlled by this dam, the water passing through a series of sluices. At times a huge volume of water is banked up behind the barrage to a height of 60 feet above the level of the down stream. The sluices, however, are built at different levels in the barrage, so that it is possible to control the velocity of the discharge. The maximum head of water allowed is 29.5 feet and this enables the velocity of the released water to be controlled within 36 feet per second.

The bed of the river is solid rock, yet the rush of the water has dislodged this huge piece of rock measuring 17 feet long, 12 feet wide, and 7 feet thick, and has thrown it against the masonry face of the dam. The weight of the boulder Sir Benjamin Baker estimates to approximate 60 tons, yet it has been torn from the rocky bed and hurled backward by the water with the greatest ease.



THE EXTRAORDINARY EFFECT OF WATER EROSION CAUSED BY THE ASSOUAN DAM.

#### An Inventor's Fantasy.

BY T. A. REEVES.

I have always been fond of inventing. There is no pastime more fascinating and satisfying to my mind. Others may while away tedious hours with books or cards; but I enjoy a stimulating and unfailing pleasure in fixing my mind on some problem of mechanics, or some of the infinite possibilities of contrivance, and while I am engaged upon it the time speeds away on lightest wings.

Sometimes it is a long railway journey which is thus beguiled and shortened. Sometimes it is one of those irksome half-days of waiting which fall to one's lot in making connections at some cross-country junction, in the midst of a wilderness of scrub-oak; or at some tiresome country tavern, with nothing but the neighboring blacksmith shop to afford relaxation or interest!

Under such circumstances the hours have no horror for me. I seek a quiet corner, and open my design book at some rude sketch of a mechanical idea, and am soon lost to the dullness of the situation, to leaden-footed Time, and to every other annoying circumstance. I have even allowed a slow train to pass the station, while I continued at my problem and awaited a later express.

In the case of sickness, and the necessity of watching and carefully administering medicines, or rendering other attentions to the patients by night, it has been no trouble for me, with an interesting idea re-

volving in my mind, to remain awake, and to care for my loved ones. And often, when wakefulness possessed me, and sleep refused to be wooed, I have composedly resigned myself to the situation, ceased fretting and tossing, and taking up one of my varied inventions, either quieted myself to slumber, or forgot the worry of wakefulness in the delight of its pursuit.

One of the happiest of these devices, over which I spent far more time than the simplicity of the article would seem to demand, was "The Elastic Metal Band." It was intended to replace the rubber band which is so unsatisfactory from its rapid deterioration. The lawyer, author, or business man takes from pigeon-hole or desk a package of papers, or the lady a dainty bundle of letters from her secretary, only to find its rubber band as brittle as clay, and perhaps stuck fast by warmth and moisture to the documents or missives which it bound.

My problem was to create a strap or band which should be perfectly flexible, and at the same time reasonably elastic. If it would stretch one-third its length and return, it would answer every practical demand. Its links must freely move, and there must be no rough ends or open joints to mar the appearance of the strip. It must be flat and neat, and then, when nicked or plated, it would be an attractive and desirable article.

The attainment of all these features gave me no end of trouble. The pesky thing would tangle and hitch in the most unexpected and contrary ways! When adjusted around a bundle and automatically clasped to one's great satisfaction, on turning the bundle over there would be half a dozen links fouled and

crinkled into an obstinate knot, that tried patience almost to the parting point.

I am myself a man of correct language. I do not swear, never having practised, or even learned the rudiments of that accomplishment. When my temper is tried to the last notch, and the expletives seem bound to come as a relief to the pressure within, I simply assure myself that there is need of more thought. Another difficulty has shown itself which must be overcome. If it had been easy to construct this article, it would not have waited for me, but would have been on the market, doubtless, long ago; and some other man, of less patience than myself, would be enjoying the fruits of it. With these philosophic and moral reflections I usually put the article away until with fresh mind it can be taken up again; or, as indeed sometimes happens, until at some unexpected moment the mind, dwelling unconsciously upon the difficulty, flashes out its solution in a moment of inspiration and almost superhuman insight.

Such was the point reached in designing "The Elastic Metal Band." It had been laid aside for a considerable time, as presenting almost insuperable difficulties; when one night I seemed to awake from a refreshing slumber. Never was my mind clearer or keener in grasp of mathematical or mechanical problems than in that hour. I glanced at my clock upon the wall, which I had designed, showing in phosphorescent figures the time, 2:45 A. M. Immediately the elastic band came into my thought, and was pictured before my imagination as vividly as if I held it in my hands. And what is still more to the point, the solution of the difficulty of the entangling links presented

itself to my attention. I could join them so that the crinkling would be avoided absolutely; and the band was in one moment perfected, practical, and complete.

It would be difficult to describe the exultant feelings and triumph of that hour! It was almost a wild joy to have won the victory over all the perplexing obstacles which had arisen, and to see the pretty band of steel, with its ingenious curves, lying like a lady's bracelet, so artistic and beautiful before me! I felt that it would mean fame for me. And there was the genuine usefulness of the invention! It would fill a real want, and obviate the inconveniences of the imperfect article which it was intended to supplant. I saw the windows of the stationers filled with varied and exquisite designs of the elastic metal band; and offices equipped with an abundant supply, on the tables and desks and in the filing cabinets of lawyers, bankers, shippers, merchants, and manufacturers. The government would undoubtedly require immense quantities of these bands in all its offices. And I thought of the vast market for this indispensable novelty in the great cities and in every town and home in our broad land.

I will not deny, also, that golden visions came into my mind of rich pecuniary reward to myself from this important invention. I had before, when the article seemed ready to be patented and manufactured, consulted with a friend who was in the novelty line; and he had named a figure which seemed to me to be very conservative and safe on his side for the invention, and a very modest royalty after the manufacturers had reimbursed themselves for their outlay. But after all, it was a very snug sum in my circumstances; and

there was the certainty that the royalty would surprise my friend when the orders from the whole country began to tax the capacity of his works! In the meantime there was an investment right at hand, in a neat row of cottages, suitable for the skilled mechanics of our city, which would bring a good 10 per cent on the whole sum, while I would have an unexpended part of it still in hand for personal use.

These golden visions filled my imagination with intense satisfaction, until my silent alarm, which was my own invention, awakened me by blowing a current of cool air upon my face; and with returning consciousness I realized that the difficulties were not yet fully solved, which barred

from completion "The Elastic Metal Band."

#### Violet and Ultra-violet Rays Given Off by Metals at Ordinary Temperatures.

Those who have seen a winter night in the North will probably remember the brightness of the landscape even though the sky be covered with thick clouds. This phenomenon suggests the hypothesis that the snow has some luminosity of its own, and this problem is treated by Prof. Melander, of Helsingfors, in a recent paper published in *Annalen der Physik*.

After experiments made with a photographic camera imbedded in the snow failed to give any satisfactory results, the author eventually observed a very striking photographic effect of the snow cover. As, however, the photographic plates were covered with metal plates, Mr. Melander thought it necessary, first of all, to ascertain whether these did not exert any effect of their own.

Experiments made in this direction showed all metals to give off violet and even ultra-violet rays even at ordinary temperatures, though these rays are too weak to be noted by our eyes. As the temperature increases, this radiation becomes more and more intense until even our eyes are affected by it at a white heat. This radiation is possibly produced by certain chemical processes which occur at the surface of the metal, though the effect on sensitive plates seems to be due immediately to the surface rather than to any emanation.

The ionizing power of these rays may play an unthought-of part in nature, and the author suggests that such animals as see in the dark may have eyes especially sensitive to them.



### THE FELLING OF THE CONCRETE COLUMN AT NIAGARA.

BY ORRIN E. DUNLAP.

The concrete column erected in Victoria Park, Canadian side, at Niagara, designed to make a dam in its prostrate form, was successfully tipped over into the river from the trestle on which it stood on the afternoon of Thursday, November 9, in the presence of between one and two thousand spectators. The trestle on which the column stood was 20 feet high above the ground level. The column was 50 feet high and 7 feet 4 inches square. Every 8 feet of its height a wooden wedge 12 inches thick at the outside and tapering to 6 inches at the center of the column was inserted for the purpose of breaking the column into sections when it fell, while a chain ran through the center of the column to hold the sections together when the column broke.

It required about an hour and a half to tip the column. Three jacks were operated under the timbers at the base of the trestle. For the first few inches of elevation of the timbers, hardly any slant was visible in the column, but soon the great shaft was seen to incline toward the river, and it was felt that it would fall very soon, but almost unexpectedly it toppled over into the river with great rapidity, making a mighty splash. The ends of the column disappeared under the water, but at the center the broken blocks or sections were elevated, but may settle down later. The trestle was intended to fall with the column for the purpose of throwing the inner end of the column about 15 feet out from the shore in order that an ice run might be left between the shore and the end of the column. This worked successfully. After

the column was in the river the water in the intake was increased 10½ inches in depth, which it is believed will give sufficient depth to afford a full supply to the pumping station of the city of Niagara Falls, Ont., and the Niagara Falls Park and River Railway for power purposes, as the intake is used jointly. Supt. James Wilson, of Victoria Park, states that the results obtained are satisfactory, and he reports Engineer Isham Randolph, who planned the tower-dam, as being well pleased.



A well-made maple wheel may be run with safety at a rim speed of 154 feet per second.

### Sea-Gulls as a Commercial Asset.


In the immediate vicinity of the small town of Liegnitz, in Silesia, lies the village Kunitz, which is the proud possessor of a small lake, having a rush and reed covered island nestling cozily in its bosom. This sheet of water has been selected by a shrewd gentleman as a breeding ground for sea-gulls, and thousands may now be seen there. This idea was inspired not only by a poetic spirit, but also by a sound commercial mind, as the eggs of these birds are held almost in as much esteem as those of the lapwing or pewee as a dainty. The demand is so large, and the quantity of eggs secured is so considerable, that the gentleman in question is making money quickly, although he has

date them. Most gulls would, doubtless, at once recognize the necessity for emigration to other less overpopulated islets; but the gulls of Kunitz think otherwise. As the water of the lake is now incapable of providing all they need, they have decided *pro tem* to seek what they require in the neighborhood; and the visitor, on arriving at Liegnitz railway station, is much astonished to see (provided, of course, his advent takes place by day) flocks of these beautiful white navigators of the air come swooping down around the train in search of biscuits, buns, or what not, while thousands of others sit preening their feathers upon the roofs of the sheds, offices, and other station buildings. However, they have still other ways of getting

a living, this being merely a kind of sportive branch of their victualing department. The real and true struggle for existence commences directly the peasant puts his hand to the plow, and turns up from the warm earth thousands of fat, juicy worms, beetles, ear-wigs, and other delicacies for which competition is as keen among the gulls as buying and selling are among men though the methods of the stronger gulls are often sharper and sterner — yet perhaps in the end the more merciful of the two. They follow the plow in their thousands, picking and scratching up the rich, brown earth, and collecting (to the farmer's great delight) myriads of insect for themselves and their hungry little ones. To watch them at work, it would be hard to believe that they were aquatic birds, so kindly have they become at home with Mother Earth as the source and origin of their supplies. Were it not for their peculiar and characteristic flight, and for their great number, the stranger might easily assume that he



Tipping the Concrete Column Into the Stream. Two Views Taken One After the Other.



The Column in the Stream—Broken Into Segments in Accordance with Its Designer's Plan.


### THE FELLING OF THE CONCRETE COLUMN AT NIAGARA.

to pay a rent of no less than \$3,000 per annum for the use of the lake and island.

Strange to say, the birds have not been frightened away from the island by the regular collection of their eggs. This may be due to the fact that the owner allows no one but himself to set foot upon their domain. They do not seem to object to the removal of their eggs, but lay all the harder to make up for the loss—at least so it would appear, as the gatherings are increasing from year to year. At the same time the number of gulls is steadily advancing, a circumstance which is already giving rise to apprehensions, as the lake is getting too small to feed and accommo-


was watching some gentleman's private collection of white ravens.

A bridge of unusual dimensions has lately been constructed at Vauriat, in the Puy de Dôme, on the western side of the high plateau country of Auvergne. It carries a single line of railway over the river Seoule by three lattice girder spans, the central one being 472 feet 6 inches and each of the two side ones 377 feet 5 inches long. The two river piers of granite masonry are each 303 feet high, and tapered from 76½ feet × 43.2-3 feet at the bottom to 69 × 18¾ feet at the abutment level.



### TOOL FOR BORING RECTANGULAR HOLES.

A decidedly novel tool has just been invented, by which a hole may be bored having square or rectangular walls. The accompanying illustration of the tool



TOOL FOR BORING RECTANGULAR HOLES.


clearly reveals its construction. A frame is provided, which is designed to be held rigidly in a lathe or the like. This frame comprises two arms which, at their upper ends, terminate in cross bars. The overlapping edges of the latter are riveted together, and they are formed with an opening which provides a bearing for the rotary spindle of the tool. The head of the tool is pivoted to the frames by means of trunnions formed at the ends of the arms. This head, as shown in perspective in one of our views, is formed with a rectangular recess of greater length in the line of the trunnion bearings. The recess is adapted to receive the lower end of the rotating spindle, which it will be noted is bent, so that as the spindle rotates, the tool head will be given a rocking movement on the trunnions. As a bearing for the lower end of the shaft, a plate is secured to the top of the head by means of angular flanges. The flanges on two sides are formed integral with the head, and on the other two sides are fastened to the head with screws after the plate is in position. This plate is formed with a central conical boss, through which is an opening large enough for the spindle to freely operate within it. A collar is threaded on to the spindle, and at its lower end is recessed to receive the conical boss on the plate. In channels formed in the head of the tool a number of blades are fastened, certain of which have a saw edge, as shown, for cutting or boring into the wood, and the others have a smooth edge for clearing away the fragments cut out by the saw blade. In the operation of the tool the spindle is to be engaged with the chuck of a lathe, and the frame held stationary. As the spindle rotates a rocking motion is imparted to the head, so that a rectangular hole may be formed in the wood. The spindle is prevented from longitudinal movement with relation to the frame by means of lugs, which engage with the under side of the cross bars. Miss Clara Smith, of Thomaston, Conn., is the inventor of this improved boring tool.

### AN IMPROVED BOTTLE CLOSURE.

A patent has recently been granted to Mr. Charles M. Daly, of 538 West 29th Street, New York, on an improved closure for bottles, designed to take the place of a cork and adapted to prevent refilling of the bottles after they have been emp-



IMPROVED BOTTLE CLOSURE.



tied, thus preventing their reuse after the original contents have been removed. This bottle closure is shown in the accompanying illustration. The parts are such that they can be very easily


spun out of suitable metal. A casing, *A*, fits snugly into the mouth of the bottle, and is formed with a petticoat flange cemented to the exterior surface of the bottle neck. The inner end of the casing is rounded to form a valve seat for a ball valve. The ball valve operates within a cylindrical casing, *B*, which is closed at the top by a cupped member, *C*. These parts are all covered by a conical cap piece, which is cemented to the neck of the bottle, and further held by bending it over a shoulder formed on the bottle neck. It will be noted that the upper end of casing *B* is formed with a flange, which fits against the inner wall of the cap piece. Perforations are provided in the flange, also in the main body of the casing, *B*, and in the sides of the cupped member, *C*. When the bottle is tilted the ball valve will roll out of its seat, permitting the contents to flow out of the casing, *B*, then back through the flange into the cupped member, whence they will pour out of the opening in the top of the cap piece. The purpose of providing such a tortuous channel for the liquid is to prevent anyone reaching the ball valve with a wire, and by lifting it to refill the bottle. The opening in the top of the cap piece is closed by a sealing disk provided with an annular flange, which is turned under against the inner face of the cap piece, and thus made fast before the cap piece is applied to the bottle. A rubber washer between the disk and the cap piece insures a perfectly tight joint. The sealing disk may be readily pried off with a suitable instrument.

An ingenious system of resoling a boot when the existing sole is worn out has been devised by a London inventor. In this boot the outer sole is attached to the inner sole by means of brass screws inserted in a series of eyelet holes round the welt. When it is required to attach a new sole the worn sole is simply unscrewed and the new one substituted. In the case of the heel the screws are driven into holes in the under surface of the heel so that not only do the screws fulfil the function of attaching the new heel, but constitute efficient protectors as well. The attachable soles and heels are standardized in various sizes and can be placed on the market ready for instant attachment. The process of soling and heeling a boot can be accomplished in five minutes. The idea is especially applicable to soldiers' boots where the foot covering is subjected to constant and heavy wear. The main advantage of the device is that no time is lost during the repair of the boot. The American military department has ordered samples of the new boot and proposes to subject them to severe trial by men on active service.

### QUARTZ MILL FOR DRY-GRINDING OF ORE.

An improved quartz mill adapted for grinding of ores preparatory to cyaniding, to extract the gold values, has just been invented by Mr. Robert A. Vaughn, 601 Colman Building, Seattle, Wash. In our illustration portions of the mill are broken away to show details. Supported on the lower members of the frame is an annular mortar in which a die is fitted. This die is provided with an annular V-shaped groove. A plate fastened to the inner periphery of the mortar prevents overflow of the material. The outer wall of the mortar is extended by a sectional screen, which may be of any desired mesh. The rollers which operate in the mortar are driven by a vertical shaft, which is journaled in a spider at the upper end and an adjustable step bearing at the bottom. This shaft carries a head from which four arms radiate. Hangers at the ends of these arms and a block on the vertical shaft provide suitable bearings for the shafts on which the rollers are mounted. Each roller consists of a central core, to which annular shells or shoes are keyed. These shoes have inclined faces, to correspond with the die in the mortar. The vertical shaft is driven by a power shaft to which it is geared. By adjusting the step bearing of the vertical shaft, the space between the rollers and the die may be regulated to a nicety. In use the material is fed into a hopper at the top of the mill, whence it passes through a delivery funnel to a feed receptacle, which is keyed to and rotates with the shaft. The conical inner wall of this receptacle directs the material to four chutes, which deliver it to the mortar at the extreme inner edges of the rolls. As the feed of the material progresses, the pulp will rise in the mortar until it passes through the screen, whence it is sucked through a conduit pipe to the cyanide tanks. In use the mill will be inclosed either with matched lumber or metal covering, and a stuffing box will be put around the driving shaft. By this means the air passage is confined to the feed receptacle in such manner as to cause all the fine ore to be lifted or forced out of the mortar, and carried by the conduit pipe to the cyanide tanks. Each tank is closed with canvas except for a central pipe, which leads to the dust room of the mill building. The inclosure of the mill is so constructed that it will be put up in sections, so it can be removed where necessary for cleaning up amalgam. This construction makes it easy and simple to operate without having the nuisance of dust

and loss of values in the mill, and prepares the pulp in a thorough and complete condition to get the quickest results and highest saving of values by use of the cyanide. The mill does away with two-stage grinding,




QUARTZ MILL FOR DRY-GRINDING OF ORES.

as it is capable, at all times, of grinding to any desired fineness for a high extraction of the values.

### MACHINE FOR MOLDING PLASTIC MATERIALS.

Pictured in the accompanying engraving is an improved machine for molding articles from plastic materials, such as concrete blocks, bricks, ornaments, and the like. The construction of the machine is very simple. It can be easily operated, and is designed to carry on the work very rapidly. It comprises two large wheels keyed to the same shaft, and having their rims connected at intervals by transverse strips *A*. In this way the molds are formed, with the rims serving as the side walls and the transverse strips as the end walls. The bottoms of the molds are formed of plates, *B*, which are adapted to rest on shoulders on the rims, as best indicated in the section view. These bottom plates are adapted to be moved into the mold, to force out the material after it has been molded. To guide the plates in these movements, they are provided with pairs of screw rods, which pass through guide strips attached to the inner periphery of the rim. Firmly secured to each pair of screw rods is a bar, *C*, which is provided with rollers at its outer ends. These rollers are adapted to engage one or the other of two guide tracks, *D* and *E*, which are bolted to the main frame of the machine. Arranged above the molds is a pressing roller, *F*, which is geared to the main mold wheel. This roller is designed to press the material tightly into the molds as they pass under it. As this roller would give a slightly convex outer surface to the material, a second roller, *G*, of oval section is provided, which may be used when desired to give the material a flat surface. In operation as the machine rotates, the plates will be held in their lower or inner positions by the track, *D*, engaging the rollers on the bars, *C*. As each mold reaches the lowest position of the mold wheel, the bottom plate is forced outward by the track, *E*, which forces the molded material out onto an endless traveling belt, and the latter carries the blocks away. Mr. George Stewart, of 433 Fifty-first Street, Brooklyn, New York, is the inventor of this machine.



MACHINE FOR MOLDING PLASTIC MATERIALS.



## RECENTLY PATENTED INVENTIONS.

## Electrical Devices.

**ELECTRIC PUMP.**—J. C. STOKES, Mansfield, La. In this patent the improvement has reference to pumps, but is of peculiar application upon reciprocating pumps and upon pumps of other types in which it is desirable to have the current reversed by means of a quickly-operating switch.

**AUTOMATIC ELECTRICAL SIGNALING APPARATUS FOR RAILWAYS.**—A. H. BINYON, 100 Kenilworth Court, Putney, London, S. W., England. The invention relates to automatic electrical block-signaling whereby upon a train entering a block-section the signals controlling that section are automatically put to "danger," and when (but not until) the entire train has passed within the section the signals controlling the preceding section are automatically put to "line clear," the inventor's object being to provide additional safeguards against accidental clearing of the signals.

## Of Interest to Farmers.

**FENCE.**—J. E. TYLER, Roxobel, N. C. In connection with a post, means are provided whereby the lower end of the post is supported clear of the ground, thus avoiding rotting the lower end. The base is formed so it can be manufactured at any suitable point on a farm and then planted in the ground wherever desired and will form a firm solid base for supporting the fence-posts through the medium of the intermediate foot-piece detachably connected with the base and which is secured in connection with the fence-post proper by means of the fencing material. Posts and their foot-pieces may be lifted from the base and shifted from point to point. Means provide for holding the lower edge of the fencing material close to the ground.

## Of General Interest.

**HEAD FOR WATER CONNECTIONS.**—B. RUBISPIERRE, New York, N. Y. The purpose of the improvement is to provide a head for leaders or other water connections which will be exceedingly durable, being constructed of but two pieces instead of the many parts usually employed, and to provide a construction wherein the two parts can be economically made and connected and rendered transversely and laterally strong with the least possible expenditure of labor.

**CLASS-REGISTER.**—J. S. PRICE, Atlanta, Ga. The register is particularly adapted to serve as a permanent class record for Sunday-schools or other classes or societies. The book is composed of two parts—namely, cards or leaves having rigidity and a cover for the same, which is constructed in U form and to which the leaves are pivoted so they may be folded within it. The inventor has sought to combine maximum compactness with perfect security and protection for the leaves and inscribed matter, as well as ready access to and manipulation of the cards.

**DISPLAY-STAND FOR HEADWEAR.**—O. PRLEGER, New York, N. Y. This improvement refers to means for supporting male and female headwear, such as hats and bonnets, in a show-window, a case, or other exhibition place, and has for its object the provision of novel details of construction for a portable stand which adapt it for a reliable support of a hat or bonnet in any one of different positions for its attractive and prominent display.

**THERMOMETER ATTACHMENT FOR WATER-BAGS.**—RACHEL MEYER, New York, N. Y. The invention pertains to vessels, such as water-bags or similar articles used in medical or surgical practice; and the object is to provide means for determining the temperature of the contents. A special object has been to improve the accuracy of the thermometric reading without introducing the thermometer or its bulb into the interior of the vessel.

**PROTRACTOR-RULE.**—C. W. LINES, New York, N. Y. In this patent the invention has reference to combination-rules and protractors, and has for its principal object the provision of a simple organization which may be effectually used to perform both functions. Its many capabilities render it extremely convenient for use of carpenters and other workmen.

**ANNUNCIATOR.**—C. W. LEBEIS, Yonkers, N. Y. The annunciator comprises a changeable sign of novel structure, the sign showing one word, symbol, or device in one position and another word or words or symbols when in the other, and said sign is actuated, preferably, by an electromagnet forming part of a circuit which is made or broken by the action of a person leaving or entering an apartment, or by a special switch, or by other means not material to the invention.

**SANITARY COMMUNION-CUP.**—O. V. L. HARBOUR, Fairmount, Ind. Wine is placed in an inner cup, the central opening permitting introduction thereof. When the cups are tilted, a small amount passes through a series of tubes, and when the cup is returned to its regular position the shield prevents the return of unconsumed wine to the inner cup, and it passes downward through another series of tubes into the space between the cups, from where it may be removed at end of service. After wine is partaken of, a slight turn of the

cups within the holder presents a fresh surface for the next communicant and passes a section of the flange through the antiseptic solution in the pad.

**TROUSERS-PRESS.**—A. E. HAPPEL, Elm-hurst, Ill. The provision of a form of trousers-press is the object of this invention. The press is adapted to be placed under the bedclothes or mattress on which the person lies, so that the weight of the person in sleeping will supply the necessary pressure and warmth to neatly press and preserve the shape of the trousers.

**DRENCHING-BIT.**—J. HINEMAN, Irondale, Ohio. It operation the bit is introduced into the horse's mouth with the toggle bent and the bit-bars in juxtaposition, the nose-strap being over the nose. The yoke is then depressed by means of the handle, extending the toggle and forcing open the horse's mouth. Danger of injury is minimized, since the force is equally exerted on both sides of the mouth and at a point removed from the lips.

**SCAFFOLD-HANGER.**—M. CODX, New York, N. Y. The object in this instance is to provide a hanger so constructed that in addition to the usual hoisting and lowering tackle employed auxiliary tackle may be suspended therefrom and engaged with the scaffold and serve not only to hold the scaffold close to the wall, but also serve as a safety device should the ropes of the hoisting or lowering tackle be broken or become loose.

**ATTACHMENT FOR PHOTOGRAPHIC-PRINTING FRAMES.**—F. B. CORE, New York, N. Y. The aim in view of this inventor is the provision of a new and improved attachment for photographic-printing frames arranged to insure a uniform printing of a number of photographs from one negative, so that the photographs are practically alike both as to light and shade.

**METALLURGICAL FURNACE.**—H. H. GOODSELL, Leeburg, Pa. In the present patent the invention relates to furnaces used for treating iron and steel, but more particularly to an improved type of furnace having certain features in common with the inventor's former application for a furnace for treating sheet iron and steel. By the means employed the plates of iron and steel are given such a color at the start as they ultimately acquire when heated up under atmospheric conditions, so they are afterward unable to change color, nor are they easily disfigured.

**ROLL-PAPER HOLDER AND CUTTER.**—J. F. FINAN, Cumberland, Md. In this case the invention is in the nature of a paper holder and cutter for holding upon a store-counter or elsewhere a roll of paper from which sheets of varying size may be cut off at will to suit the size of package to be put up.

**WOVEN FABRIC.**—H. SARAFIAN, Yonkers, N. Y. In the present invention Mr. Sarafian has aimed at producing a fabric which combines a body or ground portion having maximum cheapness, strength, and durability, with a top or surface portion formed of better material, which may be attached to the body in the process of weaving the latter without any special manipulation of the loom.

**DISPLAY-HOLDER FOR HANDKERCHIEFS, ETC.**—G. W. EBRIGHT, Xenia, Ohio. This holder displays in suspended position handkerchiefs, neckties, ribbons, laces, and other similar articles in stores in such a way as to exhibit the patterns of the same in an attractive way, to hold a large quantity of them in available position for sale, and to so secure them as to permit them to be inserted and removed with great facility and without danger of tearing or soiling the delicate fabrics.

**MEAT-TENDERER.**—D. B. DATE, North Franklin, Conn. The purpose of the invention is to provide a meat-tenderer of exceedingly simple, durable, and economic construction and which can be conveniently and quickly manipulated and which will effectually sever or break down all sinewy particles in the meat and yet leave the material in a connected, compact, and tender condition.

**METHOD OF PRESERVING AND WATER-PROOFING WOOD.**—J. A. DEGHUEB, New York, N. Y. The invention in this improvement is to so prepare wood that it will resist attacks of animal and vegetable life, and thereby prevent decay, and also to prevent the penetration of water, and to thereby especially adapt it for use in the manufacture of paving-blocks.

**MINER'S CANDLESTICK.**—T. W. CONKLIN, Mullan, Idaho. The invention pertains to an improvement in candlesticks or holders intended more especially for use in mining, its object being to provide a candlestick which will be simple, consist of few parts, one which cannot become clogged with dirt, etc., and one in which the necessary parts can be locked in either open or closed section.

**EDUCATIONAL APPLIANCE.**—J. H. FITCH, Jeffersonville, Ind. The invention is an improvement in educational appliances, being in the nature of clock-blocks. It gives suitable problems to a child and affords amusement and instruction. By the use of the blocks a child of proper age can quickly learn the Roman numerals, their right position, and tell the time as indicated by the hands on the blocks; also months, number of days in the same, and the seasons. Blocks carrying the representation of the minute hand may be arranged to indicate time in periods of five minutes, which is ordinarily the first step taken in learning to tell the time.

## Household Utilities.

**FOOT-REST FOR CHAIRS.**—W. L. HOFFMAN, Jersey City, N. J. This improvement pertains to attachments for chairs, the object being to provide a device which may be conveniently applied to a chair so as to constitute a foot-rest. It also affords a convenient rest for blacking shoes, tying shoe-laces, etc., and may be easily folded into substantially concealed position when not in use.

**CURTAIN-POLE SOCKET.**—J. KRODER, New York, N. Y. The object in view of this invention is to provide a new and improved curtain-pole socket arranged to permit convenient attachment of the socket to the sides of the window-frames close to the top cross-bar and to give a neat appearance to the entire structure.

## Machines and Mechanical Devices.

**BOTTLE-CORKING MACHINE.**—J. B. DAVIS, Gainesville, Fla. The machine is especially adapted for forcing what is known as "spring-stoppers" into bottles and it is so constructed that it will be simple, effective in operation, and capable of being quickly and readily operated. The machine includes a pedal-controlled adjustable plunger and a tubular tension-controlled guide member adapted for directing the stopper to the mouth of the bottle, and a plunger which operates upon the stopper in the guide member.

**MACHINE FOR MAKING COTTER-PINS.**—F. D. COPPAGE, Terre Haute, Ind. In this patent the invention is an improvement in machines for making what are known as "cotter-pins" or devices formed by bending a wire blank midway of its length to form an eye, the two arms or legs being brought together and their ends pointed.

**LUMBER MEASURER, MARKER, AND RECORDER.**—C. G. BLADES, Newbern, N. C. It is the purpose of this invention to provide an apparatus for automatically measuring the superficial area of boards or other lumber having a flat face and for recording and marking the number of square feet thus ascertained, both upon the lumber itself and upon a band or tape which is fed or caused to travel corresponding to the aggregate width of the boards measured.

**TRUCK FOR MOLDING MACHINES.**—W. SIEBER, Henderson, Ky. This improvement relates to that system of molding concrete blocks and other articles which has for its basis the use of a series of pallets located along the floor of the plant and the transfer of the mold from one to another and leaving the molded articles upon the pallets after the mold is removed. Especially it relates to means for supporting and moving the mold from one pallet to another along the tracks, said means being provided with a tamping device and a mold-removing device and means for centering the mold with respect to the various pallets.

**WIRE-WORKING MACHINE.**—A. H. NILSON and M. OLSON, Bridgeport, Conn. While the machine and the several features thereof are capable of performing certain operations to manufacture various articles from wire, it is designed especially for forming continuous zigzag pieces of wire having hooks, a number of said wires being capable of being connected together in such a manner as to make a fabric for beds and other purposes.

## Prime Movers and Their Accessories.

**ROTARY ENGINE.**—P. BARTOLETTI, Brownsville, Pa. The object of the invention is to provide a new and improved rotary engine which is simple and durable in construction, very effective in operation, and arranged to permit quick and convenient reversing and to utilize the motive agent to the fullest advantage.

**VALVE-GEAR AND AUTOMATIC CUT-OFF FOR STEAM-ENGINES.**—H. DUNLAP, Memphis, Tenn. The invention consists in the novel construction and arrangement of parts operating in conjunction with a rotary valve made in three parts arranged in axial alignment, the middle part of which forms the exhaust-valve and rotates continuously in one direction and the two outer end parts of which form oscillating induction-valves and are operated by separate coacting cut-off devices.

**ACCUMULATOR.**—R. W. WILSON, Noblesville, Ind. This improvement refers to apparatus for storing energy, and regulating its application, it being particularly adapted for use in connection with such motors of irregular speed as windmills, which are applied to the pumping of water. Its principal objects are to provide automatic means for controlling the reception and delivery of energy by the accumulator and to generally improve the construction of apparatus of this class.

**ENGINE.**—C. V. FRISK, Chicago, Ill. In this case the invention relates to improvements in steam-engines of the tandem or compound type, the object being to provide a novel form of valve mechanism whereby the live steam may be first directed into the low-pressure cylinder for starting the engine, thereby giving a much greater power than that of a simple single-cylinder engine.

**ROTARY ENGINE.**—I. DAVIS, New Haven, Conn. This invention is an improvement in the class of rotary engines which are particularly adapted for use of steam or compressed air. The pressure upon the piston is continuous in one direction, and, the exhaust taking

place at the time a charge is admitted there is no possibility of back pressure.

## Railways and Their Accessories.

**RAILROAD-TRACK.**—E. F. SEIDER, Upper Sandusky, Ohio. The invention relates generally to that class of rail-securing devices shown in Mr. Seider's former application for patent. In the present invention he employs a pawl arranged at its free end to lock the spike, and also employs in connection with the spike a pawl and clasp having a portion passed through an opening in the rail-supporting plate and provided with upper and lower portions, the upper engaging the rail-base and the lower engaging below the rail-supporting plate, the spike being arranged to secure the rail-clasp in engagement with the rail and its supporting-plate. This inventor has obtained another patent on a railroad-track, in which he is able to release one or both of the pawls from engagement with their respective spikes when removing the spikes. The pawl-carrying plates and their hooks and pawls being alike, they may be used interchangeably and no necessity of making them in rights or lefts, thus dispensing with unnecessary duplication of patterns and the like in the manufacture of the device. Furthermore, by engaging the hooks of the plates directly with the rail-base and utilizing the spikes in securing the hooks in such engagement and the pawls for locking the spikes he is able to reduce his rail-fastening to the simplest possible form.

**FLUID-PRESSURE BRAKE.**—M. F. VOLK-MANN, Santa Monica, Cal. The invention relates to fluid-pressure brakes of the Westinghouse type; and its object is to provide a brake arranged to permit the engineer to directly control the retaining-valves with a view to recharging the auxiliary reservoirs without first releasing the brakes and to allow of increasing the pressure in the brake cylinders after the auxiliary reservoirs are recharged.

**METALLIC RAILROAD-TIE.**—A. M. BAIRD, Topeka, Kan. The object of this invention is to provide a metallic railroad-tie which is simple and durable in construction, cheap to manufacture, and arranged to combine the utmost strength with lightness. In the manufacture of the ties and tie-plates it may be desirable to have the same mill-rolled, hydraulic-pressed, or bulldozed from steel plates; but other methods of making them may be employed.

**RAIL-JOINT.**—G. T. JOSEPH, Covington, Va. Mr. Joseph's invention is an improvement in rail-joints. The construction is simple, easily applied, and forms a secure connection between the meeting ends of the rails. Among the various advantages are the following: When a rail has been worn on one side, it may be reversed in order to bring the other side into wearing position. Means enable a track-walker to determine at a glance whether the connecting-bar is fractured or the integrity of the connection has been disturbed. Limited longitudinal movement of the rails is permitted for expansion and contraction in use. Means are provided to prevent any twisting of the base positions in the use of the invention. Also means for bridging the space between any two ties and forming a firm support for rail ends in all positions of the parts.

## Pertaining to Recreation.

**TABLE.**—I. MASON, New York, N. Y. This invention relates particularly to improvements in card or similar game tables, the object being to provide a table of this character with a top having receptacles for conveniently holding cards, counters, and the like, the table also having a pedestal in which various articles may be stored.

**BILLIARD-TABLE.**—G. A. ELLISS, Lithgow, and P. J. MCGUIRE, Goulburn, New South Wales, Australia. Automatic means are provided for conveying the balls from cushion-pockets to either end of the table and for conveying the red ball from the "balk" end to the "spot" end. Along each side of the table below the cushions an inclined race is constructed, into which balls pass from the pockets and along which they roll by gravity to another race along the balk end and thence into a receiver medially placed therein. Extending from this central receiver beneath the table center is another race for carrying the red ball from this central receiver to the spot end of the table.

## Pertaining to Vehicles.

**CUSHION-TIRE.**—C. G. SHAW and W. J. SHAW, Los Angeles, Cal. This invention has reference more especially to tires for the wheels of automobiles, bicycles, and the like, though applicable to the wheels of other vehicles; and one of the principal objects thereof is to provide means for increasing the strength and wearing qualities of the tire generally, but more especially the thread or bearing portion thereof.

**WHIFFLETREE-COUPLING.**—G. L. MILLER, Socialville, Ohio. One purpose of the invention is to provide a simple, durable, and economic form of swingle and double tree irons adapted especially for pivotally connecting the doubletree of a whiffletree to the pole or tongue of a vehicle and also for pivotally connecting the swingletrees to a doubletree; but the couplings may be employed with equally good results in connection with kindred articles.

**DUMPING-WAGON.**—T. J. COPE, Philadelphia, Pa. There is provision in this vehicle

for discharging the load of the body at the side of the wagon, thus avoiding obstruction of the street or railway thereon, provision being also made for placing the body in inclined position, so as to elevate the place of discharge, and, furthermore, to elevate the body to a greater degree and permit inclination of the body at its highest point, so as to dump the load at different altitudes relatively to requirements due to different positions of the place designed to receive the load in a cellar or elsewhere.

**TRUCK.**—E. F. SHERRILL and B. R. SHERRILL, Moline, Ill. In this patent the invention is an improvement in trucks and especially in that class of trucks designed for use in handling baggage, bricks, and the like, wherein it is desired to raise the articles to a higher level in some instances and to lower them from a higher level in other instances.

### Designs.

**DESIGN FOR RUFFLING.**—C. SEIDEL, New York, N. Y. The designer has invented a new, original and ornamental design for ruffling which represents a width of material made up of comparatively heavy and light double and single cross-lined strips. Single and double cross-lined patterns run through the cross-lined portions.

**NOTE.**—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

## Business and Personal Wants.

**READ THIS COLUMN CAREFULLY.**—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. **In every case it is necessary to give the number of the inquiry.** MUNN & CO.

Marine Iron Works. Chicago. Catalogue free.

**Inquiry No. 7512.**—For makers of the instrument called the "Leak Finder," used for locating leaks in underground water mains.

"C. S." Metal Polish. Indianapolis. Samples free.

**Inquiry No. 7513.**—For machines to make stapled and drawn push brooms.

For bridge erecting engines. J. S. Mundy, Newark, N. J.

**Inquiry No. 7514.**—For makers of rubber pillow ventilators.

Drying Machinery and Presses. Biles, Louisville, Ky.

**Inquiry No. 7515.**—For makers of typewriter parts, such as machine parts.

Handle & Spoke Mch. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

**Inquiry No. 7516.**—For makers of garment hangers made of wood.

Sawmill machinery and outfits manufactured by the Lane Mfg. Co., Box 13, Montpelier, Vt.

**Inquiry No. 7517.**—Wanted, makers of an article for waterproofing silk without injuring the fabric or lessening the flexibility of same.

I sell patents. To buy, or having one to sell, write Chas. A. Scott, 719 Mutual Life Building, Buffalo, N. Y.

**Inquiry No. 7518.**—Wanted, catalogue of latest machinery for making peat bricks for fuel.

The celebrated "Hornsbly-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Machine Company, Foot of East 138th Street, New York.

**Inquiry No. 7519.**—For makers of bare and insulated copper magnet wire.

**WANTED.**—Young man experienced in drafting and designing textile machinery "New England." Machinery, Box 773, New York.

**Inquiry No. 7520.**—Wanted, machinery to make briquettes from sawdust.

**WANTED.**—Ideas regarding patentable device for water well paste or muckage bottle. Address Adhesive, P. O. Box 773, New York.

**Inquiry No. 7521.**—Wanted, makers of metal fountain syringes.

**LATEST ADVERTISING NOVELTIES.**—High-grade Illustrating, Designing and Printing. Catalogues a Specialty. Smith & Berkley, Holland Bldg., St. Louis, Mo.

**Inquiry No. 7522.**—Wanted, a saw operated by electricity, gas or steam for sawing trees.

**Manufacturers of patent articles,** dies, metal stamping, screw machine work, hardware specialties, machinery tools and wood fibre products. Quadriga Manufacturing Company, 18 South Canal St., Chicago.

**Inquiry No. 7523.**—For importers or makers of colored glass bead fringe used in making lamp shades; also for makers of stamped brass beading and moulding used in this work.

**Absolute privacy for inventors and experimenting.** A well-equipped private laboratory can be rented on moderate terms from the Electrical Testing Laboratories, 548 East 80th St., New York. Write to-day.

**Inquiry No. 7524.**—For makers of high resistance wire of small size, suitable for hot wire electrical instruments.

**INVENTIONS WANTED.**—Undersigned will consider one or two good patented or patentable inventions to manufacture on royalty. Something in popular demand preferred. Honest treatment guaranteed. F. Rani-ville Company, Grand Rapids, Mich.

**Inquiry No. 7525.**—For makers of post office caves.

**WANTED.**—Competent man who has knowledge of Mechanical Engineering, to take a position as traveling salesman for the selling of construction material used in Insulating Refrigerating Plants. Apply by mail to the Bruening Cork Company, Oakdale, Alfy Co., Pa.

**Inquiry No. 7526.**—For parties to manufacture motor cars for street car service, gasoline system.

**Inquiry No. 7527.**—For manufacturers of wire-forming machinery.

**Inquiry No. 7528.**—For makers of tape measures in metal boxes, having springs inside for winding.

**Inquiry No. 7529.**—For a machine for cutting right-angle, circular and oval beveled openings in mat board.

**Inquiry No. 7530.**—For manufacturers of ventila-



### HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(9844) C. E. D. writes: In your answer to J. S., No. 5703, September 23, 1905, you say a person is no heavier while going up an elevator than going down, and explain the effect of inertia on the matter. It seems to me this does not cover it. Either the attraction of gravitation must be considered as a fixed something which exerts its pull without moving (an inconceivable thought to me) or else it must have a speed at which it pulls, just as light or electricity has a speed at which it travels. If it is admitted to have a speed, then this speed must be between 0 and infinity, and therefore measurable. If it had an infinite speed of action, any mass multiplied by this speed of action would be infinitely heavy, and therefore impossible to weigh. It would seem, therefore, that gravitation must have an appreciable measurable speed, and that if we could find an elevator with a constant speed, one would weigh as much less when coming down as the speed of the elevator takes from the speed of gravitation, while in going up the conditions would be reversed, and one's weight would be increased in the proportion that the speed of the elevator adds to the speed of gravitation. Is not this correct? A. The theory of the intrinsic nature of gravitation is not by any means settled among scientists. Indeed, there can hardly be said to be such a theory. There would seem, however, to be a substantial agreement that gravitation acts instantaneously through space. That gravitation has a velocity would hardly be considered a suitable expression of this fact. Nor do we see how the velocity of gravitation can have anything to do with the weight of bodies. This is determined by the relative amount of matter in the earth or major body and the body to be weighed, as we call it, and the distance between the centers of gravity of these two. It is not involved in the question of the speed of action of gravitation. Even if it were, the speed of action of gravitation is so enormous that any change of velocity in a moving body cannot affect the actual weight of that body, and all weightings at the same distance from the center of the earth are affected by it to the same extent, so that, like every other constant, it is omitted in considering the changes of value of the variables in an expression.

(9845) D. E. F. writes: I note the inquiry of L. A. H. (9779) in a recent issue of the SCIENTIFIC AMERICAN which I here quote: "Is there such a thing in the realm of science as flame or combustion without emitting light?" I take it that he means rapid combustion. That even in this sense the answer is "yes" you can really demonstrate in the following manner by means of the inclosed cards of this, transparent celluloid. Soak the celluloid over night in water. Take them out of water and wipe dry and let dry an hour or two. In a moderately warm room free from strong drafts, hold the card of celluloid vertically in the left hand and light the upper end with a match. When it burns down about half an inch blow it out. Thereafter there will be no light or incandescence even in the darkest room, but the charring of the celluloid will continue to run downward and disappear, leaving only a trace of ashes. The samples which I inclose herewith do not work as well as some which I have heretofore tried, which continued to disappear until the whole card was consumed, but these suffice to completely demonstrate this remarkable phenomenon. I think this celluloid is a little too thin to work well. I also inclose several white celluloid washers, which seem to be more efficient in demonstrating the phenomenon than is the transparent celluloid. Let about one-third of the disk burn before blowing it out. Soak these in water as indicated, then at once dry by pinching between blotters and burn. A. We have been interested in burning the pieces of celluloid you send us, as well as other pieces. They smoulder after the flame is extinguished, as do other combustible materials, until the substance is cooled below the temperature at which combustion ceases. We are not able to make the thin transparent celluloid burn any after the flame is extinguished. The white, thick disks contain some paint-like material, used for filling, which carries on the combustion longer. We are just as successful without soaking in water as when the pieces

are soaked. This is just as we should expect, since celluloid does not contain any ingredient which is soluble in water and it is impervious to water.

### NEW BOOKS, ETC.

**MACHINE SHOP TOOLS AND METHODS.** By W. S. Leonard. New York: John Wiley & Sons, 1905. 8vo.; pp. 554; 689 figures. Price, \$4.

This is a very complete textbook of machine-shop tools and methods, which was written for use in connection with lectures on this subject given in the Mechanical Department of the Michigan Agricultural College. The book describes in detail all the various tools, both large and small, used in the modern machine shop. While necessarily somewhat elemental in character, it nevertheless contains a deal of information valuable to the ordinary machinist. It is very thoroughly illustrated with diagrams and half-tone plates. The present is the third edition, which has been thoroughly revised and enlarged.

**ENGINEERING CHEMISTRY.** By Thomas B. Stillman, M.Sc., Ph.D. Easton, Pa.: Chemical Publishing Company, 1905. 8vo.; pp. 597. Price, \$4.50.

In this, the third edition of a well-known manual on quantitative analysis, the author has taken note of the rapid changes during the past few years in methods of testing the various products of chemical technology and materials of construction, and he has completely revised that portion of his work that has to do with these subjects. Much additional matter has been included, especially information pertaining to asphalt, lubricating oils, Portland cement, and the technology of the products of the blast furnace. The book is fully illustrated, and is quite up to the standard of the previous editions, and will be found valuable to all students, chemists, and engineers.

**COMMERCIAL ECONOMY IN STEAM AND OTHER THERMAL POWER-PLANTS.** By Robert H. Smith. With numerous diagrams by H. Malcolm Hodson. Philadelphia: J. B. Lippincott Company, 1905. 8vo.; pp. 291. Price, \$7.

The main idea of the author in writing this work was to persuade the mechanical engineer to advance from the primitive view that engineering science can guide him only in the physical construction and dynamics of his machinery to the more complete idea that scientific method must also be applied to his reckonings of cost and value produced. The ultimate triumph of practical science must, the author believes, be evidenced in its demonstration of the means to attain maximum economy. An exact measure of economy is the first essential in any section of technico-commercial science. The author, therefore, discusses an "Economy-Coefficient" applicable to all kinds of productive industry, and also probably to the industry of distribution and exchange. By a simple combination of the three factors of Cost, Value, and Speed of Production, this coefficient aims at giving due value to all essential elements of commercial economy. The author also deduces other coefficients which are of value in the discussion. The book goes into commercial steam-power economy in a very thorough manner, and has numerous charts relating to this and kindred subjects. It is very complete and will be found to contain many useful ideas regarding economy in the operation of power plants.

**PRACTICAL KITES AND AEROPLANES.** By Frederick Walker, C.E. London: Guilbert Pitman, 1903. 16mo.; pp. 78. Price, 60 cents.

The kite, from the toy of a schoolboy, has, by the ordinary laws of mechanical evolution, developed into the aeroplane, capable of carrying loads vertically, and sustaining them at a certain altitude by the ordinary wind currents, but so far the airship of the future as a problem admits of no solution by the aeroplane or aero-curve surface alone; unless it may happen to a future inventor to cause a flat disk, of gas or air, which by its inherent high pressure shall impinge upon the inner surface of an aero-curve and by diversion overcome gravity, and thus cause a vertical ascension. This may occur in the future; but according to our present lights a captive aeroplane may be only used for raising a single passenger to the height permitted by the tension rope or cord and the pressure of the air current prevailing in the atmosphere. The author desires to create interest in the subject by a timely little book.

**THE INDUSTRIAL AND ARTISTIC TECHNOLOGY OF PAINT AND VARNISH.** By Alvah Horton Sabin, M.S. New York: John Wiley & Sons, 1905. 8vo.; pp. 372. Price, \$3.

This is a very complete technical work on the subjects of paints and varnishes. A brief account of their modern use, and of the principles involved in their fabrication and application, will be found within its pages. Among the subjects treated are Varnish and Its Manufacture; Linseed Oil; Tung Oil; Rosin; Japans and Driers; Varnish or Enamel Paints; Chinese and Japanese Lacquers; and Spirit and Pyroxylin Varnishes. A chapter on the protection of metals against corrosion is one of the most useful in the book. Other chapters deal with Water Pipe Coating; the Painting of Ships' Bottoms, and Ship and Boat Painting

as well; Carriage Painting; House Painting; and Furniture Varnishing. The book is illustrated with a number of half-tones, and will be found interesting reading by all who have to do with this industry.

## INDEX OF INVENTIONS

For which Letters Patent

United States were Issued

for the Week Ending

November 14, 1905

AND EACH BEARING THAT DATE

See note at end of list about copies of these patents.)

Abrasive apparatus, O. C. Wysong.....	804,514
Acetylene tetrachloride, making, Askenasy & Mugdan .....	804,516
Acids, making and separating hydrochloric and sulfuric, Askenasy & Mugdan.....	804,515
Advertising novelty, W. H. Bender.....	804,372
Agricultural implements, draft bar for, N. H. Bloom .....	804,703
Agricultural implements, riding attachment for, N. H. Bloom.....	804,702
Airship and propeller therefor, J. C. Clancy.....	804,583
Automobile steering mechanism, H. H. Buf-fum .....	804,375
Awning and cover fastener, Waterhouse & Green .....	804,285
Axle, lubricating, J. A. Birdwell.....	804,448
Bag filling and weighing machine, F. G. Pennock .....	804,262
Bag holder and spreader, H. F. Ballou.....	804,199
Baking apparatus, J. W. Ruger.....	804,622
Ball bearing jack, H. G. Johnston.....	804,662
Bathometer, E. S. Wheeler .....	804,570
Bed and carriage for children, combination, S. D. Carmichael .....	804,581
Bed bottom, spring, F. J. & W. C. Van Cise.....	804,352
Bed, folding, Froman & Lanham.....	804,594
Bee-feeding apparatus, J. F. Schoning.....	804,271
Beehive, G. F. Kregel .....	804,736
Berth or bunk, H. W. Grove.....	804,531
Bill holder, A. J. Tice.....	804,445
Binder lock, loose leaf, H. C. Miller.....	804,422
Binder, temporary, A. S. Harn.....	804,599
Binding post, F. Jackson .....	804,232
Bit, See Harness bit.	
Bit, A. L. Bette .....	804,700
Blank and envelope, combined statement, M. Harwell .....	804,224
Blank, bill or statement, H. J. Halle.....	804,720
Blast regulating apparatus, automatic, Vaughn & Cabot .....	804,689
Boats, automobiles, and other vehicles, announcing device or horn for, Tautzin & Laury .....	804,567
Boats unsinkable, device for rendering small, J. M. A. Deydier .....	804,797
Boiler tube fastener, Ervin & Walker.....	804,590
Book holder or rest, C. E. Fowle.....	804,462
Boring and pole-setting machine, post hole, E. G. & G. R. Eddy.....	804,458
Boring tools, detachable head for, C. P. Howk .....	804,602
Bottle closure, H. A. Olsson.....	804,619
Bottles, flasks, etc., machine for making, C. Boucher .....	804,576
Bowling alley ball gutter, P. J. Riddell.....	804,551
Box, W. C. James .....	804,725
Box hook, A. M. Maretek.....	804,695
Bracelet, necklet, and like ornament for personal wear, E. Satchell .....	804,678
Bracket, C. Schraubstaedter .....	804,435
Brake beam, G. P. Ritter .....	804,267
Brake mechanism, C. W. Larson.....	804,414
Brake shoe, vehicle, E. D. Shoop.....	804,629
Brake system, F. B. Rae.....	804,502
Brick drier, W. R. Martin.....	804,459
Brick kiln, E. D. Young.....	804,294
Bridge, G. L. Linn .....	804,744
Briquet manufacturing machine, G. Hopfner.....	804,402
Brush, fountain, W. Hasz .....	804,467
Brush, scalp massage, R. M. Smith.....	804,680
Bucket, bottom dumping and handling, P. C. Hains, Jr. ....	804,221
Bucket, clam shell, W. B. Roberts.....	804,268
Bucket, refuse, H. Freise .....	804,715
Buckle, H. K. vom Hofe .....	804,470
Buckle, M. Barabasz .....	804,788
Bunsen burner, L. Page .....	804,496
Burglar alarm, J. O. Morris.....	804,616
Burglar alarm, electric, W. E. Orr.....	804,760
Butter cutting machine, M. C. Gehl.....	804,219
Butter cutting machine, R. F. Stewart.....	804,566
Calculating device, C. M. Young.....	804,646
Calculating machine, H. E. Goldberg.....	804,463
Calendar, perpetual, J. M. Crawford.....	804,385
Camera, W. F. Folmer .....	804,802
Can-feeding machine, H. C. H. Walsh.....	804,642
Can holding device, cracker, E. L. Reed.....	804,672
Candy machine, B. B. Bowers.....	804,374
Candy pulling machine, E. J. Jenner.....	804,726
Car brake, F. T. Whitted.....	804,287
Car coupling, D. P. Moran.....	804,424
Car coupling, H. Donnelly .....	804,523
Car curtains, fastener for vestibuled, H. L. Garrett .....	804,310
Car draft rigging, railway, J. F. Courson.....	804,649
Car, dumping, J. H. Kelly.....	804,412
Car fender, S. Ebschweiler .....	804,587
Car fender, A. J. Berg .....	804,730
Car locomotive, multiple, J. J. Troeger.....	804,638
Car, railway, J. G. Brownfield.....	804,215
Car replacer, H. Pratt .....	804,766
Carburetor for explosion motors, G. Enrico.....	804,589
Carpet sweeper, O. Chaplin .....	804,213
Carrier, See Reel carrier.	
Cart, J. Dain .....	804,386
Carts, machine for opening up end-closing knockdown, C. W. Gay .....	804,716
Cartridge case extractor, Benet & Mercie.....	804,699
Case and holder, combined, W. Paine.....	804,545
Cash carrier apparatus, J. W. Clark.....	804,214
Caster, furniture, A. W. Graham.....	804,809
Casting pig iron, E. P. Martin.....	804,329
Cement block-making machine, J. Miller & Talbot .....	804,423
Cement block-molding machine, Fischer & Talbot .....	804,528
Centrifugal separator, J. B. Bartholomew.....	804,789
Chain, G. C. Horst .....	804,723
Chain coupling link, cattle, B. Knothe.....	804,327
Chuck or rock drilling machines, J. H. Thomas .....	804,686
Cigar and cigarette cutting machine, H. Eisner .....	804,651
Cigar stand, combination, C. A. Mueller.....	804,333
Cinch grip, E. A. Grushus.....	804,397
Cloth cutting machine, J. Philippsohn.....	804,548
Cloth holder, P. J. Conn .....	804,704
Coal washing apparatus, R. I. Martin, Jr.....	804,488
Coin collector and holder, Wiley & Stevens.....	804,695
Coke puller, H. F. Pearson.....	804,670
Concentrating and amalgamating table, J. A. Hamilton .....	804,466
Concrete block-molding flask, T. Libby.....	804,240
Concrete floor centering, P. Kuhne.....	804,237
Concrete mixer, J. W. Page.....	804,261
Concrete structures, means for reinforcing, Moorman & Yelm .....	804,614
Conduit coupling, W. S. Brown.....	804,204
Cone coupling, H. Baumgartner .....	804,573
Contacts, making, F. Petz .....	804,429
Container, T. R. Harbeck .....	804,222
Conveyer for crushing machines, elevating, T. J. Gray .....	804,810
Conveyer for grading and ditching machines, elevating, H. S. Hoy .....	804,474
Copy or book holder, A. Mercier.....	804,666
Corn husker and ensilage cutter, A. Rosenthal .....	804,434
Couch, J. Hoey .....	804,538
Coupling, J. & J. O. Timms.....	804,276
Crab can, Saalbach & Maxwell.....	804,504



**"Star" Lathes**  
Foot and Power Screw Cutting  
Automatic Cross Feed  
FOR FINE, ACCURATE WORK  
Send for Catalogue B.  
SENECA FALLS MFG. CO.  
695 Water Street,  
Seneca Falls, N. Y., U. S. A.

**Engine and Foot Lathes**  
MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE  
SEBASTIAN LATHE CO., 120 Culvert St., Cincinnati, O.

**THE STERLING AIR HEATING RADIATOR**  
Attached to any Stove, Range or Furnace. Doubles Heating Capacity or Saves Half Fuel Expense. Insures continuous circulation, warm floors, comfort and health. Write for full description and terms. Agents wanted. Sells daily, always satisfies.  
STERLING AIR RADIATOR CO.  
No. 58 Wabash Ave., Chicago

**Crescent Machinery**  
Quality and Price, both right  
BAND SAWS, JOINTERS, SAW TABLES, BAND SAW BLADES  
Catalogue tells the rest  
THE CRESCENT MACHINE CO.  
280 Main Street, Leetonia, O., U. S. A.

**The Best Dry Battery for AUTOMOBILE SPARKING**  
IS THE  
**Becko Spark Cell**  
4 Cells \$1.25  
J. H. BUNNELL & CO.  
Electrical Manufacturers 20 Park Place, NEW YORK

**"Econo" Emery Wheel Dresser**  
SIZE 12 in. Made of an abrasive nearly as hard as a Black Diamond. Will true or shape any wheels except very hard and water grinders. It costs you nothing to satisfy yourself. Sent to responsible parties on 10 days' approval to compare or test with the Black Diamond. This shows OUR confidence and we want yours.  
International Specialty Co.  
360 Holden Ave., Detroit, Mich.

**FOR GUNSMITHS, TOOL MAKERS, EXPERIMENTAL & REPAIR WORK, ETC.**  
From 9-in. to 13-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle.  
Send for Lathe Catalog.  
W. F. & JNO. BARNES CO.  
Established 1872.  
1999 Ruby St., Rockford, Ill.

Manufacturers should investigate the **B. F. BARNES MACHINE TOOLS** before placing orders. The Tool here illustrated is our 20-inch Drill, and we have many other sizes to make a very complete line, including Multiple Spindle Drills. If interested in the latest Tools for reducing costs of production, let us tell you what we have. Ask for Catalog B.  
B. F. BARNES CO. Rockford, Ill.  
European Branch  
149 Queen Victoria St., London, E. C.

**METAL POLISHES.—FORMULAS FOR** Putz Pomades, Pastes, Liquids, Powders and Soaps, for polishing metals, are contained in SCIENTIFIC AMERICAN SUPPLEMENT Nos. 1283, 1288 and 1289. Price 10 cents each from this office and all newsdealers

**Tools! Tools! Tools!**  
and all you want to know about them. Our Tool Catalogue No. 22 is a cloth-bound book of 350 pages. If you want to "know it all" about Tools you should send for this book at once. Sent post-paid on receipt of \$1.00 which will be refunded from your first purchase from us of \$10.00 or over.  
MONTGOMERY & CO.  
105 Fulton Street, N. Y. City

**Silver's Band Saws**  
20-in. Foot or Belt Power  
26-in. Belt Power  
32-in. Belt Power  
36-in. Belt Power  
ALSO  
Hub Boxing and Spoke Tenon Machines, Forges, Drills and "Ohio" Feed and Ensilage Cutters  
Manufactured by  
**THE SILVER MFG. CO.**  
SALEM, OHIO

**LE PAGE'S MUCILAGE**  
Non-gumming to clog neck of bottle—No sediment—will not spoil nor discolor the finest papers. Full 2 oz. bottle retails at 5c., or sent by mail for 10c.; also half-pints, pints and quarts.  
**LE PAGE'S PHOTO PASTE,** 2 oz. size retails 5c.; by mail, 10c.  
**LE PAGE'S GLUE** STRENGTHENED IN THE WORLD  
1 oz. bottle of tube, 10c.; by mail, 12c.  
RUSSIA CEMENT CO., 189 Essex Ave., Gloucester, Mass.

Crimping machine, A. G. Legge.....	804,482
Cultivator, J. R. Jones.....	804,324
Cultivator attachment, W. J. Luttrell.....	804,419
Current motor, automatic, J. Roeh.....	804,418
Current motor, automatic, J. Roeh.....	804,676
Curtain bracket, adjustable, H. R. Phelps.....	804,816
Curtain clasp, window, C. A. Kulinski.....	804,238
Curtain fixture, R. C. Taylor.....	804,275
Curtain fixture, G. H. Forsyth.....	804,308
Curtain fixture, C. L. Hopkins.....	804,317
Curtain fixture, H. L. Saucier.....	804,552
Curtain holding device, P. A. Houghtaling.....	804,319
Curtain holding means, C. L. Hopkins.....	804,473
Curtain poles and tops, adjustable holder for, H. A. Schmitz.....	804,318
Cutting implement, W. U. Colthar.....	804,559
Cycle brake, W. H. Cocks.....	804,520
Delivering device, Chase & McCreary.....	804,216
Dental switchboard, M. N. Callender.....	804,582
Dish drainer, G. H. Lawrence.....	804,211
Dividers, H. Amendt.....	804,481
Door hanger and means for moving the door, sliding, H. C. Percy.....	804,571
Door lock, J. C. Hardenbergh.....	804,815
Door lock and signal, adjustable, W. R. Love.....	804,399
Door or gate opening and closing device, E. T. Morris.....	804,241
Door, sliding, J. S. Schlosser.....	804,251
Door stop, H. T. Depue.....	804,270
Draw gear, J. F. Courson.....	804,585
Drier, G. Boschke.....	804,521
Drum, W. J. F. Schultz.....	804,518
Drum heating, F. J. Kobusch.....	804,347
Ear muffler, C. J. Keller.....	804,735
Elastic wheel, W. Borchers.....	804,731
Electric circuit closer, A. Dow.....	804,202
Electric machine, dynamo, C. P. Steinmetz.....	804,389
Electric machinery, dynamo, W. L. Waters.....	804,440
Electric switch, C. B. Thomas.....	804,335
Electric wiring, branch block for, Hoyt & Martin.....	804,636
Electrical controller, N. K. Garhart.....	804,603
Electrical generator, M. Schwartz.....	804,595
Electrical heater, J. A. Noble.....	804,61
Electromagnetic wheel, H. Behan.....	804,759
Elevator, See Inclined elevator.....	804,371
Elevator stopping mechanism, L. W. Southgate.....	804,560
Embossing machines, driving mechanism for hand-operated, J. Knecht.....	804,634
Engine, C. Hernal.....	804,540
Engines, circuit controller for explosive, R. Varley.....	804,472
Envelope, A. H. Mackenzie.....	804,783
Excavating, hoisting, and conveying bucket, Kaltenbach & Griess.....	804,747
Eyeglass stud, C. Goodwin.....	804,235
Eyeglasses, H. Fennell.....	804,717
Eyeglasses, nose guard for, G. Bausch.....	804,527
Fan, W. A. Harrison.....	804,366
Fan, motor, G. E. Jacobson.....	804,223
Faucet, self-closing, L. T. Rice.....	804,646
Fence machine, wire, E. C. Wood.....	804,673
Fence post, Elder & Means.....	804,292
Fifth wheel, L. A. Keene.....	804,711
Filter, G. Anderson.....	804,236
Filter outlet controller, P. Hansen.....	804,572
Finger shield, D. Hungad.....	804,532
Fire alarm, W. D. Watkins.....	804,406
Fire alarm, portable, W. D. Watkins.....	804,356
Fire escape, J. O'Hearne.....	804,357
Fire extinguisher, B. Kellogg.....	804,494
Fire extinguisher, W. H. Gore.....	804,411
Fire extinguisher, chemical, C. A. Miller.....	804,807
Fires, sprinkler for extinguishing, J. Fiddes.....	804,755
Firearm, J. R. McAlister.....	804,305
Firearm, automatic, W. J. Whiting.....	804,255
Firearm with drop-down barrel, K. F. P. Stendebach.....	804,694
Firearms, face shield for side ejection shoulder, T. C. Johnson.....	804,349
Firearms, flexible rear sight for, G. H. Garrison.....	804,661
Firearms, semiflexible rear sight for, G. H. Garrison.....	804,804
Fireproof window curtain, M. Berwanger.....	804,805
Fish assorting, cutting, and cleaning machine, W. J. Kenny.....	804,299
Flooring, H. Salomon.....	804,733
Fly trap, J. G. Gibson.....	804,345
Fly wheel, R. Gerlach.....	804,654
Flying machine, A. H. Friedel.....	804,806
Folding machine cutting mechanism, H. K. King.....	804,593
Folding machines and the like, delivery apparatus for, A. B. Dick.....	804,476
Forceps and the like, T. C. Hutchinson.....	804,388
Forging press, H. V. Loss.....	804,229
Freezing apparatus, portable, Kruger & Hansch.....	804,542
Fruit shipping rack, folding, Mills & Izer.....	804,478
Fur skins, chamoising, R. Gottwald.....	804,492
Furnace, J. E. Hayden.....	804,718
Furnace door arch protector, G. A. Fisher.....	804,315
Furnaces, ash conveyor for, H. G. Cox.....	804,801
Fuse plug, P. Q. Lawrence.....	804,457
Game apparatus, W. J. Hamilton.....	804,741
Game apparatus, baseball, J. P. Woodberry.....	804,597
Garden implement, D. A. Schutt.....	804,697
Garment supporter, J. W. Schloss.....	804,773
Garment supporter, J. F. Molloy.....	804,556
Gas, apparatus for the manufacture of generator, P. Stiens.....	804,756
Gas burner attachment, automatic, S. H. Ury.....	804,441
Gas burner, incandescent, M. Kay.....	804,509
Gas burner, portable, J. F. Barker.....	804,409
Gas engine, C. J. & V. E. Moody.....	804,517
Gas, generating, E. Krenz.....	804,332
Gas generator, A. J. Ferguson.....	804,737
Gas generator, acetylene, G. H. Cliff.....	804,591
Gas generator, acetylene, S. A. Menzies.....	804,215
Gas heater, E. Haas.....	804,544
Gas producer, E. Krenz.....	804,464
Gas purifier, A. Sahlin.....	804,463
Gas reversing valve, H. E. Schild.....	804,814
Gasolene, device for removing the sediment from, Waterhouse & Green.....	804,677
Gate opener, E. T. Morris.....	804,505
Gear, yieldable, G. W. Smith.....	804,284
Gearing, change speed, W. R. Cary.....	804,252
Gearing, differential, J. G. O'Kelly.....	804,778
Gearing, variable speed, A. Peteler.....	804,212
Gearing, variable speed, C. K. Lassiter.....	804,495
Generator, See Electrical generator.....	804,263
Girder, E. Hancock.....	804,740
Glass, apparatus for the preparation of panes of opal, G. Poncelet.....	804,598
Glass drawing machine, G. H. Harvey.....	804,500
Glass furnace, H. G. Slingluff.....	804,533
Glass plates, dust-proof joint for, A. Jaeger.....	804,775
Gold separator, F. M. Johnson.....	804,660
Graphophones, etc., membrane of, A. C. Piccinini.....	804,408
Grate bar, W. McClave.....	804,264
Grinding machine, cutlery, C. L. Joy.....	804,683
Gun barrel, rifle, Lincoln.....	804,234
Gun firing attachment, Meigs & Jakobsson.....	804,483
Gun rammer, Meigs & Stout.....	804,243
Gun trigger, double-barreled, A. Raus.....	804,343
Guns, toggle link lock for recoil loading, A. W. Schwarlose.....	804,248
Gymnastic apparatus, R. Fiedler.....	804,506
Hair, device for applying dyes, etc., to the roots of, G. Delory.....	804,218
Hame clip, detachable, J. S. Cusson.....	804,522
Harness bit, J. Bald.....	804,771
Harness machine guide, M. Lauterbach.....	804,447
Harness pad, A. F. Ransom.....	804,415
Harrow, L. Blinde.....	804,551
Harrow, J. M. Ulsb.....	804,300
Harvesters, counting mechanism for grain, I. Trolley, Jr.....	804,781
Harvesters, lifting mechanism for corn, A. N. Hadley.....	804,277
Hay rake, B. B. Phillips.....	804,811
Head and ear protector, J. M. Shourt.....	804,498
Hinge, J. Soss.....	804,348
Hinge and block, blind, R. W. Perry.....	804,633
Hoodwink, E. & U. S. De Moulin.....	804,765
Hop sprayer, G. Roberts.....	804,710
Horseshoe, H. Hennen.....	804,675
Horseshoe, J. Wolf.....	804,226
Horseshoe, F. J. Bacon, reissue.....	804,361
Hose cleaning apparatus, automatic, F. Pink.....	12,407
Hot air furnace, D. J. Archer.....	804,592
Hot air furnace, reversible draft, C. F. A. Roell.....	804,197
Hub attaching device, W. D. Walker.....	804,818
	804,353

**Hydrozone**  
Cures  
**Sore Throat**  
A Harmless Antiseptic.  
Endorsed by the medical profession. Send ten cents to pay postage on **free trial bottle.** Sold by Leading Druggists. Not genuine unless label bears my signature:  
Prof. Charles Marchand  
Dept. U, 63 Prince St., N. Y.  
Write for free booklet on Rational Treatment of Disease.

**H. & S. Sound Box**  
For Disc Talking Machines  
You cannot appreciate what is recorded on a Disc Record until you hear it reproduced with an H. & S. Sound Box.  
Clear, Loud, Brilliant, Natural Tone  
**PRICE \$5.00**  
Made in Three Styles:  
No. 100 for Victor Tapering Arm Machines.  
No. 200 for Talkaphones, Old Style Disc Graphophones, and all Straight Arm Machines.  
No. 300 for Zonophone Tapering Arm Machines.  
Apply to your dealer; if he does not keep them order direct.  
Order by Number  
**HAWTHORNE & SHEBLE MFG. CO.**  
Dept. D, Philadelphia, Pa.

**You Can Earn From \$3,000 to \$10,000 a year in the Real Estate Business**  
We teach you the Real Estate, General Brokerage and Insurance Business by mail, fitting you to successfully establish yourself without interfering with your present employment. We appoint you special representative of leading real estate and brokerage companies who will co-operate with you and assist you to a quick success. Do not spend the best days of your life working for a pittance. Real estate offers better opportunities than any other business to those without capital. Write for full particulars and free booklet. It will interest you. H. W. Cross & Co., 197 Tacoma Bldg., Chicago.

**WIRELESS TELEGRAPH**  
The "Telinco" Complete outfit, comprising 1 inch Spark Coil, Strap Key, Sender, Sensitive Relay, Coherer, with Automatic Decoder and Sounder, 4 Ex. Strong Dry Cells, all necessary wiring, including send and catch wires, with full instructions and diagrams, \$8.50. Guaranteed to work up to one mile. Send for list, Pamphlet & 64-page catalogue.  
**ELECTRO IMPORTING CO.,** 32 Park Place, New York

**A MONEY MAKER**  
Hollow Concrete Building Blocks, Best, Fastest, Simplest, Cheapest Machine. Fully guaranteed.  
**THE PETTYJOHN CO.**  
615 N. 6th Street, Terre Haute, Ind.

**THE Nulite Vapor Lamps**  
For Home, Store and Street  
We also manufacture Table Lamps, Wall Lamps, Chandeliers, Street Lamps, Etc. 100 Candle Power seven hours ONE CENT. No Wicks. No Smoke. No Odor. Absolutely safe. THEY SELL AT SIGHT. Exclusive territory to good agents. Write for catalogue and prices.  
**Chicago Solar Light Co., Dept. G, Chicago**

**NEW YORK SCHOOL OF AUTOMOBILE ENGINEERS**  
(INCORPORATED)  
146 West 56th Street, New York City  
A HIGH GRADE SCHOOL OF INSTRUCTION FOR CHAUFFEURS AND AUTOMOBILE OWNERS  
Day and evening classes. No enrolling students. Write, call or phone for particulars. Tel. Columbus 4314

**Schwartz Furnace**  
FOR MELTING GRAY IRON, STEEL, COPPER, BRASS AND BRONZE  
Send for Catalogue  
**HAWLEY DOWN DRAFT FURNACE CO.**  
NEW YORK, N. Y. CHICAGO, ILL.

## She would have lost her home


if she had been able to persuade her husband not to invest in life insurance. "I never wished my husband to become insured," wrote an Illinois wife and mother, "but he always said, 'If anything should happen to me, the money will be needed.'"

Something did happen to him. The money was needed, and his wife wrote that she had found she could keep her home, and educate her boy with the money which

## THE PRUDENTIAL

paid to her with appreciated promptness.

But mark this: the husband *did insure his life*. The story would be a very different one if he hadn't. What will be your family's experience when something happens to you? What it *can* be you may learn to advantage by using this blank.



## The Prudential

Insurance Company of America  
Incorporated as a Stock Company by the State of New Jersey

**JOHN F. DRYDEN** Home Office: President NEWARK, N. J.

Without committing myself to any action, I shall be glad to receive, free, particulars and rates of Policies.

For \$... Age ...

Name.....

Address.....

Occupation..... Dept. 121

## Before the cold weather sets in Get a Residence Telephone

It saves exposure.  
It saves doctor's bills.  
It means convenience and economy.  
Rates are low.

**NEW YORK TELEPHONE CO.**  
15 Dey Street

## SAVE FIRE LOSS

PROTECT YOUR HOMES AND PROPERTY.

Badger's Fire Extinguisher will put out any kind of a fire at the start.  
So simple a child can use it.

Write for information.

**BADGER FIRE EXTINGUISHER CO.**  
89 Portland St., Boston, Mass.




## 49 POCKET ELECTRIC FLASH LIGHT

For sample only, regular \$1.50 kind, best made, lasts longest. Express prepaid, 16c extra. New batteries, each 20c; postage extra, 7c. Send for complete Electrical Catalog and agent's discounts. Dept. 303 THE VIN CO., 54 E. Lake St., Chicago.

## ICE BOATS!

If you want to know how to make an Ice Boat, buy SCIENTIFIC AMERICAN SUPPLEMENT 1536. Complete working drawings and a thorough description are published. Order from your newsdealer or from Munn & Co., 361 Broadway, New York



## The Way To Be a Thinker

is to get in touch with thinkers. All the world's prizes are captured by those who have seasoned their energy with the spice of originality—and originality means the habit of clear and fresh thinking. Even the best of us have a tendency to fall into mental ruts, to go plodding on year after year, in the same track, to do things without knowing precisely why. The way to keep alive, the way to be original, the way to be a success, is to talk with brainy people and to read books that make you think. That's the reason

## The New Science Library

is a cure for mental paralysis. It contains the best work of Darwin, Huxley, Spencer, Tyndall, and great leaders of modern thought. It will tell you what the famous Darwinian theory is: how the planets are weighed and their motions charted; what radium is; how liquid air is made and used—and ten thousand other interesting things. It is a work to be read and enjoyed, for it is written in a clear and interesting style—not abstruse or technical. The work consists of sixteen superb volumes, handsomely printed and bound.

## 84-PAGE BOOK FREE

If you mail us the coupon below at once, we will send full information of the New Science Library, and how you may get it at half price and on the Individual Payment Plan, by means of which you can arrange the payments to suit yourself.

At the same time we will send you a copy of our handsome 84-page book, "Some Wonders of Science." This book, containing articles by Huxley, Tyndall, Proctor, and Ray Stannard Baker, is so bright and interesting that you will read it from cover to cover, and when you have read it you will wonder how you ever could have thought science dry and uninteresting. Each copy is beautifully illustrated and printed. As long as the edition lasts, we will exchange a copy of it for the coupon printed at the bottom of this advertisement.

## PUBLIC OPINION

44-60 E. 23d Street New York

### Sci. Am. 11-23 EXCHANGE COUPON

Good for one complimentary copy of "Some Wonders of Science," if mailed at once to Public Opinion, 44-60 East 23d Street, New York.


NAME .....

STREET.....

CITY AND STATE .....

We will send, at the same time, full particulars of our New Science Library and our Introductory Half-Price Offer.

Hub holding and indexing device, J. A. Kaplan .....	804,325
Illuminated bar, O. T. Burtness.....	804,209
Inclined elevator, J. W. Reno.....	804,266
Induction coils, apparatus for the manufacture of, L. B. Miller.....	804,250
Instep support, L. T. J. Lubin.....	804,242
Iron oxid for use in blast furnaces, preparing, U. Wedge .....	804,692
Iron pyrites charge for desulfurizing furnaces and preparing same, U. Wedge.....	804,691
Iron pyrites for desulfurization, preparing, U. Wedge .....	804,690
Iron pyrites for desulfurization, treating, U. Wedge .....	804,785
Ironing board, D. Messer .....	804,244
Jar, bottle, and other vessel, A. E. Pike.....	804,338
Jar closure, T. Beatty .....	804,574
Joist hanger, A. Carlson .....	804,451
Journal box, self-oiling, H. W. Hill.....	804,601
Kernel feeding machine, G. B. Ellingwood.....	804,459
Knitting machine, E. A. Pigeon.....	804,549
Lamp bulbs, locking device for incandescent, R. E. Davis .....	804,387
Lamp, miner's, D. E. Herron.....	804,659
Land leveler, D. A. Savage.....	804,625
Lathe, cutting, L. Boisard .....	804,575
Lathe gage device, Chard & Lodge.....	804,793
Laundry blue distributor, P. Diamond.....	804,798
Ledger, loose leaf individual or general bank, Exline & Bourke .....	804,713
Leg, artificial, J. Bunderle .....	804,207
Level, adjustable spirit, A. C. Brundage.....	804,792
Life preserver, W. N. Morrison.....	804,757
Lifting jack, C. M. Sawyer.....	804,771
Link, releasable, R. C. Smith.....	804,273
Liquid distributor, J. Raidl .....	804,761
Loader, W. H. Ericsson .....	804,525
Locomotive boiler, J. A. Welton.....	804,286
Loom for weaving pile fabrics, H. A. Foster.....	804,309
Lubricating compound, C. Comstock.....	804,455
Lubricating device, Campbell & Coates.....	804,377
Lubricator, G. W. Brown .....	804,203
Lubricator, C. Comstock .....	804,454
Lubricator, Lytle & Cawley .....	804,612
Mangles, apron guide for, P. E. Bradley.....	804,578
Match-making machine, L. Cobbaert.....	804,383
Mattress, sanitary wool bed, N. J. Walls.....	804,354
Metal cutting shears, J. C. Burgess.....	804,579
Metal sheet corrugating machine, G. C. Witt.....	804,512
Metal tubes, rods, and the like, apparatus for bending, W. Kennedy .....	804,732
Milk heater, H. J. Grell .....	804,396
Milling machine, continuous, L. Coes.....	804,706
Millstone, A. Kreps .....	804,707
Mining machine, J. Stein .....	804,738
Minnow or trolling hook, artificial, G. Bruton.....	804,562
Molding machine, H. A. Walter.....	804,206
Music leaf turner, E. Bryon.....	804,643
Musical instrument attachment, J. Sauer.....	804,302
Nail cutting die, wire, J. Wikschrom.....	804,786
Nail driver, magazine, M. Hindmarch.....	804,536
Necktie fastener, J. Nutry .....	804,260
Nitroglycerin, making, C. L. Reese.....	804,687
Nut lock, C. W. Burnham.....	804,580
Nut lock, T. O. Garrett .....	804,803
Oil cup, L. Gleason .....	804,655
Oil from water, apparatus for extracting, D. H. Haywood .....	804,400
Operating pad or receptacle, Meinecke & Hogan .....	804,750
Ore crusher and pulverizer machine, A. Tetrault.....	804,780
Oven floor, J. C. Millar .....	804,249
Oven screen, B. Morgenstein .....	804,615
Ozone, electrical apparatus for producing, A. C. Wood .....	804,291
Painting and coloring linocut, etc., process of and apparatus for, F. Walton.....	804,283
Paper characterized by its impervious nature and strength, C. I. Goessmann.....	804,808
Paper cup, C. G. Perkins.....	804,428
Paper elevator, J. C. Hammer.....	804,312
Paper, magazine and delivery mechanism for, C. P. Fonda .....	804,307
Paper refining engine, I. P. Dillon.....	804,586
Paper weight, J. B. Williamson.....	804,288
Pasteurizing apparatus, E. Tyson.....	804,687
Pasteurizing liquids, P. Tyson.....	804,688
Peat carbonizing apparatus, T. Ledermuller.....	804,239
Pencil sharpening machine, G. W. Wright.....	804,513
Perforating machine, R. A. Jonas.....	804,233
Perforating machine, R. H. Little.....	804,485
Phonograph repeating device, E. Fletcher.....	804,714
Phonographic instrument, J. Isakson .....	804,604
Phosphorus, making red, Schenck & Marquart .....	804,555
Photographic plate developing apparatus, M. H. Stockwell .....	804,442
Picture frame, R. J. Walker .....	804,282
Pictures and the like, device for hanging, F. E. Miller .....	804,491
Pie rack case or holder, B. H. Kannenberg.....	804,539
Pillow support, J. C. Condo.....	804,456
Pipe covering, R. Zeiller .....	804,647
Pipe joint, flexible, J. Coppersmith.....	804,304
Pivot pin supporting device, J. Willison.....	804,289
Planter and cultivating implement, combined, J. W. Clifton .....	804,382
Planter, automatic check row corn, W. C. & C. R. Gibson .....	804,391
Planter, seed, N. B. Hodge.....	804,537
Plastic masses, machine for molding, A. Lutze .....	804,328
Plow, C. Schardt .....	804,554
Plow, beet, E. G. Smart.....	804,631
Plow heel, G. J. Huggins.....	804,405
Plow steam, G. S. Lowell.....	804,543
Pneumatic hoist, H. H. Vaughan.....	804,515
Pole cross arms, support for, E. C. Short.....	804,630
Powders, apparatus for holding and delivering, F. W. Norris .....	804,259
Printing and numbering machine, D. Carl.....	804,303
Printing machine, J. W. H. Waldron.....	804,640
Printing press covering mechanism, H. A. W. Wood .....	804,293
Projectile, explosive, C. Chronic .....	804,380
Photocathodic aldehyde, making, R. J. M. Sommer .....	804,682
Pruning implement, L. H. Mullen.....	804,426
Puller, See Coke puller.....	
Pulley lubricator, loose, L. C. Hobart.....	804,722
Pulp, compacting liquid-borne fibrous, J. H. Rivers .....	804,432
Pulper, D. Gordon .....	804,330
Pump, C. A. Armsberger.....	804,498
Pump, centrifugal, J. L. Shepard.....	804,774
Pump, lubricating, G. W. Cole .....	804,384
Pump, rotary, H. Handoll .....	804,657
Puzzle, C. E. Harris .....	804,314
Rail fastener, T. S. Newton.....	804,618
Rail joint, W. R. Holland .....	804,471
Rail joint, M. Hester .....	804,535
Rail joint, C. K. Humphreys.....	804,724
Rail joint, E. Roberts .....	804,768
Rail splice, J. L. Smith et al.....	804,632
Rail tie, W. L. Schrum .....	804,346
Railway and like vehicles, automatic coupling for, W. R. Jenkinson.....	804,813
Railway automatic safety crossing system, W. J. Bell .....	804,298
Railway brake, electrically controlled fluid pressure, J. S. Lockwood .....	804,745
Railway bumping post, G. L. Chatfield.....	804,452
Railway bumping post, W. E. Symons.....	804,685
Railway rail, D. Jones .....	804,729
Railway rail joint, Powell & Logan.....	804,550
Railway rails to chairs, key for keying, J. A. Colquhoun .....	804,217
Railway safety crossing system, W. J. Bell.....	804,297
Railway signal, J. Irwin .....	804,253
Railway signal and switch appliances from freezing or clogging, device for preventing, F. L. Young .....	804,787
Railway switch, J. G. Gilreath .....	804,393
Railway switch signal apparatus, Pieszak & Poole .....	804,337
Railway switches, detector bar for, W. Baum .....	804,296
Railway traction, J. Owen.....	804,336
Railway vehicle brake, J. Egetz .....	804,588
Range, knockdown, C. L. Gohmann.....	804,596
Receptacle, M. A. Howard .....	804,320
Reel carrier, H. Hedlund .....	804,225
Reflector for artificial lights, prismatic glass, O. A. Mygatt .....	804,334
Reflector shade for artificial lights, O. A. Mygatt .....	804,253
Reflector shade, prismatic glass, O. A. Mygatt .....	804,254




THE Reason for the supremacy of the  
**REMINGTON TYPEWRITER**  
is its persistent superiority, emphasized again and again in every new model since the invention of the writing machine.

## New Models Now Ready

We will be glad to have you call at any of our salesrooms and see the new models or send for Illustrated booklet describing the new features.

**Remington Typewriter Co.**  
325-327 Broadway, New York

Branches Everywhere



Just Published

## The Scientific American Boy

By  
**A. RUSSELL BOND**

12mo. 320 Pages. 340 Illustrations.  
Price \$2.00 Postpaid



THIS is a story of outdoor boy life, suggesting a large number of diversions which, aside from affording entertainment, will stimulate in boys the creative spirit. In each instance complete practical instructions are given for building the various articles.

¶ The needs of the boy camper are supplied by the directions for making tramping outfits, sleeping bags and tents; also such other shelters as tree houses, straw huts, log cabins and caves.

¶ The winter diversions include instructions for making six kinds of skate sails and eight kinds of snow shoes and skis, besides ice boats, scooters, sledges, toboggans and a peculiar Swedish contrivance called a "rennwolf."

¶ Among the more instructive subjects covered are surveying, wigwagging, heliographing and bridge building, in which six different kinds of bridges, including a simple cantilever bridge, are described.

¶ In addition to these, the book contains a large number of miscellaneous devices, such as scows, canoes, land yachts, windmills, water wheels and the like. A complete table of contents sent on request.

**MUNN & COMPANY**

361 Broadway "PUBLISHERS OF SCIENTIFIC AMERICAN" New York City



# Jaeger

WEAR.


UNDER

The fame of this Under-wear has made it a household word in the land. Nothing like it for health and comfort both.

## All Weights for All Wants

Catalogue explains everything. Free, with samples.

Dr. Jaeger's S. W. S. Co.'s Own Stores  
New York: 306 Fifth Ave., 157 B'way. Brooklyn: 504 Fulton St. Boston: 228 Boylston St. Philadelphia: 1510 Chestnut St. Chicago: 26 State St.  
Agents in all Principal Cities.



Send the Name of Your Car or engine, and we will send full information about the Apple Automobile Spark Plug. The best storage battery charger for automobile, launch or gas engine. Address, The Dayton Electrical Mfg. Co., 98 Beaver Bldg., Dayton, Ohio.

### ELECTRIC NECKTIE PIN

A scientific novelty that will please and astonish your friends. To all appearance it is a handsome necktie pin, horseshoe shape studded with seven beautiful colored stones. A perfect imitation of high priced gems. It has a delicate bulb in the center. At the back of this pin are two threads of insulated copper wire which pass under the vest and connect with a small Dry Cell Battery in your pocket. Attached to opposite end of wire are two finger plates. To produce an electric flash of light from together and suddenly release them. To produce a continuous light strong enough to read by, simply hold the plates together. Imagine the surprise of your friends to see your breastpin suddenly aglow with fire, and as suddenly extinguished. We send printed instructions for adjusting wire to battery, etc., so as to insure success in every instance. Each Breastpin with Dry Battery and insulated wire, packed in a strong wooden box. Price complete \$1.00. If sent by mail 10 cents extra to cover postage.


GERBERT IMPORTING CO., Dept. 12 140 Nassau St., N. Y.

You need this knife on your automobile, in the shop and in your home. A Veritable Pocket Tool Chest



9 TOOLS IN 1  
The Wonder of the Age  
Built as substantially as a locomotive. Weighs no more than an ordinary three blade pocket knife. Stag horn handle. In addition to the blade, which is made from 85 carbon cutler's steel, contains the following tools:  
1. Leather Punch 5. Alligator Wrench  
2. Swedging Awl 6. Hoof Hook  
3. Wire Cutter 7. Screw Driver  
4. Wire Pliers 8. Screw Bit  
Cuts barbed fence wire as easily as an ordinary 8 inch plier. Hoof hook is of great value as a packing hook around the engine. The tools are needed almost every day, and in tinkering around your home the knife will be an invaluable pocket companion. AGENTS WANTED  
Remit \$1.25 for sample to-day. Your money back if not satisfied. This Knife for an Inventor or in a Model Shop is a Genuine Luxury  
DEVINE SPECIALTY CO.  
88 Baldwin Building INDIANAPOLIS, IND.  
REFERENCE: Columbia National Bank.

### "The Whole Thing in a Nutshell"



## 200 EGGS A YEAR PER HEN

### How to Get Them

The fifth edition of the book "200 Eggs a Year Per Hen," is now ready. Revised, enlarged, and in part re-written. 96 pages. Contains among other things the method of feeding by which Mr. S. D. Fox, of Wolfboro, N. H., won the prize of \$100 in gold offered by the manufacturers of a well-known condition powder for the best egg record during the winter months. Simple as a, b, c—and yet we guarantee it to start hens to laying earlier and to induce them to lay more eggs than any other method under the sun. The book also contains recipe for egg food and tonic used by Mr. Fox, which brought him in one year an average of over 214 eggs apiece. It has been my ambition in writing "200 Eggs a Year Per Hen" to make it the standard book on egg production and profits in poultry. Tells all there is to know, and tells it in a plain, common-sense way. Price, 50 cents, or with a year's subscription, 60 cents; or given as a premium for four yearly subscriptions to the American Poultry Advocate at 25 cents each.

Our Paper is handsomely illustrated, 40 to 80 pages, 25 cents per year, 4 months' trial, 10 cents. SAMPLE FREE. CATALOGUE of poultry books free.

## AMERICAN POULTRY ADVOCATE

35 Hogan Block, Syracuse, N. Y.

## We are the Largest Breeders in America

of Pheasants, Quail, Poultry, Geese, Swans, Peacocks, Wild and Fancy Ducks and Geese, Cranes, Pelicans, Belgian Homers for Squab Raising, Guinea, Angora Cats and Pet Stock. Send four cents in stamps for circulars.

Cape Cod Squab Poultry and Game Farm  
Box P, Wellfleet, Mass.

Respirator, W. Schwarz	804,272	Rifles and other arms, telescopic sight for, W. Youlten	804,363
Roasting furnace, A. W. Chase	804,379	Roasting furnace, A. R. Meyer	804,751
Roasting or desulfurizing furnace, mechanical, H. Howard	804,227	Rock crusher, H. H. Blake	804,201
Roof, self-supporting conical, I. S. McNamee et al	804,427	Rotary engine, H. M. Lofton	804,746
Rotary meter, G. Fajen	804,460	Rough rounding and channeling machine, G. F. Wolfe	804,526
Ruling machine, Peckham & Hyde	804,645	Sad iron, J. H. Rogers	804,547
Saddle, harness, C. F. Wiesenmeyer	804,446	Saddle, harness, G. McMullin	804,758
Salvage, radio-active, H. Lieber	804,610	Sand drier, W. King	804,607
Sash balance and lock, window, T. Pachall, Sr.	804,620	Sash holder, window, E. G. Abell, reissue	12,408
Sash lift, W. E. Norris	804,669	Saw-filing machine, C. M. Henderson	804,534
Sawmills, machine for transferring and turning logs in, J. R. Snell	804,507	Saw tooth, adjustable, W. Lewis	804,777
Screw cutting die, J. Smart	804,679	Screw driver, E. Searle	804,658
Seat and table, combined, W. G. Hastings	804,609	Sectional boiler, J. J. M. Lange	804,364
Sewing and trimming machine, Zimmerman & Hughes	804,639	Sewing machine, buttonhole, J. C. Umpleby	804,220
Sewing machine feeding mechanism, C. F. Gray	804,709	Sewing machine ruffling attachment, P. G. Davis	804,301
Sewing machine shuttle mechanism, Borton & Brush	804,782	Sewing machine tension mechanism, J. H. & J. B. Ursbruck	804,508
Sewing machine thread controlling mechanism, J. H. & J. B. Ursbruck	804,490	Sewing machines, stocking holding band for darning purposes for, A. G. Maynard	804,800
Shade guide, P. G. Emery	804,339	Shade roller bracket, detachable, Ploof & Mongeon	804,370
Shade roller bracket, detachable, Ploof & Mongeon	804,730	Shafts of instruments, support for the, F. R. Beckert	804,530
Sheep, etc., machine for dipping, H. M. Jordan	804,487	Sheet iron boxes, dressing tinned, H. Goldschmidt	804,623
Sheet metal humidifier, H. Macarthy	804,799	Sheet metal perforating apparatus, T. A. Edison	804,376
Sheet metal perforating apparatus, T. A. Edison	804,269	Sheeting and bar press, J. W. Ruger	804,350
Sheeting and bar press, J. W. Ruger	804,748	Sheeting and manufacturing same, protective, S. Cabot	804,330
Ships and boats, construction of the hulls of, H. E. Ross	804,558	Shoe form, H. A. Weeks	804,608
Shoe repair stand, T. Wendle	804,635	Shoe tread, W. A. Robbins	804,635
Shutter worker, W. Texdorf	804,674	Signal. See Railway signal	804,378
Small arm having automatic breech action, F. von Mannlicher	804,341	Smelting and refining furnace, combined, C. C. Medbery	804,779
Smelting and refining furnace, combined, C. C. Medbery	804,637	Smoke tubes, tightening device for, W. Schmidt	804,326
Smoking pipe, J. Kraus	804,621	Snatch block, P. H. Strohminger	804,769
Soap holder, liquid, Helmsold & Schmidt	804,511	Soldering paste, M. Leisel	804,696
Soldering paste, M. Leisel	804,274	Spraying device, J. F. Cass	804,210
Spraying device, J. F. Cass	804,708	Spring hanger, T. W. Plumb	804,529
Spring hanger, T. W. Plumb	804,248	Stacker, G. W. Soule	804,246
Stage illusions, apparatus for producing, Thorn & Downs	804,398	Stage illusions, apparatus for producing, Thorn & Downs	804,683
Stamp holder, W. H. Keeler	804,208	Stamp holder, W. H. Keeler	804,208
Stanchion, O. H. Robertson	804,342	Stanchion, O. H. Robertson	804,342
Stanchion latch, C. Rodencl	804,656	Stanchion latch, C. Rodencl	804,656
Stand pipe, D. L. Winters	804,290	Stand pipe, D. L. Winters	804,290
Stays and for connecting struts, apparatus for forming, F. W. Winterhoff	804,557	Stays and for connecting struts, apparatus for forming, F. W. Winterhoff	804,557
Steam boiler, F. Stadler	804,784	Steam boiler, F. Stadler	804,784
Stereotype plate and base connection, Butterfield & Schmitt	804,663	Stereotype plate and base connection, Butterfield & Schmitt	804,663
Still, F. B. Cole	804,626	Still, F. B. Cole	804,626
Stock supporter, M. B. Foster	804,381	Stock supporter, M. B. Foster	804,381
Stone saw, C. L. Miel	804,344	Stone saw, C. L. Miel	804,344
Stone saw blade, C. L. Miel	804,407	Stone saw blade, C. L. Miel	804,407
Stone, sawing, J. A. Hall	804,584	Stone, sawing, J. A. Hall	804,584
Stone sawing machine, Hall & Chandler	804,743	Stone sawing machine, Hall & Chandler	804,743
Stove, gas, J. J. Strain	804,373	Stove, gas, J. J. Strain	804,373
Stovepipe, thimble and flue cap, A. T. Burch	804,477	Stovepipe, thimble and flue cap, A. T. Burch	804,477
Strap holder, J. D. Randall	804,450	Strap holder, J. D. Randall	804,450
Submerged heater, C. H. Grub	804,712	Submerged heater, C. H. Grub	804,712
Sunshade, I. Wine	804,200	Sunshade, I. Wine	804,200
Superheater, W. Schmidt	804,365	Superheater, W. Schmidt	804,365
Superheating device, D. A. Smal	804,431	Superheating device, D. A. Smal	804,431
Surge table, E. L. & E. B. von Eschen	804,742	Surge table, E. L. & E. B. von Eschen	804,742
Swing, A. W. Kirkpatrick	804,256	Swing, A. W. Kirkpatrick	804,256
Switch, J. C. Scargle	804,624	Switch, J. C. Scargle	804,624
Switch contact mechanism, snap, Clark & La Har	804,795	Switch contact mechanism, snap, Clark & La Har	804,795
Switching apparatus, electrical, W. J. Richards	804,358	Switching apparatus, electrical, W. J. Richards	804,358
Syringe, A. B. Jamison	804,484	Syringe, A. B. Jamison	804,484
Syringe, C. J. Davol	804,776	Syringe, C. J. Davol	804,776
Tablet, writing, P. T. Lemaster	804,316	Tablet, writing, P. T. Lemaster	804,316
Tag, Blanchard & Price	804,475	Tag, Blanchard & Price	804,475
Talking machine attachment, G. Konigstein	804,425	Talking machine attachment, G. Konigstein	804,425
Tanning, J. Campbell	804,754	Tanning, J. Campbell	804,754
Target, self-registering, M. S. Ellis	804,653	Target, self-registering, M. S. Ellis	804,653
Teeth, apparatus for the correction of irregular, V. E. Barnes	804,701	Teeth, apparatus for the correction of irregular, V. E. Barnes	804,701
Telegraph line wires, device for preventing contact in, W. L. G. Appleby	804,369	Telegraph line wires, device for preventing contact in, W. L. G. Appleby	804,369
Telephone instrument, E. A. Reynolds	804,772	Telephone instrument, E. A. Reynolds	804,772
Telephone push button switch mechanism, B. L. Lawton	804,729	Telephone push button switch mechanism, B. L. Lawton	804,729
Telephone switchboard signal, F. R. McBERTY	804,436	Telephone switchboard signal, F. R. McBERTY	804,436
Telescope cross hairs, illuminating means for, G. N. Siegmuller	804,295	Telescope cross hairs, illuminating means for, G. N. Siegmuller	804,295
Templet and punch for marking centers in metal work, J. D. Cummings	804,449	Templet and punch for marking centers in metal work, J. D. Cummings	804,449
Terpenes and other products from wood, obtaining, E. B. Weed	804,704	Terpenes and other products from wood, obtaining, E. B. Weed	804,704
Therapeutic apparatus, C. O. Lindstrom	804,430	Therapeutic apparatus, C. O. Lindstrom	804,430
Thermometer, device, D. A. Smal	804,258	Thermometer, device, D. A. Smal	804,258
Thill and tongue support, J. H. Henson	804,438	Thill and tongue support, J. H. Henson	804,438
Thill coupling, B. F. Haldeman	804,279	Thill coupling, B. F. Haldeman	804,279
Thill loop, C. A. Jacky	804,437	Thill loop, C. A. Jacky	804,437
Tile and other articles of pottery ware, glass, etc., automatic machinery for apparatus for decorating and glazing, F. Mountford	804,410	Tile and other articles of pottery ware, glass, etc., automatic machinery for apparatus for decorating and glazing, F. Mountford	804,410
Tile molding machine, H. Meyer	804,652	Tile molding machine, H. Meyer	804,652
Tile, roofing, H. Meyer	804,764	Tile, roofing, H. Meyer	804,764
Time alarm, W. A. Garris	804,701	Time alarm, W. A. Garris	804,701
Time recorder, watchman's, J. Summers	804,369	Time recorder, watchman's, J. Summers	804,369
Tire, pneumatic, O. M. Rigger	804,772	Tire, pneumatic, O. M. Rigger	804,772
Tire, resilient, W. F. Beasley	804,729	Tire, resilient, W. F. Beasley	804,729
Tire, vehicle, F. A. Magowan	804,436	Tire, vehicle, F. A. Magowan	804,436
Tire, vehicle, F. G. Saylor	804,295	Tire, vehicle, F. G. Saylor	804,295
Tobacco pipe cleaning attachment, W. J. Mccredy	804,449	Tobacco pipe cleaning attachment, W. J. Mccredy	804,449
Tool, C. S. Schultz	804,704	Tool, C. S. Schultz	804,704
Tool, hand, E. M. Zacharias	804,430	Tool, hand, E. M. Zacharias	804,430
Tool, pneumatic, E. B. Boyer	804,258	Tool, pneumatic, E. B. Boyer	804,258
Torpedo net, Bullivant & Selby	804,438	Torpedo net, Bullivant & Selby	804,438
Toy bank, F. Plattner	804,279	Toy bank, F. Plattner	804,279
Track gage, C. Nelson	804,437	Track gage, C. Nelson	804,437
Transmission mechanism, C. G. Simonds	804,541	Transmission mechanism, C. G. Simonds	804,541
Transmitter, A. Van Wageningen	804,413	Transmitter, A. Van Wageningen	804,413
Trap, See Fly trap	804,410	Trap, See Fly trap	804,410
Tray, case, dress, A. Baxter	804,652	Tray, case, dress, A. Baxter	804,652
Trolley, M. Baker	804,764	Trolley, M. Baker	804,764
Trunk, C. C. Wigington	804,390	Trunk, C. C. Wigington	804,390
Tunneling system, J. W. See	804,782	Tunneling system, J. W. See	804,782
Turbine engine, H. Lentz	804,480	Turbine engine, H. Lentz	804,480
Turbine, steam, C. G. Y. King	804,687	Turbine, steam, C. G. Y. King	804,687
Turbines, bucket wheel for elastic fluid, H. Keller	804,401	Turbines, bucket wheel for elastic fluid, H. Keller	804,401
Tweezers, E. C. Ellsworth	804,469	Tweezers, E. C. Ellsworth	804,469
Type casting machine, F. E. Peacock	804,577	Type casting machine, F. E. Peacock	804,577
Umbrella holder, J. E. Duffy	804,605	Umbrella holder, J. E. Duffy	804,605
Unloading device, C. E. Otterman		Unloading device, C. E. Otterman	
Urinal, L. D. Lawnin		Urinal, L. D. Lawnin	
Valve gear, W. T. Merzenich		Valve gear, W. T. Merzenich	
Vehicle dust guard, P. K. Hollingsworth		Vehicle dust guard, P. K. Hollingsworth	
Vehicle perch connection, L. E. Hickok		Vehicle perch connection, L. E. Hickok	
Vehicle wheel, J. M. Boulanger		Vehicle wheel, J. M. Boulanger	
Vehicle wheel, G. G. Jackson		Vehicle wheel, G. G. Jackson	

## "A-C" Superb HOLIDAY GIFTS for Gentlemen "A-C"

ANTI-CANCER. The first pipe ever known to win the unqualified endorsement of Physicians and the Scientific world ANTI-CANCER.

1904 Model  
Improved 1906 model now on the market. No advance in price till after holidays.

Saliva Cannot Possibly Enter Stem  
NOT A COMPETITOR WITH CHEAP PIPES  
Illustrated book full of matter important to smokers free on application  
Do not send stamps for postage

THE "A-C" PIPE CO., 807 Times Bldg., Broadway & 42d St., New York

## Just What Young Electricians Want

Armature Discs and Commutators for Your Experimental Dynamos.

Also a full line of miniature electrical railways, trolley car, water motors and dynamos. Send for Catalogue B.

THE CARLISLE & FINCH COMPANY  
233 E. Clifton Ave. Cincinnati, O.

## GAS ENGINE DETAILS.—A VALUABLE and fully illustrated article on this subject is contained in SUPPLEMENT No. 1292. Price 10 cents. For sale by Munn & Co. and all newsdealers.

## Our COMBINATION BLUE PRINT FILE AND DRAFTING TABLE

The top can be adjusted to various heights and tilted to any angle. We carry a full line of all styles of Drafting Tables, Blue Print Frames, Electrotape Cabinets, etc. Send for Catalogue

FRITZ & GOELDEL MFG. CO.  
97 Alabama St., Grand Rapids, Mich.

## ELECTRICAL MOTORS — THEIR Construction at Home. SCIENTIFIC AMERICAN SUPPLEMENTS 759, 761, 767, 768. Price 10 cents each, by mail. Munn & Company, 361 Broadway, New York City, and all newsdealers.

## PONY and COMPLETE OUTFIT FREE

ANY BOY or GIRL, 18 years old or less, can learn how they can have my private pet PONY "Bob" with his elegant rubber-tired PONY CART and finely Custom-made HARNESS delivered at their door without a cent of cost. I will pay all transportation charges myself. I do not want a single cent of your money. "BOB" with his PONY CART and HARNESS, just as I shall deliver him, is easily worth \$800.00. I will send you full particulars showing you that there are absolutely no blanks. If you wish the PONY and complete OUTFIT delivered to you, all charges prepaid, address a postal, asking for full particulars how to secure him, to CHARLES E. ELLIS, Pony Dept., 24 North William St., New York City, N. Y.


## FOR THE HOLIDAYS

# American Estates and Gardens

4to. 11x13 1/2 inches. Illuminated Cover and 275 Illustrations. 340 Pages. Price, \$10.00

By BARR FERREE

Editor of American Homes and Gardens, Corresponding Member of the American Institute of Architects and of the Royal Institute of British Architects




## A SUMPTUOUS book dealing with some of the most stately houses and charming gardens in America. The illustrations are in nearly all cases made from original photographs, and are beautifully printed on double coated paper. Attractively bound. This book will prove one of the most interesting books of the season, and will fill the wants of those who desire to purchase a luxurious book on our American homes. An illustrated prospectus mailed free on request.

## MUNN & COMPANY

Publishers of "Scientific American"

361 Broadway, New York

**\$5.00 Water Motor \$3.50**

Our \$5.00 Morton Faucet Water Motor sold for a limited time for \$3.50. Guaranteed. Attaches to any faucet. For polishing and sharpening. For running all kinds of light machines. Largest and most powerful faucet motor. Outfit includes emery wheel, buffing wheel, pulley and polishing material. Money refunded if not satisfactory. Booklet free. Motor delivered anywhere in time for Christmas. Order now—before price advances.

MORTON MFG. COMPANY, Dept. C.  
130 Fulton Street, New York.

**INVESTORS' BOOK FREE**

Those who have \$100 or more in a bank can get our **Cloth Bound** book—"Money Making"—absolutely **Free**. This volume is artistically printed—beautifully illustrated. Contains no advertising. Tells how to invest with safety and profit. Write for it to-day—mentioning bank.


BARNARD & CLARK, Suite 11,  
25 Broad St., New York City.

**Valuable Volumes****Electricians' Handy Book.**

By Prof. T. O'CONOR SLOANE.

768 Pages. Nearly 600 Illustrations.

Handsomely Bound in Red Leather, with Title and Edges in Gold. Price \$3.50



This thoroughly practical book of 768 pages covers the entire field of electricity. It contains no useless theory—everything is to the point, and readily understood by student or practical man. The advanced electrical engineer will also receive great benefit from its study. It is a work of the most modern practice. Written in a clear, comprehensive manner, it covers the field thoroughly, but so simply that any one can understand it fully. It teaches you just what you need to know about electricity.

A Practical Work for Practical Men.

**Gas Engines and Producer-Gas Plants.**

By R. E. MATHOT.

320 Pages. Fully Illustrated. Price \$2.50

A practical treatise setting forth the principles of Gas Engines and Producer Design, the Selection and Installation of an Engine, Conditions of Perfect Operation, Producer-Gas Engines and their Possibilities. The Care of Gas Engines and Producer-Gas Plants, with a Chapter on Volatile Hydrocarbon and Oil Engines. Thoroughly up-to-date in its treatment of the subject, the work discusses at considerable length the generation of producer-gas and its utilization in gas engines. No other book in English presents anything like as full a discussion of this most important phase of the gas engine. Indeed, no other book devotes even a chapter to producer-gas despite the fact that it is the coming fuel for gas engines of high power.

**MECHANICAL MOVEMENTS**

Powers, Devices & Appliances.

By GARDNER D. HISCOX, M. E.

Large Svo. 402 Pages. 1649 Illustrations, with Descriptive Text. Price \$3.00.

**Mechanical Appliances**

Mechanical Movements and Novelties of Construction

By GARDNER D. HISCOX, M. E.

Being a Supplementary Volume to the Author's Work entitled

MECHANICAL MOVEMENTS, POWERS AND DEVICES.

Contains 1000 Special Made Engravings.

400 Pages. Cloth Bound.

Price \$3.00

The above two volumes sold together for \$5.00 post-paid

Any of these books sent prepaid on receipt of price. A special circular of these books will be sent to any one on application.

MUNN & COMPANY

Publishers of Scientific American,

361 Broadway, New York

Vehicle wheel, N. A. Newton	804,617
Vehicles, means for freeing horses from, D. Boldog	804,791
Vehicles, receptacle for attachment to, W. E. Wright	804,362
Vehicles, variable speed transmission for, Marble & Donaldson	804,421
Veneer covering and producing the same, W. H. Strickler	804,443
Vessel hull, I. E. Palmer	804,497
Vessel, odorless, Patton & Bryson	804,546
Wagon body, G. R. Hyson	804,230
Wagon box protector, J. M. Urie	804,275
Wagon, dump, J. Somerville	804,439
Wall protector, T. J. Watson	804,569
Washing machine, J. H. Maclay	804,420
Washing machine, S. O. Collins	804,453
Watch barrel, G. F. Johnson	804,728
Watch barrel, safety, G. F. Johnson	804,727
Watches, impulse pin for, E. Kuhn	804,739
Water closet, E. G. Watrous	804,644
Water closet, R. E. Crane	804,650
Watch holder and guard, J. D. McCarthy	804,493
Water meter, L. Lezgus	804,417
Weeder or cultivator, F. L. Novotny	804,335
Welding rails, electrically, C. Pahde	804,281
Wheel fender, L. Vogt	804,281
Whiffletree coupling, A. W. Gilchrist	804,392
Whip holder, R. Schroeder	804,627
Wind engine, C. McGregor	804,257
Windmill, Summers & Yoder	804,684
Window and the like fitting, W. L. Hamilton	804,721
Window chair, M. Pietsch	804,499
Window construction, E. H. Lunken	804,486
Window holding and antirattling device, J. B. Hunt	804,228
Window screen, C. J. Allen	804,641
Window screen, C. F. Barr	804,698
Window screen, metallic, E. T. Burrows	804,519
Window brace, W. W. Gleckner	804,394
Wire cloth holder and measuring device, Prather & Keim	804,501
Wire fabric machine, P. W. Sommer, et al.	804,681
Wire feed, straightening, and cutting mechanism, V. Hoxie	804,321
Wire staple forming and discharging mechanism, E. J. Gibson	804,311
Wire staple forming and discharging mechanism, Hoxie & Truman	804,322
Wire staple forming and discharging mechanism, V. Hoxie	804,323, 804,403, 804,461
Wire stretcher, H. L. Ferris	804,461
Wood, fiberizer for reducing, A. W. Handford	804,313
Woodwork, rotary cutter for, W. Kinley	804,734
Woodworking machine cutter head, G. W. & H. T. Clark	804,705
Wrench, W. R. Tomlinson	804,351
Wrench, F. L. Robinson	804,433
Wrench, H. T. Thompson	804,568
Wrench, D. Harris	804,600
Wrench, G. A. Low	804,611
Yeast extracts from bitter principles, freeing, M. Elb	804,524

**DESIGNS.**

Automobile body, A. P. Brush	37,670 to 37,674
Badge, R. C. Dick	37,660
Basket, L. E. Jung	37,662
Carpet, W. Thomas	37,675
Carpet, W. A. Perry	37,676
Casket handle socket, A. V. Eginton	37,678
Chair, W. F. Wittich	37,666
Phonograph horn, F. M. Murphy	37,661
Rocker body, R. T. Carr	37,663 to 37,665
Rosary, H. F. Nehr	37,659
Rug, W. A. Perry	37,677
Stove, M. R. Lehman	37,668
Stove, gas, H. S. Humphrey	37,669

**TRADE MARKS.**

Absorbent pads or plasters, G. C. Young	47,649
Acid phosphate of lime, powdered, Provident Chemical Works	47,585
Ale, Rueter & Co.	47,586
Ale, Dawson & Son	47,595
Ale, brewed, S. S. Pierce Co.	47,587
Alloy and articles of which such alloy forms a part, metallic, Riverside Metal Co.	47,688
Antiseptic preparations, C. E. Benton	47,575
Balsam, F. Hubacher	47,635
Batteries, dry, National Carbon Co.	47,635
Beer, Anheuser-Busch Brewing Association	47,573
Beer, Theo. Hamm Brewing Co.	47,574
Beer, Hoster-Columbus Associated Breweries Co.	47,611
Beer, lager, Zeltner Brewing Co.	47,613
Beer, lager, John Gund Brewing Co.	47,572
Belting, leather, Providence Belting Co.	47,578 to 47,723
Beverage, non-intoxicating malt, Dallas Brewery	47,594
Bitters, Sunset Distilling Co.	47,567
Bitters, Fidge Doyle Co.	47,597
Books, R. S. & A. B. Lacey	47,718
Boots and shoes, leather, Jordan Marsh Co.	47,691 to 47,693
Boots and shoes, leather, Marks Rothenberg & Co.	47,701
Boots and shoes, leather, L. A. Crossett	47,711
Boots and shoes, leather, Churchill & Alden Co.	47,712
Boots, shoes and slippers, leather, cloth, and felt, M. D. Wells Co.	47,721
Brooms and whisk brushes, Southwestern Broom Mfg. Co.	47,736
Brushes, Grand Rapids Brush Co.	47,715
Candy, Reymor & Brothers	47,682
Canned salmon, Deming & Gould Co.	47,673
Chocolates and chocolate bonbons, Stern & Saalberg Co.	47,568
Cider, Siegel, Cooper & Co.	47,661
Cigars, C. S. Morris & Co.	47,625
Cigars, Y. Pendas & Alvarez	47,625
Cigars, S. S. Pierce Co.	47,703 to 47,684
Cigars and cheroots, Sanchez y Hermanos	47,684
Cigars and cigarettes made from cigar tobacco, Victor Talking Machine Co.	47,737
Collars and cuffs made from pyroxylin, Fiberloid Co.	47,663
Confection composed of rice and sugar, R. A. Johnston Co.	47,683
Corsets, Michigan Corset Co.	47,664
Corsets, Fehlmeyer & Co.	47,675
Corsets, Strawbridge & Clothier	47,685
Corsets and corset girdles, Felix Corset Co.	47,651
Cotton piece goods, Massachusetts Cotton Mills	47,658 to 47,680
Cotton piece goods, Saffern & Co.	47,709
Dyestuff, Cassella Color Co.	47,592
Dyspepsia, compound for curing, C. E. Shacklady	47,726
Emulsion, Standard Emulsion Co.	47,623
Eye shade, W. F. Mahony	47,719
Fertilizers, artificial, Spartanburg Fertilizer Co.	47,730
Flavoring and dressing, dessert, G. F. Hueblein & Bro.	47,677
Flooring, manufactured maple, Cobbs & Mitchell	47,616
Flour, wheat, W. J. Jennison Co.	47,624
Flour, wheat, Sleepy Eye Milling Co.	47,702
Food, live stock and poultry, McCormick & Co.	47,619
Gages, G. W. Gregory	47,716
Gelatin, C. B. Knox	47,652
Gloves, F. Schmidt	47,566
Gloves, Abraham & Straus	47,639
Hams and bacon, Parker, Webb & Co.	47,679
Handkerchiefs, John Fullman & Co.	47,639
Horseshoe pads, Revere Rubber Co.	47,639
Insulation material, Roessler & Hasslacher Chemical Co.	47,735
Knit underwear and knit hosiery, L. P. Haight	47,676
Lamp glasses and globes, Macbeth-Evans Glass Co.	47,694 to 47,700
Lantern globes and lenses, Fostoria Glass Specialty Co.	47,732
Lard, tallow, lard compounds, and substitutes for lard, Cudahy Brothers Co.	47,631
Leather dressing and polish, Columbia Shoe Dressing Co.	47,672
Leather, hemlock sole, United States Leather Co.	47,605

**For Christmas**

Get Your Husband, Son or Brother, a

**"PAN-TOG"**

"A Gentleman's Dressing Chair." Creases trousers perfectly by applying 500 lbs. pressure. You can't do it by stretching them. You must press them. That's what a tailor does. Anyone can do it himself if they have a Pan-Tog. Takes out the bag and wrinkles. Puts in the proper crease. No tailor bills. No bother. It has an improved hanger for coat and vest, and contains a compartment for slippers, shoes, shoe polish and other things. A low seat assures an easy position in lacing shoes. This chair is a handsome piece of furniture; in quartered oak, golden finish or birch mahogany.

PRICE ONLY \$12.50

Freight prepaid to any point in the U. S.

An illustrated, descriptive folder tells more about it and contains the enthusiastic endorsement of gentlemen who are using it. Folder sent on request. Address

Central Mantel Co.

Sole Manufacturers

1212 Olive Street,

St. Louis, Mo.

AGENTS WANTED



Will make for you  
\$100 A DAY

Spin sugar into cotton candy any color or flavor. Agents wanted.

BARTELL MACHINE CO.  
53 W. 8th St., New York, U.S.A.

MY BOOK FREE

THE KEY TO SUCCESS

Free to Readers of this Publication

Stop Forgetting

You can stop forgetting by a little practice and a few simple rules. You can study my course anywhere, any time, in spare moments. You are no greater intellectually than your memory. Simple, inexpensive. Increases business capacity, social standing by giving an alert, ready memory for names, faces, business details, study. Develops will, concentration, conversation, public speaking, writing, etc. Write today for free copy of my interesting booklet, "How to Remember." Address

Dickson School of Memory, 700 Kimball Hall, Chicago



Transmits from 1/2 H.P. up to 150 H.P.—backwards as well as forward—without losing its flexibility. Write to-day for Bulletin 19. COATES CLIPPER MFG. COMPANY, WORCESTER, MASS. U.S.A.

**Scientific American****Christmas Number**

DECEMBER 16, 1905

36 Pages 50 Illustrations

Colored Cover

PRICE TEN CENTS

The Christmas Number of the SCIENTIFIC AMERICAN will be most attractive. The cover in three-color printing represents the Triumphs of Peace, and is appropriate to the season.

Among the interesting articles are:

OIL IN THE SOUTHWEST. A Great Industry.

SNOW STATUES. Plastic Art in a Frozen Medium.

BURGLARS' TOOLS. Devices used by Criminal Mechanics.

KORYAKS OF SIBERIA. An Article on an Unknown People.

ROOSEVELT DAM. For Irrigation.

DIAGRAM OF PARTS OF AUTOMOBILE. An illustration which Names Every Part of an Automobile.

MARINE ANIMALS. Composite Animals.

RADIUM CLOCK. Runs for Thousands of Years A NEW LIFE FLOAT.

Many other articles and items of interest will be published.

Order of your Newsdealer or of the Publishers,

MUNN & COMPANY, 361 Broadway, New York



**HENRY CAREY BAIRD & CO.**  
Industrial Publishers, Booksellers and Importers,  
810 Walnut St., Philadelphia, Pa., U. S. A.  
Our New and Revised Catalogue of Practical and Scientific Books, 94 pages, 8vo. (Oct. 1, 1905); Catalogue of Chemical Technology and General Chemistry, July, 1905 (New and Up-to-Date); a Catalogue of Books on Metallurgy, Mining, Prospecting, Mineralogy, Geology, Assaying, Analysis, etc.; a Catalogue of Books on Steam and the Steam Engine, Machinery, etc.; a Catalogue of Books on Sanitary Science, Gas Fitting, Plumbing, etc.; and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish his address.

## Clean House With Air



Over 55 Companies  
operating  
Thurman Patents  
in America,  
and as many more in  
Canada, England,  
and Europe.

FREE CATALOGUE

**General Compressed Air House Cleaning Co.**  
ST. LOUIS, U. S. A.

Manufacturers of the Celebrated Thurman direct-connected Gasoline Driven Air Compressors for Mines, Pneumatic Tools, Etc.



### SPRINGFIELD ABRASIVE POLISHING WHEELS AND BLOCKS.

Used for polishing machinery, cutlery and edge tools of all kinds and for removing rust spots from highly polished metal. Makes a very smooth surface without marring. Containing rubber which gives it the resilient effect. Made with either Emery or Carborundum in different grades. Write for price list and special trade discounts.

The Springfield Tire and Rubber Co.,  
SPRINGFIELD, OHIO, U. S. A.

### Convert Your Bicycle Into a Motorcycle



at a moderate cost by attaching the **Mesco 2 h. p. Motorcycle Unit** which includes all accessories to make a complete motorcycle from your bicycle without alteration. Choice of transmissions. Complete Motorcycles and Cycle

Motorcycles. Parts sold separately. Write for catalogue. Motorcycle Equipment Co., 896 Main St., Buffalo, N. Y.

## 26 THROUGH TRAINS A DAY



Twenty-six fast through trains every day—a train every hour in the twenty-four and even better—between the big cities—Chicago, Toledo, Cleveland, St. Louis, Cincinnati, Pittsburgh, Buffalo, New York, Boston. Such is the extent of the splendid service—the greatest in America—afforded by the

### Lake Shore

& Michigan Southern Ry.

in connection with the New York Central, Boston & Albany, Pittsburgh & Lake Erie and Big Four Route.

The Lake Shore is widely recognized as the most comfortable fast service route in America.

Address undersigned about your travel matters.

A. J. SMITH, Gen. Pass. Agt., Cleveland, O.  
C. F. DALY, Passenger Traffic Manager, Chicago, Ill.

60 YEARS' EXPERIENCE

## PATENTS

TRADE MARKS  
DESIGNS  
COPYRIGHTS & C.

Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. HANDBOOK on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

**Scientific American.**

A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year; four months, \$1. Sold by all newsdealers.  
**MUNN & Co. 361 Broadway, New York**  
Branch Office, 625 F St., Washington, D. C.

Leggings, leather, Chanavas & Slazenger ..	47,650
Liniments, F. S. Luqueer ..	47,582
Loom temples and parts thereof, Draper Co. ....	47,632
Magazine, monthly, G. H. Patterson and E. C. Thurnau Publishers, Office Appliances Magazine or periodical, Rocky Mountain Consolidated Co. ....	47,722
Malt extracts, Theo. Hamm Brewing Co. ....	47,725
Medical salts and tablets made therefrom, Medical Lake Salts Mfg. Co. ....	47,612
Medicinal preparation, Centaur Company....	47,583
Newspaper, trade, David Williams Co. ....	47,588
Oils, illuminating, Valvoline Oil Co. ....	47,713
Painted, varnished, and japanned surfaces, renovator for, Superior Renovator Co. ....	47,668
Paints adapted for iron and roofing, American Graphite Co. ....	47,662
Paints and enamels, Chicago Varnish Co. ....	47,641
Paper and envelopes, M. P. Exline Co. ....	47,557
Paper boxes, folding, Whitney & Co. ....	47,733
Papers, bond, linen, ledger, wedding, and index bristol, B. D. Rising Paper Co. ....	47,667
Pens, stub, C. Howard Hunt Pen Co. ....	47,710
Petrolatum, McKesson & Robbins .....	47,615
Pianos and piano players, Aeolian Co. ....	47,720
Pictures, plaques, and designs, printed or lithographed, B. B. Strop .....	47,686
Pins, Plume & Atwood Mfg. Co. ....	47,731
Porter, Anheuser-Busch Brewing Association	47,643
Preparation for the prevention of venereal diseases, W. F. Bernart .....	47,554
Pumps, Flint and Walling Manufacturing Co. ....	47,576
Remedies for ailments of animals, Lawrence-Williams Co. ....	47,633
Remedies for internal and external use, F. Emerson .....	47,590
Remedy for certain named diseases, Uricol Chemical Co. ....	47,714
Remedy for constipation and intestinal indigestion, tonic, R. Fabery .....	47,591
Remedy for coughs and colds, J. E. Muse ..	47,618
Remedy for diseases of the kidneys, liver, stomach, and blood, Great Forest Remedy Co. ....	47,602
Remedy for diseases of the stomach and bowels, J. Ricca .....	47,610
Remedy for headache and neuralgia, R. P. Menard .....	47,724
Ribbons, W. Openhym & Sons .....	47,601
Ribbons, J. B. Whitney .....	47,660
Rice, prepared, Chandler and Rudd Co. ....	47,666
Rivets and spots, Standard Rivet Co. ....	47,687
Roofing sheets, graveled, National Roofing Co. ....	47,646
Saws, G. N. Clemson .....	47,734
Seals, car, E. J. Brooks & Co. ....	47,670
Seeders and grain drills, Dowagiac Manufacturing Co. ....	47,674
Sewing machines, Siegel, Cooper & Co. ....	47,617
Shoe channelling machines, knives and groovers for, L. L. Green .....	47,728
Shoes, children's leather, Shepard Norwell Co. ....	47,634
Shoes made of leather and canvas, Watson Shoe Co. ....	47,727
Soaps, W. F. Comstock .....	47,647
Spices, Crescent Manufacturing Co. ....	47,629
Starch and dextrin, Arabol Mfg Co. ....	47,630
Stays, Spirella Company .....	47,640
Steel, Canton Steel Co. ....	47,689
Steel, Park Steel Co. ....	47,626
Tablets for certain named diseases, C. E. R. Smith .....	47,638
Tools, certain named, Wiley & Russell Mfg. Co. ....	47,729
Twine, binders', Ludlow Manfg. Associates, ..	47,648
Twine, hemp, Ludlow Manfg. Associates, ..	47,653
Upholsterers' webbing, Ludlow Manfg. Associates .....	47,656
Varnishes, American Varnish Co. ....	47,655
Vehicles and parts thereof, motor, Packard Motor Car Co. ....	47,642
Washing machines, E. H. Huenefeldt .....	47,621
Watches, watch cases, and watch movements, E. Howard Watch Co. ....	47,678
Whisky, S. Block & Griff .....	47,690
Whisky, Cavanagh & Co. ....	47,555
Whisky, F. Coblenz & Co. ....	47,556
Whisky, Hessler Bottling Co. ....	47,558
Whisky, H. L. Griesedieck Dist'g Co. ....	47,559
Whisky, C. F. Lauber .....	47,560
Whisky, R. M. Rose Co. ....	47,561
Whisky, S. Westheimer & Son Wholesale Liquor Co. ....	47,565
Whisky, White, Hentz & Co. ....	47,569
Whisky, Wright & Taylor .....	47,570
Whisky, E. Hyman & Son .....	47,571
Whisky, J. W. Kelly & Co. ....	47,577
Whisky, Meyer Marx Co. ....	47,581
Whisky, J. J. Douglas Co. ....	47,584
Whisky, F. H. Chase & Co. ....	47,589
Whisky, Figue Doyle Co. ....	47,596
Whisky, P. Friedman .....	47,598
Whisky, Loeb, Bloom & Co. ....	47,599
Whisky, H. G. Williams & Co. ....	47,600
Whisky, J. E. Pepper .....	47,604
Whisky, Loeb, Bloom & Co. ....	47,605
Whisky, Nelson Distilling Co. ....	47,607
Whisky, Bergin & Brady Co. ....	47,608
Whisky, Trost Bros. ....	47,609
Wines, still and sparkling, C. F. Lauber ..	47,614
Wire cloth and netting, woven, Clinton Wire Cloth Co. ....	47,627

### LABELS.

"Blackline," for shoe dressing, Albion Mfg. Co. ....	12,484
"Bostonian Cap," for cloth caps, F. A. Horle .....	12,478
"Broncho Breakers," for medicine, M. Schwarz .....	12,468
"Colonial Ginger Ale," for ginger ale, S. Becker .....	12,477
"Fine Cloth Caps," for cloth caps, F. A. Horle .....	12,472
"Hayes," Beechwood Emulso-Hypo with Iron, for medicine, Shoffner-Hayes Medicine Co. ....	12,479
"J. E. C. Sanitary Make," The Daphne Shirt Waist Suit, for shirt waist suits, J. Erlich .....	12,466
"Kulmbacher," for beer, K. Lampe & Co. ....	12,483
"Leather Oil," for shoe polish, T. S. Adamson .....	12,476
"Madam Mayme's Specific for the Eradication of Superfluous Hair," for a specific for the eradication of superfluous hair, M. Feder .....	12,485
"Mothers Magic Colic Cure," for medicine, M. B. Higgins .....	12,471
"Osmosoline," for antiseptic dressing, L. J. Graffort & J. C. Davis .....	12,467
"Palmetto," for coffee, H. H. Palmer .....	12,469
"Palmetto," for tea, H. H. Palmer .....	12,474
"Peno Corno," for a confection, Wallis & Stinecomb .....	12,475
"Ray's Dandruff Cure and Hair Invigorator," for hair invigorator, Ray & Downey .....	12,472
"Springfield Candy Company," for candy, Springfield Candy Co. ....	12,470

### PRINTS.

"Health and Home," for grape nuts and postum coffee, G. F. Jefferson .....	1,484
"Jap Lady," for perfume, Hana Zona Perfume Co. ....	1,485
"The John Eichler Br'g Co.," for beer, John Eichler Br'g Co. ....	1,482

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.



## The Palm Fringed Shores of the Caribbean

SPECIAL Yachting and Circular Tours in the West Indies, 12 to 40 Days, \$85 to \$280 (including Hotel Accommodations), by Transatlantic Mail Steamers from New York and connecting Yachting and Inter-Colonial Steamers.

Illustrated Booklets and full details of all agents of

**The Royal Mail Steam Packet Company**

SANDERSON & SON, General Agents, 22 State Street, New York

## RAILROADING

WANTED FIREMEN AND BRAKEMEN for all North American Railroads. Experience unnecessary. Firemen \$70, become Engineers and earn \$150. Brakemen \$65, become Conductors and earn \$140. Unequaled opportunity for strong, ambitious YOUNG MEN. Name position preferred. State age. Address RAILWAY ASSOCIATION, Room 188, 227 Monroe Street, Brooklyn, N. Y.

## Inspector General of Forests

### WESTERN AUSTRALIA

Applications for above position addressed to Public Service Commissioner, Perth, W. A., will be received up to 1st March, 1906. Applicants must have a thorough knowledge of scientific and practical forestry in connection with both hard and soft woods, as well as the administrative ability and experience necessary to undertake the charge of the Forestry Branch of the Lands and Surveys Department.

Salary £750. Appointment to be for one year with an undertaking if services prove satisfactory to place the successful applicant permanently under the Public Service Act.

An allowance will be made toward cost of transit to Perth.

M. E. JULL,  
Public Service Commissioner.

## LET US BE YOUR FACTORY

WRITE FOR ESTIMATE ON ANY ARTICLE YOU WANT MANUFACTURED  
STAMPINGS, MODELS, EXPER. WORK  
WRITE FOR FREE BOOKLET  
THE GLOBE MACHINE & STAMPING CO.  
970 Hamilton St., Cleveland, O.

**PLUMBING SCHOOLS.** Men and boys wanted to earn \$5.00 a day, after two months' instruction. Position guaranteed. COYNE BROS. CO. PLUMBING SCHOOLS, 239 Tenth Avenue, New York. Cincinnati, O. St. Louis, Mo. Free catalog.

**ICE MACHINES** Corlies Engines, Brewers' and Bottlers Machinery. THE VILTER MFG. CO. 899 Clinton St., Milwaukee, Wis.

**MODELS & EXPERIMENTAL WORK.** Inventions developed. Special Machinery. E. V. BAILLARD, 24 Frankfort Street, New York.

**RUBBER** Expert Manufacturers Fine Jobbing Work  
PARKER, STEARNS & SUTTON, 228-229 South St., New York

Models & Exper. Work, Gears, Dies, Tools, Small Machy., Scient. Instrs. M. P. Schell, 506 Mission St., San Francisco.

**LEARN ART OF ENGRAVING.** Situations guaranteed. Send for catalogue. JEWELERS' SCHOOL OF ENGRAVING, 42 Madison Street, Chicago.

**MODELS & GEARS** INVENTIONS PERFECTED UNION MODEL WORKS 193 So. CLARK ST. CHICAGO, ILL.

**MODEL AND EXPERIMENTAL WORK.** Electrical and Mechanical Instruments. Small Machy. EDWARD KLEINSCHMIDT, 82 W. Broadway, New York

**EXPERIMENTAL WORK** Scientifically and accurately executed. Models and small machinery perfected. STENDICKE & VOLKMER, 61 Fulton Street, Telephone 5655 John.

**MODELS & CHICAGO MODEL WORKS** ESTABLISHED 1867 179 E. MADISON ST. CHICAGO, ILL. WRITE FOR CATALOGUE OF MODEL SUPPLIES

**GINSENG** The money making crop. Easily grown. Room in your garden to grow hundreds of dollars worth annually. Roots for sale. Plant now. Literature free. Write today. BUCKINGHAM'S GINSENG GARDEN, Dept. 4, Zanesville, Ohio

### GOOD PAY

\$5.00 a day and upward made by selling FORD'S ALL WOOD Air-Tight Weather Strip. Anyone can apply it to doors and windows. Keeps down the coal bills. FREE samples and terms.

CHAS. J. FORD, 225 Senior Building, Holyoke, Mass.

## NEW ERA FUEL SAVER



For the Furnace or Boiler

It will save more than its cost this Winter because it cuts one-third from your coal bills and thoroughly heats rooms your furnace now fails to heat without extra expense. Saves the heat which ordinarily goes out of the chimney. Requires no further attention when once installed, and every household who heats by furnace or boiler should ask their dealer about the NEW ERA, or write for full particulars to

WILLNOT CASTLE CO.  
17A Elm St., Rochester, N. Y.  
We also make Radiators for Stove Pipes, etc.

**NAME PLATES—STEEL STAMPS** "EMPLOYEE CHECKS, KEY TAGS & BADGES" J. ROBBINS MFG. CO. 58 KNEELAND ST. SEND FOR CATALOGUE BOSTON, MASS.

**CEMENT BOOKS.** How to Use Portland Cement, 50c.; Cement Sidewalk Construction, 50c.; Reinforced Concrete Construction, \$2.50; Monier Cement and Steel Construction, 50c.; Hollow Concrete Block Building Construction, 50c. Postpaid on receipt of price. Address CEMENT AND ENGINEERING NEWS, Chicago, Ill.


**AUTO STORAGE BATTERIES** ALL KINDS THE WILLARD STORAGE BATTERY CO. CLEVELAND, O.

## Electrical Engineering

and Experimental Work of Every Description We have every facility for producing first-class work promptly. Our factory is equipped with modern machinery throughout.

C. F. SPLITDORF  
Engineering Dept. 17-27 Vandewater St., N. Y. City

**THE SHOREHAM.**  
WASHINGTON, D. C.



JOHN T. DEVINE, PROP.

## Deafness Cured at Home

Don't waste your time and money in experiments. My method cures deafness and all head noises to say cured. Absolute and positive proofs sent on application. No pain, no loss of time. The method is my own and cannot be obtained elsewhere. It has been tried and found true, it cures.

Write today for my book, "Deafness Its Cause and Cure," FREE. Address GUY CLIFFORD POWELL, M.D.



65 Bank Bldg., Peoria, Ill.

## New York Belting & Packing Co. Ltd.


Manufacturers of high grade Rubber Belting, Diaphragms, Dredging Sleeves, Emery Wheels; Air Brake, Steam, Suction and Garden Hose, etc., Mats, Matting, Interlocking Rubber Tiling.

Also manufacturers of moulded and special rubber goods of every description.

Write for catalogue.


91-93 Chambers St., New York

## To INVESTIGATE



The mechanically correct DURYEA, invariably is to purchase. Duryeas are different in the reason. Patented features make them for Comfort and Economy Supreme. Send for leaflet it Tells the Reason Why.

DURYEA POWER CO., 44-84 Aeyrud St., Reading, Pa.



## CHARTER

Stationaries, Portables, Hoisters, Pumps, Sawing and Boat Outfits, Combined with Dynamos.

Gasoline, Gas, Kerosene.

Send for Catalogue.

State Power Needs.

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.




All varieties at lowest prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Scales, Sewing Machines, Bicycles, Tools, etc. Save Money. Lists Free. CHICAGO SCALE CO., Chicago, Ill.

## What Is Daus' Tip-Top?



TO PROVE that Daus' "Tip-Top" is the best and simplest device for making 100 copies from pen-written and 50 copies from typewritten original, we will ship complete duplicator, cap size, without deposit, on ten (10) days' trial. Price \$7.50 less trade discount of 33 1/3 per cent, or \$5 Net.

The Felix A. B. Daus Duplicator Co., Daus Bldg., 111 John St., New York




## BRISTOL'S RECORDING INSTRUMENTS.

Pressure Gauges, Vacuum Gauges, Voltmeters, Amperemeters, Wattmeters, and Thermometers, make continuous records Day and Night. Will pay for themselves. Every instrument fully guaranteed and sent on 30 days' trial. Send for Circulars and Specimen Chart.

The Bristol Company, Waterbury, Conn.

GOLD MEDAL, ST. LOUIS EXPOSITION.

## Circular Metal Sawing Machine




Makes a straight smooth cut through a 4-inch steel bar in ten minutes. Will do more and better work than a dozen power hack saws. Grinder attached for sharpening saw.

Ask for circular.

COCHRANE-BLY COMPANY  
22 St. James St., Rochester, N. Y.

## THE ENGINE THAT PULLS


with a strong, steady pull. Used and recommended by thousands. A postal card with your name and address will bring particulars. Our machines and prices will interest you.



Hagan Gas Engine & Mfg. Co.  
Winchester, Ky., U.S.A.

## West Cold Tire Setter

DOES AN HOUR'S WORK IN A MINUTE



A money making investment for any wheel maker, carriage or wagon builder or repair man. Send for Catalog and our Bulletins.

WEST TIRE SETTER CO.  
Rochester, N. Y.

## Bausch & Lomb Microscopes

This is an invitation to send for our illustrated catalog of Microscopes if you are interested in best instruments for the least money, those that are used in the leading laboratories everywhere and by individual workers who know the best.

Bausch & Lomb Optical Co.  
MANUFACTURERS  
ROCHESTER, N. Y.

NEW YORK CHICAGO BOSTON  
SAN FRANCISCO FRANKFORT A-M GERMANY

PARALLEL CH-BESLY & Co  
CLAMPSAILS (Angles) Chicago  
15 to 21 South Clinton Street.

# THE YOUTH'S COMPANION

For the Entire  
Family Circle



With the Volume for 1906 The Companion enters upon its eightieth year. The place it has held during all this time in the home life of our country has made it the National Family Paper.

The list of

## 225 Writers for 1906

includes men and women who have risen to distinction in all the great vocations, and promises increased usefulness and interest of The Companion throughout the new year.

Announcement for 1906 and Sample Copies of the Paper Free.

## Every New Subscriber

Who cuts out and sends at once this slip (or mentions this publication) with \$1.75 for The Companion for the fifty-two weeks of 1906 will receive

# FREE

All the issues of The Companion for the remaining weeks of 1905. The Thanksgiving and Christmas Double Numbers. The "Minutemen" Calendar for 1906, in twelve colors and gold.

As much reading in the year as would fill twenty octavo volumes.

\$12,000 will be shared equally by Companion subscribers who secure five other new subscriptions.

THE YOUTH'S COMPANION, BOSTON, MASSACHUSETTS.

**Own a Kanawha Canoe.** A high class 15 foot wooden shell, canvas covered canoe in knockdown for \$12. Price covers everything but paint. Spare time, saw and hatchet all you require. DOUBLE ENDED, shown below, 16 foot, \$50. K. frame and planking, \$14. YOU CAN BUILD IT. We build skiffs, row-boats and canoes finished and in knockdown.

**The Kanawha Boat Mfg. Co.**  
Dept. C, Wellsburg, W. Va.

CATALOGUE FREE.

**The Ardrey Vehicle Washer**

**SAVES 75 Per Cent.** labor and time when washing autos, carriages, wagons or sleighs. As easy to wash vehicles in winter as in summer. Hands do not come in contact with water. Mittens or gauntlets may be worn, they will not get wet.

**AN IDEAL CHRISTMAS GIFT.** Made of solid brass. Fits any ordinary hose. Water constantly flowing through sponge immediately removes dirt and grit. Impossible to injure most delicate finish.

Every washer warranted. Money back if not satisfactory. Prepaid \$8.00. Booklet free for asking.

**ARDREY VEHICLE WASHER COMPANY,**  
181A Main Street, Rochester, N. Y.

**THE MIETZ & WEISS OIL ENGINES**

Sizes from 1 to 60 H. P.

Send for Catalogue.

Operated by Kerosene Oil, Fuel Oil, Distillate. Safest, Simplest, Most Economical and Most Reliable Power on the market.

Highest award for Direct Coupled Oil Engines and Generator, Paris Exposition, 1900. Gold Medals, Pan American Exposition, 1901, Charleston Exposition, 1902. Gold Medal and Special Diploma, Louisiana Purchase Exposition, St. Louis, Mo., 1904.

**AUGUST MIETZ**  
128-128 Mott St., New York, U.S.A.  
Catalogue Dept. 24.

**Experimental Electrical Outfits**

from which the following practical machines can be made: Dynamo or Motor (high or low volts); Gas Engine Dynamo; Motor-Dynamo; Dynamotor; Booster; Single Phase A. C. Rectifier; Single Phase A. C. Motor; Motor-Driven Self-Exciting A. C. Generator, etc. Parts are interchangeable throughout. Can be purchased altogether or one piece at a time. Bulletin B mailed free for the asking.

**PARSELL & WEED,** 129-131 West Thirty-first Street, New York, U. S. A.


**Civil Engineering and Surveyors' Instruments**

DRAWING INSTRUMENTS, MATERIALS AND SUPPLIES

We are the largest house in the world. Try us on BLUE PRINT PAPER, TRACING CLOTH, DRAWING INKS, or SURVEYING and ENGINEERING INSTRUMENTS.

**A. S. ALOE CO., 515 Olive Street, - - - St. Louis, Mo.**

Write for Catalog. "Sent Free." Correspondence Solicited.



Model F. \$550, f. o. b. Detroit.

A commercial traveler visited 125 towns in 32 days over the rough roads of Minnesota and North Dakota, using no other means of transportation than

# CADILLAC


Isn't this rather interesting proof of Cadillac reliability?

Runabout, \$750; Model C, with detachable tonneau, \$850; Light Touring car, \$950; Four-cylinder car, \$2,800; f. o. b. Detroit.

Write for Catalogue N and address of nearest dealer, where you may see and try a Cadillac.

**CADILLAC AUTOMOBILE CO., Detroit, Mich.**  
Member A. L. A. M.

## COLD GALVANIZING. AMERICAN PROCESS. NO ROYALTIES. SAMPLES AND INFORMATION ON APPLICATION.



## NICKEL

Electro-Plating Apparatus and Material.

THE

Hanson & VanWinkle


Co.,

Newark, N. J.

32 William St., N. Y.

30 & 32 S. Canal St.

Chicago.




## Boucher Adjustable Shaving Glass

An admirable Christmas gift to a gentleman. It makes shaving safe and comfortable. It may be applied to any window, or elsewhere, and instantly adjusted to any angle. It may be carried safely in a satchel. Furnished, express prepaid, either Chipped Edge, \$1.50; Bevel Edge, \$2.00.

SEND FOR CIRCULAR.


CALDWELL MFG. CO., 26 Jones St., Rochester, N. Y.



## The Spark Plug Hat

is a cheap, durable and efficient device for protecting the spark plug from accidental short circuit, by rain or spray. It insures the steady running of your motor in a sea way, where to stop might mean an accident. It does away with starting troubles and slipping from wet wires. For sale by all dealers, or by mail, postage paid, \$1.00. Fits any plug.


C. H. STUART, Newark, N. Y.



## A CLEAN KITCHEN

and a great saving in wall paper and paint is effected by the use of the Victor Range canopy. Can be easily attached to any Range in 20 minutes. Takes the smoke, steam, grease, smell and dampness from the kitchen up the chimney. Made of polished iron, nickel trim. Price, for 4 or 6 ft. range, \$7.50. Good agents wanted.

The Phoenix Furnace Co., 214 Wood St., Pittsburg, Pa.



## The WONDER ALTERNATOR

SOMETHING NEW

Just what you've been looking for

Only small combined alternating and direct current generator manufactured. The most interesting and useful piece of electrical apparatus ever offered. Can also be operated efficiently as a motor. Wound for any voltage up to 10. Weight 4 1/2 lbs. Send for descriptive circulars. Agents wanted.

**THE R. M. CORNWELL CO.**  
406 S. Salina St., Syracuse, N. Y.

## INCREASE YOUR INCOME

By Owning a Producing Pineapple Plantation in Porto Rico

Our new illustrated book tells all about pineapples, their culture, their agricultural importance, their value as a product, the cost of the production as compared with the average price, where they are grown to the best advantage, how long it takes to grow and market a crop—and, most interesting of all, how Americans of modest means are, without interference with their present occupation or business, engaging in the culture of pineapples and finding it highly profitable. We will send this book FREE to any man or woman who takes a serious interest in agriculture along modern lines.

**LA FORTUNA FRUIT CO.**  
Metropolitan Bldg., New York

## JESSOP STEEL CO

MFRS OF CRUCIBLE SHEET STEEL WASHINGTON, PA.